

Index

Note: Page numbers in *italics* refer to Figures.

A

- abscess, 164
- acantholysis, 59, 60
- acanthosis, 5, 7, 20, 27, 30, 37, 46, 55, 56, 66, 213
- acanthosis nigricans, 13
- acne agminata, 184
- acne comedonica, 323
- acne cystica, 323
- acneiform reaction, 336
- acne pustulosa, 324
- acne vulgaris, 322, 338
 - acne comedonica, 323
 - acne cystica, 323
 - acne pustulosa, 324
- bacterial folliculitis, 336
- demodex folliculitis, 334
- eosinophilic folliculitis and papular eruption of HIV, 337
- granulomatous rosacea, 329–30
- perioral dermatitis, 332
- pityrosporum folliculitis, 335
- rhinophyma, 333
- rosacea, 325–6
 - rosacea conglobata, 331
 - rosacea fulminans, 327
 - rosacea, persistent edema (*Morbihan*), 328
- acrodermatitis

 - chronica atrophicans, 107
 - enteropathica (zinc deficiency-syndrome), 86
 - pubular acrodermatitis of childhood (Gianotti-Crosti), 34

- acropustulosis, infantile, 77
- acute systemic lupus erythematosus, 239
- adnexae
 - hair follicles
 - not reduced, 340–345
 - reduced, 346–8
 - pilosebaceous unit, 322–39
- alopecia areata, 342
 - androgenetic alopecia, 344
 - diagnosis, 345
 - peribulbar and intrabulbar lymphocytic infiltrate, 342
 - variant, 343
- alpha-herpes virus-infections *see* herpes simplex
- amorphous eosinophilic, 316
- amyloid deposits, 308

anaplastic large cell lymphoma

- primary cutaneous, 155
- systemic, 155

androgenetic alopecia

- 341, 344

annular elastolytic giant cell granuloma

- 190–191

argyria

- 288

Arndt-Gottron, 299

arteriosclerosis

- 263

arthropod bite reaction

- 44–5, 129, 141, 168

atopic dermatitis

- 2, 36–7

chronic, 57

atrophie blanche (capillaritis alba)

- 228–30

axillary perifollicular xanthomatosis

- 294

B

bacterial folliculitis

- 336

Behcet's disease

- 254

Bizarre anemic spots

- 227

black patch/nodule

- 287

blisters

cheiropomphylox or pomphylox, 18

erythema, 19

papillomatous growth and vegetations, 61

subepidermal, 131

suprabasal acantholytic, 62

blue nevus

- 287

bowenoid papulosis

- 97–8

bullosum, 237

bulous epidermolytic ichthyosis

- 6, 10–11

bulous pemphigoid

- 24, 68, 122–4, 166

arthropod bite reaction

- 141

autoimmune bullous disorders

- 125

dermatitis herpetiformis (Duhring's disease)

- 127, 141

pemphigoid gestationis

- 126

prebullosus phase

- 141

C

calcinosis

- 314

calcinosis cutis

- 311–12

basophilic (H&E) masses

- 312

crest

- 314

cutaneous calcification types

- 311

diagnosis

- 319

osteoma cutis, primary

- 315

steroid deposits

- 317–18

tophus (gout)

- 316

variants

- 313

calcium deposits

- 314

- cheilitis granulomatosa, 174
 chickenpox, 88
 Churg-Strauss syndrome, 165, 244, 259
 clavus, 13
 collagenesis, reactive perforating, 216
 elastosis perforans serpiginosa, 217
 keratosis pilaris, 218
 colloid milium, 309
 combustio and congelatio, 77
 condyloma acuminatum, 96
 coumarin necrosis, 225
 coxsackievirus, 91
 crest, 314
 Crohn's disease, 178
 crust formation, 181
 cryoglobulinemia, 239
 type 1 (monoclonal type), 226
 cutaneous calcification types, 311
 cutaneous calcinosis, 263
 cutaneous calciphylaxis, 260–261, 264
 calcification, 261
 differential diagnosis, 263
 superficial necrotic plaques and ulceration, 260
 variants, 262
 cutaneous myxoma, 305
 cutaneous polyarteritis nodosa, 240–242, 245
 differential diagnosis, 244
 leukocytoclastic vasculitis, 241–2
 skin painful erythematous nodules, 240
 variant, 243
 cutaneous T-cell lymphoma (CTCL), 24, 39
 granulomatous, 178
 cytomegalovirus infection, 90
- D**
 Darier's disease *see* dyskeratosis follicularis
 degenerative collagen material, 309
 demodex folliculitis, 334
 dendritic melanocytic cells, 287
 deposition and storage
 amyloid, 307–10
 calcium and bone, 311–19
 foreign bodies, 282–9
 lipids, 290–295
 mucin, 296–306
 dermal-epidermal junction (interface)
 lichenoid, 110–121
 subepidermal blistering, 122–30
 dermatitis
 acute nummular, 24
 atopic, 36–7
 interface, 118, 119, 143, 144
 nummular, 57
 seborrheic, 30
 stasis, 213
 subacute, 55
 dermatitis, acute (contact), 16–17
 allergic contact, 18
 diagnosis, 24
 dyshidrotic eczema, 18
 miliaria crystallina, 23
 phototoxic and photoallergic, 19–20
 polymorphous light eruption, 21–2
 toxic contact, 18
 dermatitis herpetiformis, 127, 141
 dermatomyositis, 119
 dermis
 connective tissue
 perforation and extrusion, 216–19
 sclerosis, 205–15
 edema, 134–41
 infiltrates
 granulomatous, 169–204
 non-granulomatous, 142–68
 DIC *see* disseminated intravascular coagulation (DIC)
 diffuse bluish-brown discoloration, 288
 discoid lupus erythematoses, 348
 disseminated intravascular coagulation (DIC), 222
 disseminated papules on hands, 298
 Dorfman syndrome, 12
 drug eruption, 138
 bullous, 131
 fixed, 121
 lymphomatoid, 155
 Duhring's disease *see* dermatitis herpetiformis
 dyskeratosis follicularis, 65–6, 67
- E**
 eczema
 chronic, 13
 atopic dermatitis, 36–7
 cutaneous T-cell lymphoma (CTCL), 39
 diagnosis, 40
 lichen simplex chronicus, 36–7
 subacute eczema, 38
 dyshidrotic, 18
 pityriasis rubra pilaris, 13
 edema, 174
 of reticular dermis, 135
 subepidermal, 129
 urticaria, 134–5
 without inflammatory infiltrate, 140
 elastolytic giant cell granuloma, 186
 elastophagocytosis, 191
 elastosis perforans serpiginosa (perforating elastosis), 217
 eosinophilic cellulitis, 159–60, 254
 abscess, 164
 bullous pemphigoid, 166
 Churg-Strauss syndrome, 165
 diagnosis, 168
 erysipelas, 162–3
 pyoderma gangrenosum, 167
 variants, 161
 eosinophilic cellulitis (Wells syndrome), 159
 eosinophilic fasciitis (Shulman syndrome), 168, 210–211
 eosinophilic folliculitis (HIV), 168
 eosinophilic folliculitis and HIV papular eruption, 337
 eosinophilic folliculitis ofuji, 338
 epidermal nevus, 13, 57
 epidermis
 atrophic, 104–8
 bullous, acantholytic, 58–68
 degenerative
 ballooning, 87–92
 koilocytic, 93–103
 necrobiotic, 78–86
 eczematous
 acute, 16–24

- chronic, 36–40
pruriginous, 41–9
subacute, 25–35
p psoriasiforme, 50–57
pustular, 69–77
epidermo- and folliculo-tropic lymphocytic infiltrate, 302
epidermolyticus verruciformis (Lewandowsky-Lutz), 100
epidermolysis bullosa acquisita, 125
epithelioid granulomas, 172
erysipelas, 162–3
erythema, 9, 117, 119, 205
annulare centrifugum, 31
blisters, 19
crystalline exudate, 23
exsudativum multiforme, 132
fugaceous, 177
multiforme, 92
purpuric, 165
and scaling, 55
tense blister, 131
and tense bullae, 166
and urticarial wheals, 138
vesicles and crust formation, 16
erythema dyschromicum perstans, 286
erythema elevatum diutinum, 251, 254
interstitial granulomatous dermatitis, 254
leukocytoclastic vasculitis, 251
variants, 252–3
erythema induratum (Bazin), 183
erythema nodosum, 178
early stage, 266–8
Miescher's nodules (granulomas), 268
septal panniculitis, 269
thickening of septae, 266–7
erythematous plaques, 142
erythroderma, 10
erythrodermia ichthyosiformis congenitalis, 6, 12
erythrokeratoderma variabilis, 12
extranodal NK/T-cell lymphoma, 155
erysipelas, 141
- F**
faint netlike and bizarre erythema, 238
febrile neutrophilic dermatosis, acute, 157–8
fibrin and platelet thrombi, 225
fibrosis, 42, 46, 128, 174
foam cells
densely packed, 292
superficial clusters, 291
foamy histiocytes, clusters, 290
follicular mucinosis, 302
follicular papular eruptions, 294
folliculocentric granulomatous dermal infiltrate, 330
folliculotropic mycosis fungoïdes, 302
foreign body granuloma, 175–6, 186
Fox-Fordyce disease, 294
frontal baldness, 340
fungus infection, 57
- G**
Gottron papules, 119
graft-versus-host (GvH) reaction
acute, 77, 116
chronic, sclerosing form, 212
- granuloma annulare, 178, 186
annular elastolytic giant cell granuloma, 190–191
deep granuloma annulare, 189
necrobiosis lipoidica, 192
rheumatoid nodule, 193–4
granuloma faciale, 178, 186
granulomatosis disciformis, 171
granulomatous acne/rosacea, 178, 186
granulomatous mycosis fungoïdes, 196
benign cephalic histiocytosis (JXG), 200
congenital self-healing reticulohistiocytosis
(Hashimoto-Pritzker), 201
diagnosis, 204
granulomatous slack skin, 197
Langerhans cell (X-) histiocytes, 198
multicentric reticulohistiocytosis (MRH), 202
non-X-histiocytes: Juvenile xanthogranuloma, 199
progressive nodular histiocytosis (PNH), 203
granulomatous rosacea, 329–30
granulomatous slack skin, 197
Grover's disease *see* transient acantholytic dermatosis
- H**
Hailey-Hailey's disease, 64, 67
hair follicles, mucinous degeneration, 302
Harlequin ichthyosis *see* X-linked dominant ichthyosis
Heck's disease, focal oral hyperplasia
Heerfordt-syndrome, 173
hemorrhagic bullae, 237
heredopathia atactica polyneuritiformis *see* refsum syndrome
herpes simplex, 87
cytomegalovirus infection, 90
diagnosis, 92
hand, foot and mouth disease (coxsackievirus), 91
poxvirus, ecthyma contagiosum (ORF), 89
varicella/herpes zoster; chickenpox, 88
histiocytes, 200
horny layer
prominent granular layer, 7–13
reduced granular layer, 2–6
hypergranulosis, 37, 42
hyperkeratosis, 5, 9, 47, 142, 179, 297
hyperkeratotic plugging, 294
hyperorthokeratosis, 5, 7
hyperparakeratosis, 29, 30, 33, 42, 145, 146, 218
hyperplasia, 333
epithelial, 48
focal oral, 103
hypersensitivity reaction, 155
hytrix-like ichthyosis with deafness (HID), 12
- I**
ichthyosiform erythroderma, 10–11
ichthyosis hystrix Curth-Macklin, 12
ichthyosis vulgaris, 2–3
acquired, 4
diagnosis, 6
ichthyosis hystrix, 5
IgA linear bullous dermatosis, 127
IgA pemphigus, 77
IgA vasculitis (Purpura Schoenlein-Henoch), 236
impetigo contagiosa, 68
incidental calcification, 263
incontinentia pigmenti, 24

- indurated subcutaneous nodules, 270
 infiltrated erythematous plaques, 302
 interstitial granulomatous dermatitis, 254
 with arthritis, 177
- J**
 Jessner lymphocytic infiltrate (Jessner-Kanof), 148
 Juvenile xanthogranuloma, 199
- K**
 keratitis, ichthyosis-like hyperkeratosis and deafness (KID), 12
 keratosis lichenoides chronica, 121
 keratosis pilaris, 218
 Königsbeck-Barber-type, 70
 Kyrle's disease, 217
- L**
 lamellar ichthyosis, 7
 bullos epidermolytic ichthyosis, 10–11
 ichthyosis and deafness syndromes, 12
 X-linked dominant ichthyosis, 8
 X-linked recessive ichthyosis, 9
 Langerhans cell (X-) histiocytoses, 198
 leishmaniasis, 185
 leukocytoklastic vasculitis, 233–5, 251
 bullous, 237
 diagnosis, 239
 IgA vasculitis (Purpura Schoenlein-Henoch), 236
 karyorrhexis with nuclear debris, 234
 livedo racemosa, 238
 with marked fibrin thrombi, 224
 peri and intravascular infiltrate, 234
 with vascular occlusion, 231
 leukoderma angiospasticum, 227
 leukoplakia, reactive, 49
 lichen amyloidosus, 307–8
 chronic and pruritic disease, 307
 colloid milium, 309
 diagnosis, 310
 eosinophilic globular deposits, 308
 lichen aureus, 115
 lichen myxedematosus, 298
 lichen nitidus, 114
 lichenoid papules, 299
 lichen (ruber) planus, 110–112
 acute graft-versus-host reaction, 116
 dermatomyositis, 119
 diagnosis, 121
 drug reaction, 113
 keratosis, 121
 lichen aureus, 115
 lichen nitidus, 114
 lupus erythematosus, acute systemic, 117–18
 mycosis fungoides (early stage), 120
 lichen sclerosus et atrophicus, 106, 114
 lichen simplex chronicus, 36–7, 57
 lipodermatosclerosis, 215
 lipid dermatopathies *see* multicentric reticulohistiocytosis (MRH)
 livedo racemosa, 238
 lobular and paraseptal panniculitis, 270
 Löfgren-syndrome, 173
 lupus erythematosus (LE)
 acute systemic, 117–18
 chronic discoid, 142–3
- diagnosis, 150
 Jessner lymphocytic infiltrate (Jessner-Kanof), 148
 LE profundus (lupus panniculitis), 146
 LE tumidus, 145
 pernio (chilblains), 147
 pseudolymphoma, 149
 subacute cutaneous LE, 144
 lupus miliaris disseminatus faciei, 184, 338
 lupus panniculitis, 146, 270
 diagnosis, 274
 indurated subcutaneous nodules, 270
 lobular and paraseptal panniculitis, 270
 paraffinoma, 273
 subcutaneous panniculitis-like T-cell lymphoma, 271–2
 lupus vulgaris, 179–80
 atypical mycobacteriosis, 181
 diagnosis, 186
 erythema induratum (Bazin), 183
 leishmaniasis, 185
 lupus miliaris disseminatus faciei, 184
 papulonecrotic tuberculid, 182
 Lyell's syndrome *see* toxic epidermal necrolysis (TEN)
 lymph drainage, 140
 lymphedema, 140
 lymphocytic thrombophilic (macular) arteritis, 259
 lymphomatoid contact dermatitis, 155
 lymphomatoid papulosis, 151–3
 differential diagnosis, 155
 type A, 154
- M**
 macroglobulinemia (Waldenström, IgM), 227
 malignant atrophic papulosis (Köhlmeier-Degos), 231
 marked edema, 237
 massive necrosis with ulceration, 223
 mastocytosis (urticaria pigmentosa), 141
 mechanobullous blister formation, 125
 Miescher-Melkersson-Rosenthal syndrome, 174
 Miescher's nodules (granulomas), 268
 migratory thrombophlebitis, 246
 miliaria cristallina, 23, 77
 morphea, 108, 209 *see also* scleroderma
 mucin deposition, 296, 299
 mucoid pseudocyst, digit/lip, 303–4
 multicentric reticulohistiocytosis (MRH), 202
 Munro's abscesses, 53
 mycobacterial infections, 178
 mycobacteriosis, atypical, 181
 mycosis fungoides, 120, 155
 myxedema, diffuse, generalized, 296–7
 cutaneous myxoma, 305
 diagnosis, 306
 follicular mucinosis, 302
 hyperkeratosis, 297
 lichen myxedematosus, 298
 mucin deposition, 296
 mucoid pseudocyst, digit/lip, 303–4
 reticular erythematous mucinosis (REM), 300–301
 scleromyxedema, 299
- N**
 necrobiosis, 188
 necrobiosis lipoidica, 186, 192
 necrobiotic xanthogranuloma, 204, 293

- necrotic adipocytes, 276
necrotic keratinocytes, 226
nephrogenic fibrosing dermopathy, 215
neutrophils and hemorrhage, 276
nodular vasculitis, 244, 249
non-uremic calciphylaxis, 263
nummular dermatitis, 25–7, 57
 diagnosis, 35
 erythema annulare centrifugum, 31
 papular acrodermatitis of childhood (Gianotti-Crosti), 34
 pityriasis lichenoides, 32–3
 pityriasis rosea, 28–9
 seborrheic dermatitis, 30
- O**
- orthohyperkeratosis, 3
orthokeratosis, 47
osteoma cutis, primary, 315
ostitis cystica multiplex (Jüngling), 173
oxalosis, 263
- P**
- palmoplantar keratodermas, 13
pancreatic panniculitis, 278
papillomatosis, 5, 7, 42, 55, 56
papular acrodermatitis of childhood (Gianotti-Crosti), 34
papular mucinosis, 298
papulonecrotic tuberculid, 182
papulosis maligna, 239
paraffinoma, 273
parahyperkeratosis, 27, 37, 55
parakeratosis, 31, 53
parapsoriasis, 54
parapsoriasis/chronic superficial dermatitis, 40
PAS-positive thrombi, 226
pellagra, 86
pemphigoid gestationis, 126
pemphigus foliaceus, 77
pemphigus vulgaris, 58–9, 92
 benign familial pemphigus (Hailey-Hailey's disease), 64
 diagnosis, 68
 dyskeratosis follicularis (Darier's disease), 65–6
 IgA pemphigus, 63
 pemphigus foliaceus, 60
 pemphigus vegetans, 61–2
 transient acantholytic dermatosis (Grover's disease), 67
penile or vulvar intraepithelial neoplasia, 97–8
perioral dermatitis, 332
permanent tattoo, 282
pernio (chilblains), 147
photoallergic and phototoxic reactions, 150
pityriasis lichenoides, 32–3, 92
pityriasis lichenoides et varioliformis acuta (PLEVA), 32, 84, 121
pityriasis rosea, 28–9
pityriasis rubra pilaris, 40, 56
pityrosporum folliculitis, 335
plaques, 309
 indurated, 293
 periocular, 291
poikiloderma vasculare atrophicans Jacobi, 105
polyarteritis nodosa, 249, 259
polymorphous light eruption (PLE), 21–2, 150
porphyria cutanea tarda, 77, 128
poxvirus, ecthyma contagiosum (ORF), 89
- prebullous phase, 141
primary cutaneous CD8+ aggressive epidermotropic cytotoxic T-cell lymphoma, 155
progressive nodular histiocytosis (PNH), 203
prurigo, 40
prurigo simplex subacuta/chronica, 41–2
 clavus/knuckle pads, 46
 diagnosis, 49
 epidermal nevus, 47
 infestation and arthropod bite reaction, 44–5
 prurigo nodularis hyde, 43
 white sponge nevus of the mucous membrane, 48
pruritic urticarial papules and plaques of pregnancy (PUPP), 139
pruritus, 36
pseudo alopecia areata, 346
pseudocyst, 304
pseudoepitheliomatous acanthosis, 42
pseudolymphoma, 149
psoriasisiform erythema, 56
psoriasis, 40
 psoriasis pustulosa
 Behcet's disease (Behcet-Adamantiades syndrome), 76
 diagnosis, 77
 generalized pustular psoriasis, von Zumbusch-type, 71
 impetigo contagiosa, 73
 ostiofolliculitis (pustular), 74
 pustular psoriasis of palms and soles, Königsbeck-Barber-type, 70
 subcorneal pustulosis, 72
 tinea, 75
 psoriasis vulgaris, 50–52
 diagnosis, 57
 parapsoriasis, large plaque (mycosis fungoides early stage), 54
 pityriasis rubra pilaris, 56
 psoriasis pustulosa generalisata, 53
 psoriasis pustulo sapalmo-plantaris, 53
 seborrheic dermatitis, 55
 subacute dermatitis, 55
 purpura fulminans, 222–3
 atrophie blanche (capillaritis alba), 228, 228–30
 coumarin necrosis, 225
 cryoglobulinemia type 1 (monoclonal type), 226
 diagnosis, 232
 disseminated intravascular coagulation (DIC), 222
 macroglobulinemia (Waldenström, IgM), 227
 malignant atrophic papulosis (Köhlemeier-Degos), 231
 septic vasculitis, 224
 small vessels, occlusion, 223
 purpuric hemorrhagic papules, 236
 pustular psoriasis, von Zumbusch-type, 71
 pustulosis, acute generalized, 77
 pustulosis, subcorneal, 72
 pyoderma gangrenosum, 167
- R**
- radiodermatitis, chronic, 104
 acrodermatitis chronica atrophicans, 107
 diagnosis, 108
 lichen sclerosus et atrophicus, 106
 poikiloderma vasculare atrophicans Jacobi, 105
Raynaud phenomenon, 208
Raynaud syndrome, 314
refsum syndrome, 6
Reiter's syndrome, 57
REM *see* reticular erythematous mucinosis (REM syndrome)

- reticular erythema, 300
 reticular erythematous mucinosis (REM syndrome), 150, 300–301
 reticulohistiocytosis, congenital self-healing (Hashimoto-Pritzker), 201
 rheumatoid nodules, 186, 193–4
 rhinophyma, 333
 rosacea, 325–9
 rosacea conglobata, 331
 rosacea fulminans, 327
 rosacea, persistent edema (Morbihan), 328
 rubra, 77
- S**
- sarcoidosis, 169, 169–70, 186
 cheilitis granulomatosa, 174
 diagnosis, 178
 foreign body granuloma, 175–6
 granulomatosis disciformis, 171
 Heerfordt-syndrome, 173
 interstitial granulomatous dermatitis (with arthritis), 177
 Löfgren-syndrome, 173
 ostitis cystica multiplex (Jüngling), 173
 sarcoidosis (lupus pernio), 172
 scar, 108, 151, 175, 215
 scarring alopecia (pseudopelade Brocq), 346, 349
 discoid lupus erythematoses, 348
 pseudo alopecia areata, 346
 variants, 347
- scleroderma
 circumscribed (morphoea), 205–6
 chronic graft-versus-host (GvH)-reaction, 212
 connective tissue nevus, 214
 diagnosis, 215
 eosinophilic fasciitis (Shulman), 210–211
 stasis dermatitis, 213
 systemic scleroderma, 208–9
 variants, 207
 systemic, 208–9
 scleromyxedema, 299
 sclerosis, 212
 seborrheic dermatitis, 30, 55
 septal panniculitis, 269
 septic vasculitis, 224, 239
 silver deposition, 288
 solitary papular lesion, 292
 spongiosis, 31, 213
 acrosyringium, 23
 focal, 45, 129
 hyperparakeratosis, 17
 phototoxic and photoallergic dermatitis, 20
 polymorphous light eruption (PLE), 22
 vesicles, 18
- steroid deposits, 317–18
 subcutaneous fat necrosis of newborn, 277
 subcutaneous nodules (hard), 315
 subcutaneous panniculitis-like T-cell lymphoma, 271–2
- subcutis
 fat necrosis, 276–8
 panniculitis
 lobular, 270–275
 septal, 266–9
- superficial thrombophlebitis, 244
 Sweet's syndrome, 255 *see also* febrile neutrophilic dermatosis, acute
- T**
- tattoo, 282–4
 argyria, 288
 blue nevus, 287
 erythema dyschromicum perstans, 286
 permanent, 282
 pigment extracellular, deposition, 284
 variants, 285
- Tay syndrome, 6
 temporal arteritis, 255–7
 artery, destruction and occlusion, 257
 differential diagnosis, 255
 erythema and ulceration, 255
 granulomatous vasculitis, 256
 variants, 258
- tense blister, 130
- thrombangitis obliterans, 259
- thrombophlebitis, 246–7, 250
 differential diagnosis, 249
 multiple lesions, 246
 thrombus formation, 247
 variant, 248
- tophus (gout), 316
- toxic epidermal necrolysis (TEN), 78–9
 diagnosis, 86
 erythema multiforme, 80
 fixed drug reaction, 81
 necrotic migratory erythema (Glucagonoma-syndrome), 85
 (phyto) phototoxic dermatitis, 83
- pityriasis lichenoides et varioliformis acuta (PLEVA), 84
 staphylococcal scaled skin syndrome (SSSS), 82
- transient acantholytic dermatosis, 67
- transient neonatal pustular melanosis, early lesions, 77
- translucent cystic lesion, 303
- traumatic and factitious panniculitis, 276–7
 diagnosis, 279
 necrotic adipocytes, 276
 neutrophils and hemorrhage, 276
 pancreatic panniculitis, 278
 plaques or nodules, tender indurated, 275
 subcutaneous fat necrosis of newborn, 277
- trichophytia, 338
- trichothiodystrophy, 6
- trichotillomania, 339, 341
 frontal fibrosing alopecia, 340
 incomplete hair loss, 339
 traction and pressure alopecia, 339
- U**
- ulceration, 181, 185, 216
- uric acid crystals accumulation, 316
- urticaria
 diagnosis, 141
 drug eruption, 138
 lymphedema, 140
 neutrophilic, 141
 pruritic urticarial papules and plaques of pregnancy (PUPP), 139
 urticarial wheel, 129
 vasculitis, 136–7
- urticarial vasculitis, 239
- V**
- vacuolar degeneration, 286
- vasculitis, 118

verruca vulgaris, 93–4
bowenoid papulosis, 97–8
Bowen's disease, 99
condyloma acuminatum, 96
diagnosis, 103
epidermolytic verruciformis (Lewandowsky-Lutz), 100
seborrheic keratosis, 101
verruca plana, 95
verrucous epidermal nevus, 102
verruciform xanthoma, 292
verrucous epidermal nevus, 102
vessels
intravascular coagulation, 222–33
vasculitis
arteritis, 255–9
localized, 251–5
medium and large, 246–50
medium-sized vessel, 240–245
small vessel, 233–9
vasculopathic changes, 260–264
violaceous brown-red infiltrated plaque, 252
viral exanthem, herpes virus, 77

W

Wegener's granulomatosis, 244, 259
Wells syndrome *see* eosinophilic cellulitis

X

xanthelasma, 291
xanthoma, 290
axillary perifollicular xanthomatosis, 294
diagnosis, 295
foamy histiocytes, clusters, 290
necrobiotic xanthogranuloma, 293
types, 290
verruciform xanthoma, 292
xanthelasma, 291
X-linked dominant ichthyosis, 6, 8
X-linked recessive ichthyosis, 9

Y

yellow plaques *see* plaques

Z

zinc deficiency-syndrome, 86

