Index

Page numbers in <i>italics</i> refer to figures, and those in bold to tables and boxes.	adhesive island dressings 939 adhesive skin closure strips 955	airway management 629 CPAP 450
	administration of medicines see medicines	CPR 491, 491, 494-5, 499
ABC of resuscitation 490–2	administration	oxygen therapy 439
abdomen, quadrants 31	administration sets 750, 750-2, 751	post-anaesthetic recovery 827, 828, 829–30
abdominal distension, enterally-fed patients 296	blood see blood administration sets	airways, artificial
abdominal examination 30–3	enteral feeding 279–80	laryngeal mask airway (LMA) 495, 495
procedure guideline 32–3	extension sets 751, 751	moving and positioning patients with 222–5
rationale 32	gravity flow 752	problem solving 224–5
techniques 31–2	needleless connectors/injection caps 751,	procedure guidelines 222–3, 224
abdominal paracentesis 396–401	751–2	obstruction 225
complications 401	parenteral nutrition 300, 748, 750	oropharyngeal or Guedel 494, 494–5
equipment 398, 400	peripheral arterial 925	see also tracheostomy; ventilated patients
indications 397	reducing risk of infection 748	Alaris GH syringe pump 754
preparatory investigations 397	solution 750	Alaris PCA pump 755
problem solving 401	adrenaline (epinephrine) 114	alarm systems, community pendant 42
procedure guideline 399–400	blood pressure regulation 612	albumin
abducens nerve (VI) 656	CPR 497	plasma 268, 535, 795, 811
ABO blood groups 302	advance care planning (ACP) 403	solutions, human (HAS) 308
haematopoietic stem cell transplantation 303	advance decisions to refuse treatment	alcohol-based handrubs 59, 78
incompatibilities 302, 322	(ADRT) 404	dispensers 59
Abstral 371	advanced life support (ALS) 488, 491, 492	procedure guideline 63, 63
accessory muscles of respiration 619–20	algorithm 496	alcohol consumption 791
use of 227, 227 , 625	adventitious breath sounds 24	alcohol solutions/swabs 741, 864
accessory nerve (XI) 656	adverse drug reactions (ADRs) 676, 686	aldosterone 255, 613, 641
accommodation, suitability for discharge 42	allergic reactions 684, 684, 685	alginate wound dressings 939
Accuhaler 708, 709	predisposing factors 686	Allen test 920, <i>921</i>
aciclovir 714	treatment of acute 685	modified 527, <i>528</i> , 529
acid/base homeostasis 286	types A and B 686	allergic reactions/allergies
acidosis 286	Yellow Card Scheme 680, 686	blood transfusions 321–2
actinomycin D, extravasation 771, 775	Advisory Committee on the Safety of Blood,	classification 684
Action for Blind People 128	Tissue and Organs (SaBTO) 310	
	aerosol containers, storage 682	drugs 684, 684, 685
Action on Hearing Loss 128 Actiq 371	aerosol humidifiers 442	intravenous drug administration 779
activated charcoal dressings 939		pre-operative assessment 791 surgical wound site 853
	aerosols, methods of production 708	
active transport 255	aesthetic evidence 2	allodynia 361, 369
activities of daily living, assessment 14	Age Concern 323	allopurinol 685
activity, assessment 13–14	ageing	alternating programs (AD) mattragger 052
acupuncture 373–6, <i>374</i> , <i>375</i>	eye 342	alternating pressure (AP) mattresses 952
complications 376	skin 333	alveolar pressure 619, 619, 620
equipment 375	age-related macular degeneration 343	Alzheimer's disease 123
indications 374	aggression 118–21	ambulatory infusion devices 755–6, 756
mechanisms of effects 373–4	management 119–21, 120–1	American Society of Anesthesiologists (ASA)
procedure guideline 376	underlying causes 118–19, <i>119</i> verbal 118	physical status classification 791, 791
record keeping 375, 375		Ametop (topical amethocaine) 879
safety aspects 374	agitation, at end of life 409	amikacin 540
acute kidney injury 266	airborne precautions 51	amino acids 299
acute lung injury, transfusion-related	airborne transmission 57	aminoglycoside antibiotics 540
(TRALI) 321	air embolism 908–9	amiodarone 497
acute normovolaemic haemodilution	prevention 904, 909	amoebic dysentery 572
(ANH) 306	air-in-line detectors 753, 766	amphetamines 691
acute pain 361, 362	air leaks, chest drainage systems 464, 466	ampoules 719–20, 720
assessment 363	airway	powder preparation, procedure guideline
epidural analgesia 380, 380	anatomy 21, 21, 228, 229	723–4
management 367, 368	assessment 624	solution preparation, procedure guideline
need for effective control 362–3	basic life support 490	722–3, 723
opioid-dependent patients 363, 363	mucociliary escalator 228–30	amputation 246–9
see also post-operative pain	obstruction, post-operative 830–1	complications 248–9
Adapt ring convex inserts 193	pre-operative assessment 794	levels 246, 246
ADH see antidiuretic hormone	secretions see respiratory secretions	positioning and management 246–9
adherence, medicines 687	stretch receptors 621	equipment 247, 247
adhesive, tissue 955	suctioning, CPR 495	principles 246–7

amputation (continued)	sensitivity testing 511	pulse assessment 604
problem solving 248	specimen collection prior to 513	pulse oximetry and 626
procedure guideline 247–8	therapeutic monitoring 540–1	sinus 600
anabolic steroids 691, 692	see also antimicrobial agents	arterial blood gases (ABG) 531, 626, 629
anaemia 304, 624	anticholinergic agents 136	blood sampling for 527–33
anaerobic threshold (AT) 795	anticoagulants	arterial cannula 528, 529, 532–3, <i>533</i> , 919
anaesthesia 813–16	arterial blood sampling and 528	arterial puncture 528-31, 529
care after see post-anaesthesia care unit	chest drainage and 455, 457	complications 533
equipment 820, <i>822</i>	epidural/intrathecal analgesia and 379, 387	contraindications 527–8
fasting before 804–5, 805	PICC-related thrombosis 902	equipment 529
history of development 814	thromboprophylaxis 800, 854–5	indications 527
infusion pumps 755	see also heparin; warfarin	patient preparation 528–9
monitoring 820, 822	anticonvulsants, pain management 367	post-procedure care 533
pain management interventions 371	antidepressants 117, 117	procedure guidelines 530–3, 533
pharmacological agents 814	panic disorder/acute anxiety 115	risk management 529
procedure guideline 816	antidiuretic hormone (ADH) 254, 613, 641	CPR 500
see also local anaesthesia; topical anaesthesia	antiembolic stockings 800–4, <i>801</i>	oxygen-treated patients 437
anaesthetic history 791	contraindications 801	arterial blood sampling 527–33
anaesthetic machine 815, 820, 822	measuring for 803, 804	complications 533
anaesthetic room 813–14	patients with artificial airway 222	contraindications 527–8
procedure guideline 816	post-operative use 855	equipment 529
Surgical Safety Checklist 814, 815	procedure guideline 802–4, 804	indications 527
anaesthetist	spinal cord lesions 246	patient preparation 528–9
handover in PACU 827	antiemetic drugs 135, 136	post-procedure care 533
latex allergy and 808	at end of life 409	procedure guidelines 530–3, 533
patient monitoring 820, 822	surgical patients 814	risk management 529
pre-operative assessment 794, 797	timing of administration 275	arterial cannulas 918–25
pre-operative fasting 805	antifungal agents 357, 714	blood pressure measurement 613
anal canal 581	antihistamines, antiemetic 136	blood sampling from 528, 529, 919
analgesia	anti-inflammatory drugs, ophthalmic 714	procedure guideline 532–3, 533
during anaesthesia 814	antimicrobial agents	choice of artery 920
breakthrough 370, 371	assays, blood sampling for 540–1	complications 924 , 924–5
buccal or sublingual 368	in hand washing preparations 59	indications 919
at end of life 409	see also antibiotic(s)	insertion
epidural see epidural analgesia	antimicrobial wound dressings 939	arterial assessment prior to 920, 921
inhalation see Entonox	antimotility drugs 174	procedure guideline 921–2, 922
intramuscular 368	antipsychotic drugs 120, 136	ongoing care 923
intrathecal see intrathecal analgesia	antipyretics 640	problem solving 924
intravenous 368	antiseptics	removal, procedure guideline 923–4
multimodal or balanced 366	handrubs 59	safety issues 920, 920
oral 367–8	VAD site cleaning 864, 880	arterial pressure
patient-controlled 368, 368	see also chlorhexidine	monitoring 613, 919–20
sputum collection 574	antisiphonage valves, infusion pumps 753, 754	waveforms 919, <i>919</i>
subcutaneous 368	antispasmodics 367	arterial puncture 528–31, 529
transdermal 368	antiviral eye preparations 714	competencies 529
see also pain management	anxiety 114–15	inadvertent 524, 890, 908
analgesic ladder 366–7, 367	acute (panic attacks) 115, 115, 116	post-procedure care 531, 533
analgesics 368–71	at end of life 408	procedure guideline 530–1
adjuvant (co-analgesics) 367, 371	management 114–15	vs arterial cannulation 528, 919
mechanisms of action 361, 361	peripheral cannulation 881, 885	arterial spasm 924
methods of delivery 367–8	venepuncture 517–18, 522	arterial blood gas sampling 532
non-opioid 367, 368–9	aortic valve 487	arterial puncture 528, 531
opioid see opioid analgesics	aperients 177 aphasia 124, 125, 125–6	intra-arterial drug administration 728
anaphylactic reactions, blood transfusions 323 anger 118–21	aphasia 124, 125, 125–6 apheresis, donor 306	arteries
management 119–21, 120–1	apical heart rate, assessment 602, 603	anatomy 527, 863, 919 distinction from veins 515
underlying causes 118–19, 119	apical inpulse, inspection 27, 29	pulse points 597–8, <i>599</i>
warning signs 119	apneastic breathing 658	selection for access 527, 920
angiotensin II 613	apnea 626	arteriovenous fistulas, blood pressure
Anglicans, care after death 410	epidural analgesia 384	measurement 613
ankle foot orthosis (AFO) 233, 234	Appeel adhesive remover 193	arthropods 55
ankle movements, active 210, 210	aprons, disposable 60, 79	artificial eye <i>see</i> eye(s), artificial
anorexia, management 274	procedure guideline 66, 66	art therapy 372
antecubital fossa	source isolation 85	ascites 396–401
venous access 514, <i>514</i>	agueous humour 341	abdominal paracentesis 396, 398
vesicant drug administration 769	arachis oil enema 178 , 181	assessment 398
anthracyclines, extravasation 771, 773, 775	arachnoiditis 547	causes and pathogenesis 397
antibacterial eye preparations 714	arachnoid mater 376, 377, 542	management 398–401
antibiotic(s)		symptoms 397
appropriate use 539	arginine 280 argyria 149	ascorbic acid (vitamin C) 644, 937
-associated diarrhoea 174, 571	arm see upper limb	asepsis, surgical 816–17, 819–20
blood cultures prior to 536	arnica 890	aseptic non-touch technique (ANTT) 78, 78
coated urinary catheters 149	arousal 653–5	changing wound dressings 851
diarrhoea treatment 174	assessment 655, 661	aseptic technique 78–80
end-of-life care 407	arrhythmias 600–1	examples 78
eye preparations 714	cardiac arrest 487	procedure guideline 78–80
intrathecal administration 728	complicating CVC insertion 908	aspiration
pain management 367	complicating CVC insertion 906 complicating tracheal suctioning 479	complicating enteral tube feeding 295
pani manayement 30/	complicating tractilear suctioning 479	complicating enteral tube leeding 495

during eating 277, 278	identification 510	biochemistry, blood 534, 535
general anaesthesia-related risks 804-5, 805	medically significant 54	nutritional status 268
patients on CPAP 451	shapes and arrangements 53	pre-operative 794–5, 811
aspirin 367, 644, 810	specimen handling 514	bio-electrical impedance analysis (BIA) 268
assessment, nursing 10–34	wound colonization 941	biofeedback 179
communication ability/needs 13 , 106	bacterial(-viral) filters	biofilms 149, 353, 869
comprehensive 12	CPAP 448, 448	biohazard labels 513, 516
definition 10	Entonox equipment 393	biopsy, liver 583–5
documentation 18, 18–19	epidural/intrathecal 381	Biot's breathing 626
at end of life 408	bacterial infections 52	bisacodyl 178, 178–9, 184
focused 12	serology 511	bisphosphonates 367
interviews 11	transfusion-transmitted 320, 321	black and minority ethnic (BME) groups 104
methods 11, 19	bacteriuria 566, 641	see also cultural beliefs/issues
mini 12	catheterized patients 566	bladder
observation 19	significant 641	anatomy and physiology 139
ongoing 12, 18	bag and mask ventilation 491, 491, 493–4, 494,	cancer 170
physical examination 19–34	499	neuropathic/neurogenic 170, 853
		perforation, complicating paracentesis 401
pre-operative <i>see</i> pre-operative assessment	Baha'i faith 410, 421	
principles 10, 10, 18	Bair Hugger blankets 832	post-operative distension 831
process 13, 13–16	balance 350	bladder irrigation 160–5
psychological well-being 106, 106	balloon catheters <i>see</i> Foley catheters	equipment 160–2, <i>162</i>
self- 13	barbiturates 691, 692	fluid 162
structure 10–11, 19	bar codes 312	indications 160
tools 12-13	baroreceptors 613, 620, 621	problem solving 164
types 12	barrel chest 23	procedure guidelines 162–3, 164
Association of Anaesthetists of Great Britain	barrier nursing 51	recording chart 165, 165
and Ireland 797	9	
	reverse 51	bleeding/haemorrhage
asthma, peak expiratory flow 630-1, 633-4	see also protective isolation; source isolation	abdominal paracentesis 401
asystole 487, 490, 497	basic life support (BLS) 488, 490–2	arterial blood sampling-related 533
ataxic breathing 658	algorithm 490	arterial cannulation-related 925
atelectasis 440, 447	method (ABC) 490-2, 491, 492	colonoscopy 582
athletes, heart rate 600	basilic vein	CVAD-related 909, 910
athlete's foot 334	midline catheter insertion 890	fluid homeostasis 255
atmospheric pressure 432	peripheral cannulation 863, 863, 876	gastroscopy 581
atrial fibrillation 601, <i>611</i>	PICC insertion 893–4, 894	laparoscopic surgery 817
· · · · · · · · · · · · · · · · · · ·	•	
blood pressure measurement 613	venepuncture 514, 515	liver biopsy 585
atrial natriuretic peptide (ANP) 612	basins, hand wash 59	lumbar puncture-related 547
atrioventricular (AV) block, first degree 611	bathing	post-operative 834–5
atrioventricular (AV) bundle (bundle of His)	patients in isolation 82	regional nerve blocks 389, 392
487, <i>601</i> , 604	pre-operative 812	removal of skin-tunnelled catheters 914, 914
atrioventricular (AV) node 487, 601, 604	see also bedbathing	surgical drains 849–50
atrioventricular (AV) valves 487	bathrooms, cleaning 82, 83	venepuncture site 523
atropine 497	battery-operated infusion devices 756	see also blood loss
attitude, towards patients 103	beard care 334	blindness 127, 342
	bed	
auditory ossicles 99, 350		blink reflex 658, 664
augmentive or alternative communication	elevation of head of 223	blocking behaviours 107, 108
(AAC) 125, 126	linen <i>see</i> linen/laundry	blogs, internet 112
auscultation 20	moving and positioning in 213–17	Blom-Singer speaking valve 473
abdomen 31, <i>31</i> , 33	lying down to sitting up 216–17, <i>217</i>	blood
blood pressure measurement 614	side-lying 215–16, <i>216</i>	accidental spillages 523
cardiovascular examination 28, 28, 29	sitting 214–15, <i>215</i>	flow problems, venepuncture 523
respiratory examination 24, 26, 29	supine 213–14	group and save 534, 794
auscultatory gap 614, 614, 617	washing patient's hair in 334	leucodepletion 321
autologous blood transfusion 306	procedure guideline 339–40	spurting, venepuncture 523
autolytic wound debridement 939	bedbathing 336–9	blood administration sets 311, 750–1, 751
automated external defibrillators (AEDs) 490,	procedure guideline 337–9	changing 311, 748
		bloodborne infections
492–3	bedpans 141, 141	
autonomic dysfunction 245	fluid output monitoring 262, 263–4	blood cultures 535–6
autonomic dysreflexia 187, 244, 245	patients in isolation 80	care after death 415
autonomic nervous system (ANS) 231	procedure guideline 142–3	inoculation injuries 88
AVPU scale 662	bedrest 209–10, 855	testing donated blood 304-6
awareness 655	see also rest	transfusion-related 320-1
assessment 655, 661	behaviour, towards patients 103	blood collection tubes 517, 517, 534
axillary block 389	beliefs, assessing patient's 16	blood components/products 307-9
axillary temperature 637	benzodiazepines	administration, procedure guideline 316–17
axillary vein 863, 864	aggressive patients 120	appropriate use 306
Aylesbury spatula 551	antiemetic effect 136	collection and delivery, procedure guideline
azotaemia, parenteral nutrition 302	drug interactions 686	314
azotaetiiia, paretitetat Huttitioti 302		
D.11. 12	legal controls 691, 692	donation and testing 304–6
Babinski's response 658, 664	pain management 367	irradiation 319–20
back pain/backache	panic disorder 115	labelling 315
positioning during surgery and 819	bereavement support 421	leucodepletion 321
post lumbar puncture 384, 547	Better Blood Transfusion initiatives 310	non-medical written authorization 310
bacteraemia 52, 535–6	bicarbonate ions (HCO ₃ -) 622	pre-transfusion checks 312, 314
bacteria 52–4	bilirubin	request 311
antibiotic sensitivity 511	serum 535, 811	procedure guideline 312–13
cell walls 52, 53, 54	urine 643	traceability 310
commensal 52	binary fission 52–3	warming 311–12
COMMICIBALISA	VIIIUI Y 11001011 JG ⁻ J	waning Jii -IZ

11 1 1 505 0	11 1 1 1 1 1 1 1	1 1:11 055
blood cultures 535–9	blood products used <i>see</i> blood components/	brachial plexus 655
collection bottles 517, <i>517</i> , 536	products	brachial plexus block 389
competencies 536	blood sampling prior to, procedure guideline	brachial veins 894, 894
CVAD-related infection 537	313–14	brachiocephalic vein 863, 863
equipment 536	blood typing 534	bradycardia 600, 832
indications 536	competencies 310	bradypnoea 625
methods of specimen collection 536	complications 319–23	brain 652, <i>653</i>
post-procedure care 539	consent 310	brain herniation, lumbar puncture 546 , 547
procedure guidelines 537–9	equipment 311–12	brainstem 653
risk management 536		brain tumours 125
	errors and their prevention 303, 303, 312	
skin preparation 537	hospital policy 303	breakthrough analgesia 370, 371
volume of blood required 536-7	incompatible 302, 322	breath, smell of 32
blood donation 304–6	indications 304, 305	breathing
blood glucose <i>see</i> glucose, blood	infusion devices 759	abnormal patterns 658, 658
blood glucose monitors 649	massive 311	agonal 489, 491
	non-medical written authorization 310	assessment 25, 624–6
blood groups 302		
haematopoietic stem cell transplantation	observations during/after 317, 319, 602, 613	basic life support 490–1
303	patient preparation 312	dying patients 402
incompatibility 302	pre-transfusion/bedside checks 303, 312, 322	
		ineffective post-operative 835
testing 311, 534	problem solving 317–18	mechanism of 619, <i>619</i> , <i>620</i>
blood loss	procedure guidelines 312–17	positioning to minimize work of 227-8, 228,
cardiopulmonary arrest 487–8		
	rationale 303–4	229
cell salvage for transfusion 306	reactions <i>see</i> transfusion reactions	see also respiration
massive, management 311	refusal 310–11	breathing exercises
see also bleeding/haemorrhage;	safety and quality regulations in UK 306–10	chest drain removal 463, 464
hypovolaemia	blood urea nitrogen 795	deep (DBE), post-operative patients 835
blood pack labelling 315	blood-warming devices 311-12	breathlessness
		at end of life 407, 409
blood pressure (BP) 610–18	BLS see basic life support	
across cardiovascular system 612	body, care after death <i>see</i> death, care after	patient positioning 227–8, 228, 229
control 612–13	body bag 415, 418	see also dyspnoea; respiratory compromise
diastolic 610–11, <i>612</i>	body composition 254, 267	breath sounds 24
dying patients 402	body fluids	Brief Pain Inventory (BPI) 364
factors affecting 612	high risk 88	Bristol Stool Chart 140, 173, 177, 571
fluid imbalances 257	patients in isolation 80–2	British Committee for Standards in
measurement 613–18	body image	Haematology (BCSH) 303, 306, 311
both arms 615	assessment 16	British Infertility Counselling Association 587
cautions 613	effect of CVADs 870	British Oxygen Company (BOC) 393
direct 613	stoma patients 198	British Society for Allergy and Clinical
documentation 618	body mass index (BMI) 267–8	Immunology (BSACI) 684
equipment 614–15	from mid upper arm circumference (MUAC)	British Thoracic Society (BTS)
indications 613	269, 270	chest drain guidelines 455, 466
indirect 613–14	body temperature see temperature (body)	oxygen saturation guidelines 597, 626
intra-arterial monitoring 613, 919–20	bodyweight 267–8	bronchial breath sounds 24
methods 613–14	fluid status assessment 257	bronchial tree 228, 229
neurological patients 659, 663	loss, percentage 267–8	bronchoalveolar lavage (BAL) 573-4
orthostatic BP 614	measurement 268, 272	bronchoscopy, flexible fibreoptic 574
patient positioning 613, 615, 615	adults 269	Broviac catheters see skin-tunnelled catheters
post-operative 834	equipment 269	bruising, after venepuncture 518, 523
problem solving 617–18	problem solving 272	bruits
	problem solving 2/2	
procedure guideline 616–17	procedure guideline 269–70, 271	abdominal 31, <i>31</i> , 33
pulse oximetry and 626	sick children 268	carotid 28, 29
at thigh 614	nutritional assessment 267–8	buccal analgesia 368
see also sphygmomanometers	Bonanno catheter 836	buccal tablets 697, 698
normal 611	bone conduction test 351	Buddhism, care after death 410
systolic 610, <i>612</i>	bones 208	Buddhist Hospice Trust 410, 421
transfusion reactions 319	bougies 495, 496	bundle branches 601, 604
see also hypertension; hypotension	bovine spongiform encephalopathy (BSE) 55	bundle of His (AV bundle) 487, <i>601</i> , 604
blood products see blood components/products	bowel	bupivacaine 379–80, 389
blood return, vascular access devices 770 , <i>771</i> ,	anatomy and physiology 139, 139–41	buprenorphine 368, 370
866–7, <i>867</i>	measuring fluid output 263–4	burial
see also flashback	perforation, iatrogenic 401, 582	within 24 hours 414
Blood Safety and Quality Regulations 2005	bowel function/habit 177	cultural and religious practices 410–12
306–10, 321	assessment 14, 177	Burial Society of the United Synagogue 412
blood sampling 514-41	factors affecting 177	burns, diathermy 822, 823
antimicrobial drug assay 540-1	moving/positioning patients and 220	Butrans 370
arterial 527–33	post-operative 853–4	butterfly devices see winged infusion devices
blood collection tubes 517, 517	see also constipation; diarrhoea	
blood cultures 535–9	bowel obstruction 175-6, 407	caecum 581
blood tests 534–5	bowel preparation	calcium, plasma 535, 811
central venous catheter 524–7	colonoscopy 581, 582	calcium chloride 497
order of draw 517, 520	stoma surgery 192	calculus, dental 353
peripheral vein 514–24	bowel sounds 31, 33	cancer see malignant disease
pre-transfusion 313–14	Boyle's Law 619	cancer pain 361, 362
blood tests 534-5	BP see blood pressure	epidural/intrathecal analgesia 379, 381
pre-operative 794–5 , 810–11	brachial artery 527	intrathecal drug delivery 378
blood transfusion 302–23	blood pressure measurement 613, 615, 616–17	management 366–7, 371
appropriate use 306	cannulation 920	see also chronic pain
autologous 306	pulse point 599	Cancer Research UK 587
	いいるこ いいけい ススプ	COULT DESCRICT ON 307

Condide alliens 511	. Proceeds for the	
Candida albicans 511	cardiovascular function	extravasation 769
candidiasis, oral 357, 712 cannabinoids 136	pulse monitoring 602	flushing/maintaining patency 866, 869
cannabis 371, 692	unconscious patients 221, 224	after discharge home 874–5
capacity, mental <i>see</i> mental capacity	cardiovascular instability, moving patients	kit 875
	with 211, 220	prior to blood sampling 525, 526
capillaries, movement of water and solutes 254	care	procedure guideline 872
capillary blood glucose monitoring 647, 648–52	after death <i>see</i> death, care after	implanted see implanted ports
see also glucose, blood, monitoring	evaluating 18, 19	occlusion 866–7
capillary refill 25, 29, 257 capillary wound dressings 940	implementing 17–18, 19	difficult blood sampling 527
capsules 698, 698	planning 17–18, 18, 19	intravenous drug administration 766
• ,	process of 10–18	unblocking, procedure guideline 872–4,
opening 698	Care, Compassion, Competence,	874
storage 682	Communication, Courage and	urokinase instillation 873, 874
captopril 244	Commitment (the 6Cs) (2013) 2	parenteral nutrition 300
carbohydrates 273, 299	care home	patient education 870, 875, 875
carbon dioxide (CO ₂)	assessment 41	central venous catheters (CVCs)
control of respiration 620–1	discharge to 40	blood sampling 524–7
exchange 432–3, 433, 622	Care Quality Commission (CQC)	dressing change, procedure guideline 870–
excretion 434	infection prevention and control 58, 60	maintaining patency 866–7
insufflation, laparoscopic surgery 817, 817	protected mealtimes 275	occlusion, management 866–7, 867
narcosis 441	carers, informal 38	peripherally inserted see peripherally
transport 432, 618, 622, 625	see also family	inserted central catheters
see also hypercapnia	Carers (Equal Opportunities) Act 2004 38	skin-tunnelled see skin-tunnelled catheters
carbon dioxide partial pressure (PCO ₂) 432, 433	caries, dental 353	tip, microbiological examination 910
in blood (PaCO ₂) 433	carotid bruits 28, 29	see also central venous access devices
changes during respiration 624	carotid pulse, checking 491, 492	central venous catheters (CVCs), short-term
control of respiration 620–1, 621	case-control studies 3	percutaneous (non-tunnelled) 862,
carbon monoxide (CO) poisoning 626	cataracts 342	904–10
cardiac arrest 487–8	cathartics 177	choice of vein 904
arrhythmias causing 487	catheter-associated urinary tract infections	complications 907–8
early recognition/warning systems 492, 498	(CAUTI) 160, 566	design 905, <i>905</i>
in-hospital 488, 491	catheter materials and 149	indications 904
management see cardiopulmonary	catheter-related bloodstream infections	insertion 904–8
resuscitation	(CRBSIs) 925	assistance with 905
outside hospital 488	catheter specimen of urine (CSU) 568-9	problem solving 908
post-resuscitation care 500–1, 502	cauda equina 542, <i>542</i>	procedure guideline 906–7
potentially reversible causes 487–8	cauda equina syndrome (signs) 236, 546	insertion site care 908
prevention 502	CAUTI see catheter-associated urinary tract	removal 908–10
cardiac arrest team 492	infections	procedure guideline 909–10
cardiac arrhythmias see arrhythmias	Cavilon barrier film 193	securing 908, <i>908</i>
cardiac compressions see chest compressions	CDs see controlled drugs	central venous pressure (CVP) 257
cardiac dysfunction, in fluid overload 265	cell salvage, for transfusion 306	cephalic vein
cardiac massage <i>see</i> chest compressions	cellulitis 81, 849	cannulation 863, <i>863</i> , 876, 894, <i>894</i>
cardiac output (CO) 599, 611	cell wall, bacterial 52, <i>53</i> , <i>54</i>	venepuncture <i>514</i> , 515
factors increasing 600	CE mark 60	cerebellum 653, 654
physical assessment 27, 29	central nervous system (CNS) 231, 652–3	cerebral embolism 924
cardiac surgery, pleural effusion after 454	assessment see neurological assessment/	cerebrospinal fluid (CSF) 542
cardiac tamponade 488	observations	abnormal appearances 543
cardiopulmonary arrest see cardiac arrest	pre-operative review 791	cytology 543
cardiopulmonary exercise testing (CPET)	central neurogenic hyperventilation 658	diagnostic tests 543
795–6, 796	central venous access device (CVAD)-related	leakage, lumbar puncture 547
cardiopulmonary resuscitation (CPR) 484–502	infections 902	pressure 543, 545
advanced life support (ALS) 488, 491, 492,	blood culture samples 537, 538–9	protein 543
496	PICCs vs CVCs 895	sample collection 541-7
assessment 489–90. <i>490</i>	central venous access devices (CVADs) 862 ,	cerebrum 652, 654
basic life support (BLS) 488, 490–2, 491, 492	893–915	cerumen <i>see</i> ear wax
complications 502	absent blood return 770, 771, 866–7, 867	cervical broom 551
contraindications 489	accidental disconnection 865	cervical collar 237, <i>237</i> , 245
cross-infection risks 491, 492, 502	blood sampling 524–7	cervical nerves 655
defibrillation 490	for antimicrobial drug assay 540, 541	cervical paravertebral block 389
documentation 496, 502	for blood cultures 537, 538–9	cervical plexus 655
do not attempt (DNACPR) 489	discard method 524, 525	cervical piexus 655 cervical screening programme 551, 552
drugs 496–8. 497	problem solving 527	cervical spinal instability
education 498, 502	procedure guidelines 525–6, 538–9	early mobilization in bed 243
equipment 492–5, 498	push-pull (mixing) method 524	hard collar 237, 237
quidelines 488–9, 492	reinfusion method 524	log rolling 237–8
indications 489	syringe 526	moving and turning methods 236
in-hospital algorithm 493	vacuum systems 525	pelvic twist to right 240, 241
post-procedure care 500–1, 502		
problem solving 501	catheter tip positioning 867–8, 868	cervical uterine smear 550–7
procedure guideline 498–501	blood sampling problems 527	cervical broom 551
1 3	choice of vein 863, 864	endocervical brush 551–2, 555–6
standards and training 492	complications 875, 908–9	equipment 551, 551–2
see also cardiac arrest cardiovascular assessment 14 , 790	consent to insertion 869	liquid-based cytology (LBC) 551, 554–5
•	damage and repair 865	problem solving 556
cardiovascular examination 26–30	decision-making tool 772–3	procedure guidelines 552–6
procedure guideline 28–30	discharge home with <i>in situ</i> 874–5, 875 , 875	wooden spatula 551, 552–4
rationale 28	dressings 865, 869	cervix, uterine 550, 550
techniques 26–8	changing, procedure guideline 870-1	chain of infection 56, 56, 56

l chair	chlorhexidine (gluconate)	diarrhoea 174
lower limb amputees 248	denture care 354	pain management 369
patient positioning in 217–18	-impregnated dressings 865, 869	paracetamol combinations 368, 369
standing up from 218, 218–19	oral care 356, 360	cognitive ability, assessment 13
challenging behaviour 118–21, 119	skin preparation 537	cognitive impairment
chaperone 551	for surgical scrub 59, 70	moving and positioning 211–12
chaplain, hospital 405	VAD site cleaning 864	pain assessment 365
charities, disease-specific national 112	Christians, care after death 410	cohorting 51, 80
charrière (ch) 148	Christian Scientists, care after death 411	cohort studies 3
chemoreceptors 613, 620, 621	chronic obstructive pulmonary disease (COPD)	cold packs, for extravasation 771, 774, 775
chemoreceptor trigger zone (CTZ) 134	597, 623	cold storage, medicines 681
chemotherapy drugs see cytotoxic drugs	chronic pain 361, 362	cold therapies, pain management 373
chest	acute pain superimposed on 363, 363	cold water bubble humidifiers 442, 442
auscultation 24, 26	assessment 363	collagen
bony structures 22	defined 362	dressings 940
deformities 22, 23	epidural/intrathecal analgesia 379, 381, 387	in wound healing 937, <i>937</i>
expansion, assessment 22, 23, 25, 26, 626	intrathecal drug delivery (ITDD) 378	collagen vascular diseases, pleural effusions
inspection 22, 25	management 366–7, 369	454
palpation 22–4, 25–6, 27, 29	see also cancer pain	Colledge silver laryngectomy tube 473, 474
percussion 24, <i>24</i> , 26	Church of England	colloid fluids 259
shape, assessment 626	care after death 410	collusion 113–14
chest compressions, CPR 491–2, 492, 499	marriages at end of life 405	colon 141, 581
chest drainage systems 456, 456–7, 457	Church of Jesus Christ of the Latter Day	colonic conduit 171, 190
maintenance 466	Saints, care after death 410	colonization 50, 941
problem solving 464–5	chylothorax 454–5	colonoscope 581
chest drains 452, 452–67	circulation, CPR 491–2	colonoscopy 581–2
ambulatory bag 455, 460	circulatory overload see fluid overload	indications 581
priming, procedure guideline 461	cirrhosis of liver 397	patient preparation 582
clamping 465–6, 466–7	citalopram 117	colostomy 189–90
complications 467	civil partnerships, at end of life 405	dietary management 198
contraindications 455	CJD see Creutzfeldt–Jakob disease	end (permanent) 189, 189, 190
documentation 457, 467	clarifying 101–2	loop (temporary; defunctioning) 189–90, 190
equipment 456–7, <i>456–7</i>	cleaning	plugs 191, 197
indications 455	isolation rooms 83, 87	post-operative function 197
insertion 455–7	meatal, catheterized male patients 160	pouches 191, <i>192</i> , 197
competencies 456	skin <i>see</i> skin cleaning/preparation	see also stoma(s)
consent 456	VAD equipment 864	Colostomy Association 199
patient preparation 457	wounds 941, 956	comatose patients <i>see</i> unconscious patients
procedure guideline 458–9	clients see patient(s)	Combitube 495
triangle of safety 457, 457	clinical experience and guidelines (E) 3	comfort, patient 331–421
insertion site	clinical governance	at end of life 408
dressings 466	cervical smear tests 551	intravenous drug administration 749
leakage around 465	endoscopy 580	measures alleviating pain 373
monitoring 465–6	medicines administration 687	see also end-of-life care; pain management;
pain control 457, 458	oxygen therapy 435	personal hygiene
patient education 467	clinical supervision 102, 108, 114	commensal organisms 52, 54
problem solving 464–5	clippers, pre-operative hair removal 806	Commission on Human Medicines (CHM) 680
rationale 455	clips, skin 955	686
removal 467	removal 960	commode 141, <i>141</i>
procedure guideline 463–4	procedure guideline 961	procedure guideline 143–4
securing 455, 455, 459, 465, 466	clonidine, epidural/intrathecal 380	common carotid artery, pulse point 599
stripping/milking 466	Clostridium difficile	communication 97–128
suction 460, 466	faecal specimens 571	acquired disorders 124–8
procedure guideline 461	prevention and control 52, 60	aids 101, 125, 126
tube size 456, <i>456</i>	spores 53–4, 83	anatomy and physiology 98–9
underwater seal bottle 455, 456, 456–7,	clot formation	angry/aggressive patients 118-21
457	VAD occlusion 865, 865, 866-7	assessment of ability/needs 13, 106
changing, procedure guideline 462, 462	wound healing 936, 937	augmentive or alternative (AAC) 125, 126
monitoring 457, 459, 465	clothing 336	barriers to effective 102
problem solving 464	protective <i>see</i> personal protective equipment	competencies 105, 105
chest pain, pleural effusions 453	surgical patients 806	during CPAP 451
chest X-rays (CXR)	surgical team 817	definitions 98, 103, 108
after CPR 500	cloths, prepackaged 336	delirious patients 123
chest drainage 457	cluster breathing 658	with diagnostic laboratory 513
CVAD catheter tip position 868, 868	coagulation tests 534, 794, 810	discharge planning and 34-45
CVC tip position 907	coagulopathies	dying patients 405–6
nasogastric tube position 283, 284, 286	arterial puncture and 528, 533	effective 100–2
PICC tip position 899, 901	chest drainage and 455, 457	environmental aspects 105 , 105–6
pre-operative 795	epidural/intrathecal analgesia 379	facilitative 111
Cheyne–Stokes breathing 626, 658	lumbar puncture and 543	informing patients 110–13
children	regional analgesia 389	language and cultural issues 104
deceased relatives 415	co-analgesics 367, 371	legal and professional issues 102–5
as informal carers 38	cocaine 692	non-verbal 100–1
visiting patients in protective isolation 88	coccygeal nerves 655	during nursing assessment 11
see also paediatric patients	co-codamol 369	during oxygen therapy 440
chin lift manoeuvre 490, 490, 499	co-danthramer 178	patients with specific psychological needs
Chiron barrier cream 193	Code, NMC 2,	113–24
chlamydia, eye swabs 559	codeine phosphate	principles 106, 107–8

professional responsibility for effective 103	blood transfusion 310–11	record keeping 691
skills 101–2	capacity to give 799	requisition 690, 691, 692
speech-impaired patients 101, 125-7	chest drain insertion 456	return and disposal of unused 693
supportive see psychological support	epidural/intrathecal analgesia 381	safe practice guidance 694, 694
theories of interpersonal 99–100	implied 104	schedules 690, 692
time issues 105, 107	moving and positioning 210	stationery 693
unconscious patients 221	obtaining 103	stock checks and discrepancies 691–3
verbal 101–2	to physical examination 21	storage 691, 691, 692
websites and useful addresses 128	PICC insertion 895, 896	supply under Patient Group Direction 690, 693
worried/distressed patients 108–9, 109–10	refusal of 104	transport 693
community care	semen collection 549	Controlled Drugs (Supervision of Management
discharge planning 38	specimen collection 511	and Use) Regulations 2006 690
at end of life 42–5	for surgery 798–9, 808	controlled-release tablets 698
personalized 38	VAD insertion 868–9	conveens <i>see</i> penile sheaths
voluntary sector 39	validity of 103, 799	cooling methods, hyperthermia 640
Community Care (Delayed Discharges) Act	vesicant drug administration 770	cool storage, medicines 682
2003 38	written 103, 104, 799	co-ordination, testing 658, 664
community nurses	constipation 175–9	COPD <i>see</i> chronic obstructive pulmonary
discharge planning 34, 35	assessment 176–7	disease
end-of-life care 42–5		
	causes 175, 176	coping, assessment 15–16
compartment syndrome 819	defined 175	cornea 341, <i>341</i>
compassion 103	digital removal of faeces 187–9	corneal (blink) reflex 658, 664
Compassion in Practice (2012) 103	procedure guideline 188–9	coronary thrombosis 488
competence/competencies 2	at end of life 409	coroners
abdominal paracentesis 398	enterally-fed patients 296	permission for repatriation 414
arterial puncture 529	management 177–9, 184	referral to 414–15
blood cultures 536	opioid-induced 369	corrugated drains 836 , 837
blood transfusion 310	risk factors 177	corticosteroids (steroids)
chest drain insertion 456	Rome criteria 177	antiemetic use 136
communication 105, 105	secondary 175	epidural/intrathecal 380
CPAP 448	contact dermatitis, latex allergy 808	extravasation injuries 771, 771
CPR 492	contact lenses 343	eye drops 714
CVC insertion 904–5	care of 343-4	hyperglycaemia due to 647
epidural analgesia 380	gas permeable 343	inhaled 708, 711
infection prevention and control 58	hard 343, 348, <i>348</i>	intra-articular injection 728
infiltration/extravasation prevention 769–70	ophthalmic drug administration and 714	pain management 367
lumbar puncture 544	removal, procedure guidelines 348, 348–9,	retention enemas 181
obtaining consent 799	349	covert administration of medicines 698–9
oxygen therapy 435	soft 343, 349, <i>349</i>	CPAP see continuous positive airways pressure
patient education 798	contact precautions 51	CPR see cardiopulmonary resuscitation
peripheral cannulation 878	contact transmission 57	crackles 24
regional analgesia 390	context, as source of evidence (C) 3	cranial nerves 653, 656
respiratory secretion sampling 574	continuous intravenous infusions see	C-reactive protein (CRP) 268, 301, 535, 811
specimen collection 511, 558	intravenous infusions, continuous	creams 702
suturing 954	continuous low pressure (CLP) mattresses 952	storage 682
tracheostomy care 468	continuous peripheral nerve blocks (CPNB)	creatinine, serum 257, 535, 795, 811
urinary catheterization 147	388, 389, 390	cremation 410–12 , 414
VAD insertion/care 868, 868	complications 391, 392	Creutzfeldt–Jakob disease (CJD) 55–6
· · · · · · · · · · · · · · · · · · ·		variant (vCJD) 55–6
venepuncture 516	principles of care 391	
complementary therapies 134–5, 685, 793	continuous positive airways pressure (CPAP)	transmission in blood 304–6, 321
compliance aids 688, 700, <i>700</i>	446–52	critical care outreach teams 596
complications of treatment, assessment 16	competencies 448	critical colonization 941
compression stockings, graduated elastic see	complications 452	critically ill patients
antiembolic stockings	contraindications 447–8	blood pressure measurement 613
computed tomography (CT) 587, 901	equipment 446, 448, 448	CPAP 448
concertina-type drainage system 836, 837	indications 447	early warning systems 596
confidentiality, respect for 103	masks/helmets 446, 448	moving and positioning 209–10, 221
conformable catheters 149	monitoring 448–9, 451, 452	oral care 355, 355
confusion 661	problem solving 450–1	pulse monitoring 602
conjunctivitis 81	procedure guideline 449–50	temperature monitoring 636
consciousness 653–7	contractures 211	tracheostomy 468, 471
assessment 655–7	amputees 247, 248–9	transferring 502
AVPU scale 662	neurological impairment 232	critical thinking 20
cardiopulmonary arrest 489, 490	Control and Restraint 122	crockery, patients in isolation 80
Glasgow Coma Scale 659–62, 660, 661	controlled drug register (record book) 693, 693	cross-infection 50
NEWS system 597	archiving 693	Cruse Bereavement Care 421
post-CPR 500	legal requirements 691, 691, 692	cryoprecipitate 309 , 317
procedure guideline 663	procedure guideline 695–6, 696	crystalloid fluids 259
basis of 653–5	receipt of drugs 690	CSF <i>see</i> cerebrospinal fluid
decreased	controlled drugs (CDs) 690–7	cuff, blood pressure 615, 615 , 616
dying patients 402	accountability and responsibility 690	cuff pressure manometer 469, 469
epidural analgesia 384	administration 692 , 693	cultural beliefs/issues
see also unconscious patients	procedure guideline 694–5, 695	assessment 16
defined 221	emergency supplies 691	care after death 410–12 , 413–14, 415
consent 103-4		
	key holding and access 691	communication 104
acupuncture 375		
acupuncture 375 assessing capacity to give 103, 104–5,	key holding and access 691	communication 104

curtains, source isolation rooms 83	infusion-related 780, 780	infection prevention and control 51 , 60, 573
Cushing's reflex 659	pre-operative fasting and 805	management 174
cutlery 80	signs and symptoms 257, 266	source isolation 80, 81
CVAD see central venous access devices	venepuncture in 518	diastolic blood pressure 610-11, 612
CVC see central venous catheters	delayed-release capsules 698	measurement 614, <i>614</i> , 617
cyanosis 624	delirium 121–3	diathermy 821–3, <i>823</i> , 825, <i>826</i>
cyclizine 136, 739	documentation 122	diclofenac 369
cystoscopy 582–3, <i>583</i>	at end of life 122, 407	dicrotic notch 919, 919
cytomegalovirus (CMV) 320	prevention and management 122, 123	diencephalon 653
cytotoxic drugs	risk factors 121	diet
crushing tablets 297	signs and symptoms 121	as cause of diarrhoea 174
extravasation 768, 775	deltoid muscle injections 740, 740, 741	in constipation management 179
intrathecal administration 728-9, 729	dementia 123–4	history 268
vesicant 768	communication issues 104, 123, 124, 124	immunocompromised patients 86
· obloant · oo	discharge planning 34	modification 273, 274
Dalton's law 432	pain assessment 124, 365	sodium-restricted, ascites 398
dantron 178–9	personal care 333	stoma patients 197, 198
data, collecting 11	denial 113–14, 114	see also food; nutrition
daunorubicin, extravasation 775	dental decay 353	dietary supplements <i>see</i> nutritional
Da Vinci surgical robot 817, 818	dental floss/tape 355, 355, 358, 359	supplements, oral
deafness 104, 127–8, 350–1	dental status, pre-operative 813	diffusion 255
death 413–21	dentures 354	facilitated 255
care after (last offices) 413–21	cleaning 354, 360	of gases 432
contraindications 413	procedure guideline 359–60	digestion 266
indications 413	removal 359	digital rectal examination (DRE) 185–7
legal issues 413–14	deodorants, stoma 191, 193	indications 177, 185
problem solving 419–20	depilation see hair removal	procedure guideline 186–7
procedure guideline 416–19	depression 116–17	digital removal of faeces (DRF) 187–9
religious and cultural needs 410-12,	co-morbid 116	procedure guideline 188–9
413–14, 415–16	diagnosis 117, 118	digital stimulation of defaecation 187
certification 414	management 117, 117, 118	digital veins, hand 876
confirmation or verification 414	symptoms 116, 117	dignity, maintaining 103, 174, 212
education of family 421	Depression Alliance 128	dimethylsulphoxide (DMSO) 771, 771, 775
'good' 403, 413	Depression UK 128	dioctyl sodium sulphosuccinate see docusate
immediate care 420	Deprivation of Liberty Act 123–4	sodium
infectious patients 415	dermatitis, incontinence-associated (IAD)	dipstick tests, urine see urine dipstick (reagent)
informing next of kin 404, 419	142	tests
informing other patients 416	dermatomes 376, 378	direct contact, transmission via 57
legal issues 404–5	dermis 332, 333, 936	discharge
post-mortem requirements 414, 415	dexamethasone 136	to care or nursing home 40
radioactive patients 415, 419–20	dexrazoxane 773, 775	complex 34–5 , <i>36–7</i>
referral to coroner 414–15	dextrocardia 607	continuous peripheral nerve blocks 390
repatriation after 414	diabetes mellitus (DM) 646	delays 38, 40, 45
sudden cardiac 488	blood glucose monitoring 648	at end of life 42-5, 43-4, 404
sudden or unexpected 404, 414, 419	continuous subcutaneous insulin infusion	equipment facilitating 41
viewing the body 420 , 421	733	to intermediate care 40
see also dying patients; end-of-life care	diagnosis 646, 648	against medical advice 39, 39
death rattle 407, 409	end-of-life care 407	neutropenic patients 86–7
debridement, wound 938, 938–9	foot care 334–5	NHS Continuing Healthcare 40, 42
decannulation plug, tracheostomy 471, 472–3,	foot ulcers 334, 335, 335	from PACU 833, 833
473	hyperglycaemia 646–7, <i>647</i>	patients on nutritional supplements 275
decerebrate posturing 661	hypoglycaemia 647	patients with additional needs 34, 42, 42
decision making 17, 19	patient education 652	with in situ VAD 874–5, 875 , 875
decorticate posturing 661	tight glycaemic control 648	social services care on 40
decubitus ulcers <i>see</i> pressure ulcers	wound infections 941	from source isolation 83
deep breathing exercises (DBE), post-operative	diabetic ketoacidosis 646, 647	specialist ongoing care after 41–2
835	diabetic retinopathy 343	supported 40
deep vein thrombosis (DVT) 800, 800	diagnosis, nursing 17, 19	discharge co-ordinators 34, 35
prophylaxis see thromboprophylaxis		discharge planning 10, 34–45
1 1 3	diagnostic tests 510–87	
risk factors 800, 854	indications 510	complex cases 34–5 , <i>36–7</i>
signs 801	pre-operative 794–5, 794–6, 808, 810–11	defined 34
spinal cord compression/injuries 246	request forms 513	informal carers and 38
see also venous thromboembolism	dialogue, with patients 103	long-term epidural/intrathecal infusions
defaecation 175	diamorphine 370	388
anatomy and physiology 141	epidural/intrathecal 379	post-operative 855
assisting, procedure guidelines 142–4	infusion devices 759	process 38–9
digital stimulation 187	routes of administration 368	single assessment process 38
positioning for 179, 180	safer practice guidance 694, 694	spinal cord compression/injury 237
defibrillation 488, 490, 492–3	supply under Patient Group Direction 693	stoma patients 198–9, <i>199</i>
placement of self-adhesive electrodes (pads)	diaphragm 227, 228, 619, 620	ten steps 37
493, 493	diarrhoea 173–5	voluntary services 39
problem solving 501	acute 173	disorientation 663
procedure 500	antibiotic-associated 174, 571	dispensing 681
safe practice 493	assessment 173	displacement values 722
by untrained individuals 492–3	chronic 173	distressed patients 108-9, 109-10
defibrillators 492–3, 828	enterally-fed patients 295	Distress Thermometer 106, 106
dehydration 256, 265-6	faecal incontinence 174–5	diuretics, ascites 398
in diarrhoea 173–4	faecal specimens 571, 572	diversity 104

documentation 18	Dressler's syndrome 454	early warning scoring (EWS) systems 834
guidelines 18–19 docusate sodium (dioctyl sodium	drinking assessment and recording tools 275	see also National Early Warning Score; track and trigger systems
sulphosuccinate)	assistance with 272, 275–7	ear wax (cerumen)
enema 181	difficulties 277	impaction 350, 350
laxative 178, 178	see also eating; fluid intake	removal (ear irrigation) 351–2, 352
domestic staff, cleaning isolation rooms 83 domperidone 136	drinks, disguising medication in 699 drip chambers 750, <i>750</i>	softeners 351 temperature measurement and 637, 638
do not attempt cardiopulmonary resuscitation	drips see gravity infusion devices	eating 272
(DNACPR) 489	driving	assistance with 272, 275–7
dopamine antagonists, antiemetic 136 dorsalis pedis artery <i>599</i> , 920	after Entonox use 393 mydriatic therapy and 716	difficulties 277 patients on CPAP 450
dorsal venous network of hand 863, 876	opioids and 371	documentation 275, 277
dorsogluteal intramuscular injection site 740,	droplet precautions 51	post-operative patients 854
740	droplet transmission 57	see also food; meals
dosette boxes 688, 700, <i>700</i> double checking, medicines 686–7	drug allergies 684, 684, 685 drug interactions 676, 685–6	ECG see electrocardiogram Effentora 371
double gloving 820	pharmacodynamic 686	Einthoven's triangle 605
doxorubicin	pharmacokinetic 685	ejaculation 547
administration 769	drug intoxication, cardiopulmonary arrest 488	elastic compression stockings, graduated see
extravasation 767, 771, 775 2-3-DPG (2,3-diphosphoglycerate) 433, 433	drugs <i>see</i> medicines dry mouth (xerostomia) 353	antiembolic stockings elastomeric balloon infusion devices 756, <i>756</i>
drainage bags, urine see urine drainage bags	oxygen therapy 440	elderly <i>see</i> older adults
drains, surgical 836–50	patients on CPAP 451	electrocardiogram (ECG) 601, 604-10
changing dressings, procedure guideline	problem solving 360	3-lead 606, 606
838–9 closed 836	dry powder inhalers (DPI) 708, 709, <i>709</i> duodenum 140, 579	12-lead 604–10 electrode sites 605, 605, 605–6, 607
changing vacuum bottle, procedure	dural puncture, inadvertent 383, 388	equipment 606–7
guideline 839–40	dura mater 376, 377, 542	Mason-Likar system 606, 606
removal, procedure guideline 841–2	Durogesic see fentanyl Duthia Benest, The Safe and Conurs Handling	problem solving 609–10
shortening, procedure guideline 845–6 discharge home with 42	Duthie Report, The Safe and Secure Handling of Medicines: A Team Approach (2005)	procedure guideline 608–9 abnormal tracings <i>611</i>
emptying 838	682, 687–8	ambulatory 606, 607
leaking 265, 847	DVT see deep vein thrombosis	calibration 607, 607
measuring fluid output 262, 838	dyes, intravenous 626	CPR 499, 500
open 836 shortening, procedure guideline 843–4,	dying patients care for <i>see</i> end-of-life care	CVAD catheter tip position 868, 868 in dextrocardia 607
844	common symptoms and signs 402	documentation 610
problem solving 846–50	discharge home 42–5, 43–4, 404	female patients 607
procedure guidelines 838–46 removal 838	euthanasia and assisted suicide 405 last will and testament 405	filters 607 heart rate measurement 602
problems 840	marriages 405	indications 606
procedure guideline 841–2	next of kin 404	normal 604, 604–5, 610, 611
skin care 334	organ donation preferences 405	paper 607
types 836, 836–7 see also chest drains; urinary catheters	recognition of terminal phase 403 see also death; palliative care	PICC tip positioning 898, 899, 901 pre-operative 795
dressings 941–3	dysarthria 124–5, 231	electroejaculation 548
care after death 417	principles of communication 126, 126	electrolytes 254
categories 939–40	dyspareunia, stoma patients 198	body fluids 254
changing 943, 946 CVAD site 870–1, 874	dysphagia 231, 277, 277–8 at-risk patient groups 278	homeostatic mechanisms 254–5 influencing heart rate 599
negative pressure wound therapy 964–5	clinical assessment 277	membrane transport 254, 255
nephrostomy tubes 166–8	dietary modification 274	monitoring, parenteral nutrition 301
PICC site 901	oral medications and 698, 702 principles of care 277–8	parenteral nutrition solutions 299 renal handling 640–1, <i>641</i>
post-operative 851 procedure guidelines 78–80, 945–6	dysphasia 124, 231	serum 257, 795, 811
surgical drain site 838–9	neurological assessment 661–2, 665	electronic identification systems, for
tracheostomy 475-6, 476	dysphonia 125, 126	transfusion 312
chest drain insertion site 466 choice by type of wound 944	principles of communication 126–7 dyspnoea 626	electronic palliative care co-ordination systems 404
continuous peripheral nerve blocks 390, 391	pleural effusions 453	electronic prescribing (e-prescribing) systems
dry and wet 941	see also breathlessness	677, 677
epidural/intrathecal catheter site 381	dyspraxia of speech 125	electrosurgery see diathermy
extravasation injuries 779 gastrostomy site 289	dysuria, catheterized patients 161	elemental feeds 280 elimination 133–201
jejunostomy site 292	ear	assessment 14
nephrostomy tube site 166	anatomy 350, <i>350</i>	assisting patient with 141-4
occlusive 941–3	assessment 351	procedure guidelines 142–4
peripheral cannulas 869, 886 poor application/techniques 939	balance function 350 drug administration 717–19	dying patients 402 faecal <i>see</i> faecal elimination
pressure ulcers 954	irrigation 351–2, 352	moving patients and 220
primary 941	mechanism of hearing 99, 99, 350	normal 134–44
principles of use 941 secondary 943	piercings 335	urinary <i>see</i> urinary elimination elixirs 698
short-term CVCs 908	swab sampling 558, <i>558</i> ear care 335, 350–2	embolism/embolus
surgical wounds 825, 826, 851	ear drop administration 717-19	distal, arterial cannulation 924, 925
transparent 869	procedure guideline 718–19, 719	see also air embolism; pulmonary embolism;
VADs 864–5, 869	eardrum see tympanic membrane	venous thromboembolism

TMI A OFFO	: d:+: 200	
EMLA cream 879	indications 280	migration 388
emollients 336	patient preparation 281	removal
emotional support <i>see</i> psychological support	problem solving 284	anticoagulated patients 387
empathy 102, 107, 109	procedure guidelines 281–3	procedure guideline 383
empirical evidence/knowledge 2	removal 287–8	siting 381, 381
empyema, pleural 454	unblocking 298–9, 299	epidural haematoma 384, 388
enablement packages, supported discharges	see also nasogastric feeding tubes	epidural pumps 755, 755
40	enteral feeds 280	
		epidural space 376, 377
endocervical brush 551–2, 555–6	enteral route of drug administration 697, 697	epinephrine <i>see</i> adrenaline
endocrine system, assessment 791	enteral tube feeding 279–99	epirubicin
end-of-life care (EoLC) 402–21	administration 294–6	administration 769
advance care planning 403	problem solving 295	extravasation 767, 771, 775
artificial hydration 405	procedure guideline 294	Episil 357
communication issues 405–6	administration systems 279–80, 280	epithelialization, wound 937
definitions 402	blood glucose monitoring 648	epithelializing wounds 944
	3	
delirium management 122	bolus 280	e-prescribing systems 677, 677
discharge home 42-5, 43-4, 404	complications 295–6	equality 104
discharge to nursing home 404	continuous 280	Equality Act 2010 104
legal and ethical issues 404–5	definition 279	erectile dysfunction 198
next of kin 404	equipment 279–80	erythrocytes <i>see</i> red blood cells
NHS strategy and principles 402	home 41–2, 298	Escherichia coli 52, 82, 510
non-pharmacological support 407	indications 267, 279	Essence of Care benchmarks 273
	· · · · · · · · · · · · · · · · · · ·	ethical evidence 2
physical 408	intermittent 280	
preferred priorities 403	monitoring 295	ethyl chloride spray 879
principles 406–7	nasal care 335	eukaryotes 52
prognostication 406	post-operative 854	eupnoea 625
psychosocial 408	psychosocial impact 281	European Medicines Agency (EMEA) 677
spiritual and religious 408	rationale 279	European Union Tissues and Cells Directives
staff support 421	termination 298	(EUTCD) 549
		,
symptom control 407–8, 409	enteric-coated tablets 697 , 698, 699, 700	eustachian tube 350
see also dying patients; palliative care	enteric precautions 51	euthanasia 405
End of Life Care Strategy (2008) 42, 402, 404,	Entonox (nitrous oxide and oxygen) 371, 391–6	evaluating care 18, 19
413	advantages 392	evidence
endogenous infections 57, 86	cautions 393	grading 3
endoscope 580	complications 396, 396	hierarchy 3
endoscopic investigations 579–83	contraindications 392	sources 3
endoscopists, nurse 580	demand apparatus 393–4, 394	types 2
endotracheal intubation	duration and frequency of use 394	evidence-based nursing (EBN) 2–3
CPR 491, 495, 499	equipment 393, <i>393</i>	evidence-based practice (EBP) 2–3
eguipment 495, <i>496</i>	indications 392	examination see physical assessment/
post-anaesthetic recovery 828	mechanism of action 391-2	examination
endotracheal suctioning	patient assessment 393	exercise
CPR 495, 495	prescribing 393	assessment 13-14
specimen collection 573, 574, 574	problem solving 395–6	constipation management 179
via tracheostomy see tracheostomy,	procedure guideline 394–5	pain management 373
suctioning	environment (healthcare)	exercise testing, cardiopulmonary 795-6, 796
endotracheal tubes (ETT) 495, 496	delirium and 122	exhalation <i>see</i> expiration
introducers 495, 496	at end of life 407	exogenous infections 57, 86
suction catheters 495, 495	in respiratory compromise 228	experience, clinical (E) 3
vacuum-assisted aspirates 573, 574	supporting communication 105 , 105–6	expert opinion 3
	venepuncture 518	expiration 227, 619, <i>619</i> , <i>620</i>
enemas 179–83, <i>181</i> , 706		expiration 227, 619, 619, 620
contraindications 179–81	epidermis 332, <i>332</i> , 936	expiratory reserve volume (ERV) 622, 623
evacuant 181, 182	epidural abscess 384, 388	extension sets 751, <i>751</i>
indications 179	epidural analgesia 368, 376–88	external acoustic canal 350, <i>350</i>
problem solving 183	assessing sensory blockade 385, 388	temperature measurement 637, 638, 638
procedure guideline 181–3	procedure guideline 381–2	external ear 350
retention 181, 182	assessment of pain 387	external jugular vein 864, 904
energy	bolus injections (top-up) 379	extracellular fluid (ECF) 254
requirements, calculation 268, 269	complications 388	extravasation 766 , 767–79
	•	
sources, parenteral nutrition 299	continuous infusion 379	causes 769
supplements 273–4	discharge planning 388	consequences 768, 768, 779
Enhanced Recovery Partnership Programme	volume of infusion 385	documentation 776, 779, 779
796, 797	contraindications 379	flush-out technique 774, 779
enteral feeding pumps 279	drug-related side-effects 381, 385-6, 386-7	procedure guideline 776–8
alarms 295	drugs used 379–80, 381	grading scale 779
enteral feeding tubes 279	equipment 380–1, 755, <i>755</i>	incidence 768
blocked 289 , 296, 297	indications 378–9	informing patient 776, 779
care 288–93	monitoring 384–5, 386	kits 771
checking position 294	patient-controlled (PCEA) 379	management <i>771</i> , 771–9
complications 293–4	patient preparation 381	monitoring for/early recognition 769,
cracked/split 299	problem solving 383–5	770
displaced/buried bumper 289, 293	procedure guidelines 381–3	patients at risk 768, 769
drug administration 286, 293, 296–8	safety checks 387, 388	prevention 768 , 768–70, 769
problem solving 297	training/competency 380, 380	procedure guidelines 774–8
procedure guideline 296–7	epidural catheters 380	signs and symptoms 770
failure 289	bacterial filters 381	exudate, wound see wound exudate
insertion 280–7	exit site dressings 381	eye(s)
contraindications 281	procedure guideline 382	ageing changes 342

anatomy and physiology 340-2, 341, 342	family	flagellae 52, 54
artificial (prosthetic) 344	bereavement support 421	flail chest, traumatic 23
insertion, procedure guideline 347	deceased patients 413–14, 415, 419, 421	flaps, surgical 961, 962 observation chart <i>962</i>
removal, procedure guideline 347 assessment 343	delirious patients 123 dementia patients 123	flare reaction 767, 770
inspection 25, 29, 32	discharge planning and 38	flashback (of blood)
opening, Glasgow Coma Scale 661, 661 , 663	discharge planning and 30 dying patients 408	arterial cannulation 922
systemic drug administration 713–14	participation in care after death 415, 418	CVC insertion 907, 908
topical drug administration 712–16	patients in isolation 84, 86, 87, 88	peripheral venous cannulation 878, 882,
eyebrows 341	as translators/interpreters 104	884, 885
eye care 340-9	viewing the body 420, 421	flatus (wind), stoma patients 198
during CPAP 451	see also visitors	floor cleaning, source isolation rooms 83
fluids 343	family history 790	flossing, dental 355, 358, 359
indications 342–3	fasting	flowmeters, oxygen 436, 439
light source 344	pre-operative 804–5, 805	Flowtron machine/boots 800, 801, 822, 822 fluid(s)
patient position 344 principles 343	prior to gastroscopy 580 fat	compartments 254
eye drops	body 267	composition of body 254
containers and droppers 713	measurement 268	gastrointestinal tract 267
instillation 713, <i>713</i> , 715–16	dietary supplements 274	requirements, calculation 269, 269
storage 682	emulsions 299	see also body fluids; infusion fluids; wate
eye irrigation 343	enteral feeds 280	fluid administration sets 750, 750-1
procedure guideline 345–6, <i>346</i>	parenteral nutrition solutions 299	fluid balance 254–66
eyelashes 341	fatigue 211	abnormalities 265–6
eyelids 341	febrile non-haemolytic transfusion reactions	assessment 256, 257, 258
eye medications, topical 712–14	318, 323	chart 260
instillation techniques 713, <i>713</i> procedure guideline 715–16	feeding, assisted 272, 275–7 procedure guideline 276	charting 256–66 acute kidney injury 266
types 714	see also eating	bladder irrigation 162, 164, 165, <i>165</i>
eye ointments	feet see foot	indications 259
instillation 713, 713, 715–16	female patients	nephrostomy tubes 167
storage 682	cervical uterine smear 550–7	problem solving 265
eye patches 716	cystoscopy 583	procedure guidelines 259–64
eye protection (goggles) 60, 89	ECG electrode placement 607	physiology 254–6
procedure guideline 68–9, 69	intermittent self-catheterization, procedure	post-operative management 835, 835-6
source isolation 85	guideline 157	fluid deficit see dehydration
eye swabbing 343	midstream specimen of urine 567–8, 642	fluid intake (input)
procedure guidelines 344–5, 559	pre-operative care 806–7, 812	constipation 179
eye swabs 343	respiratory volumes and capacities 623 urinary catheterization 150–1, 158	monitoring/measuring 259 problem solving 265
facemasks see masks	procedure guideline 153–4	procedure guideline 259–60
face shields 60, 89	urinary catheters 148, 149	pre-operative 805, 805
procedure guideline 68–9, 69	X-ray precautions 585	routes and sources 256
facial artery, pulse point 599	female urethra 583	stoma patients 198
facial nerve (VII) 656	femoral artery	fluid output (losses)
faecal elimination 139–41	bleeding 533	insensible 265
altered 173–201	blood sampling 527	monitoring/measuring 259, 261–5
anatomy and physiology 139, 139–41	cannulation 529, 920	bowels 263–4
assisting normal 141–2	pulse point 599	catheterized patients 261
equipment 141, <i>141</i> procedure guidelines 142–4	femoral nerve block 389 femoral vein 863–4, <i>864</i> , 904	gastric outlets, nasogastric tubes, gastrostomy 263
see also defaecation	fentanyl (Durogesic) 370	non-catheterized patients 261–2
faecal incontinence 174–5	buccal tablet 371	problem solving 265
skin care 142	epidural/intrathecal 379, 381	procedure guidelines 261–4
specimen collection 572	intravenous 368	stoma sites 264
faecal-oral transmission 57	oral transmucosal (OTFC) 371	surgical drains 262, 838
faecal (stool) softeners 177, 178, 178	transdermal 368, 370, 370	routes 256
faecal specimens 571–3	fetor 32	third space 265–6
containers 512	fever 636, 640	fluid (circulatory) overload 265
indications 571	see also pyrexia	bladder irrigation 162, 164
procedure guideline 572 storage and transportation 572	fibre, dietary 179 fibreoptic endoscopic evaluation of swallowing	intravenous infusions 779–80, 780 parenteral nutrition 300
faeces (stools) 141	(FEES) 278	post-operative 831
assessment 140, 173, 177, 571	fibrillation, heart 601	signs and symptoms 257 , 265, 780
collection devices, in diarrhoea 174, 175	fibrin	transfusion-associated 304, 323
digital removal 187–9	infusion device occlusion 766	see also overinfusion
procedure guideline 188–9	VAD occlusion 865, 866–7	fluid replacement
measuring fluid output 263-4	fibrinolytic agents see thrombolytic agents	colloids vs crystalloids 259
patients in isolation 80	fibroblasts 937, 937	diarrhoea 174
specimen containers 512	filters	excessive <i>see</i> fluid overload
see also defaecation	bacterial see bacterial(-viral) filters	hypovolaemia 488
fainting (syncope)	stoma appliances 191	infusion devices 759
acupuncture-associated 376 cardiac 245	finger pricking, blood glucose monitoring 648, 650	NICE algorithm <i>258</i> , 259 post-operative 835–6
during positional changes 220	fire hazards, oxygen therapy 435, 436, 440	subcutaneous infusion 733, 734–6
urinary catheterization 158	first impression 20	see also intravenous fluids; intravenous
venepuncture-associated 524	first-pass metabolism 704	infusions
falls 212–13, 220	fistulas, catheterized patients 161	flumazenil 694, 697

fluoride 356	gastric distension, during CPR 502	gloving, double 820
flushing	gastric outlets, measuring fluid output 263	glucagon 646
CVADs <i>see under</i> central venous access devices	gastrocolic reflex 141 gastroenteritis 173	glucose administration, in hypoglycaemia 647
CVCs 905, 907	gastrointestinal assessment 14, 790	parenteral nutrition solutions 299
enteral feeding tubes 294, 296, 297, 298	gastrointestinal (GI) disorders	in urine 643, 647
implanted ports 916, 917, 918, 918	dysphagia 278	glucose, blood 646–52
peripheral cannulas 882, <i>884</i> , 886	pleural effusions 454	diagnosis of diabetes 646, 648
difficulties 886	gastrointestinal (GI) endoscopy 579–82	monitoring 647–52
PICCs 901	gastrointestinal infections 173	conditions affecting accuracy 648
VADs see under vascular access devices	faecal sampling 571–3	equipment 649
flush-out technique, extravasation injury 774,	infection control precautions 51	general principles 648
779	modes of transmission 57	indications 648
procedure guideline 776–8 foam sticks, oral care 354, 355, 360	symptoms 57 gastrointestinal (GI) tract	methods 648 parenteral nutrition 301, 648
foam wound dressings 940	anatomy and physiology 30, 30, 139, 139–41	problem solving 652
Foley (balloon) catheters 147, 147 , <i>147</i>	lower <i>579</i> , 581	procedure guideline 649–51, 651
balloon deflation problems 161	passage of food 266–7	self- (SMBG) 648
balloon filling 147	perforation, iatrogenic 581, 582	training and quality control 648-9
balloon size 147	post-operative function 853–4	normal target ranges 646, 646
see also urinary catheterization	gastro-resistant capsules 698	regulation 646
food	gastroscopy <i>579</i> , 579–81	see also hyperglycaemia; hypoglycaemia
benchmarks 273	complications 581	glucose meters, blood 649
charts 268, 275, 277	indications 580 gastrostomy 279, 288–94	glucose polymers 273 glutamine 280
digestion and absorption 266–7 disquising medication in 698–9	accidental tube removal 294	gluteus muscle injections 740, 740, 741
drug interactions 685–6	balloon, checking volume, procedure	glycerine and lemon swabs, dry mouth 356
hygiene 58, 86, 87	guideline 291–2	glycerol (glycerine) suppositories 178, 184
ingestion 266	buttons 279	glyceryl trinitrate (GTN)
oral medication and 697	complications 293–4	to aid venous access 516, 877
provision in hospital setting 272–3, 273, 274	measuring fluid output 263	autonomic dysreflexia 244
stoma patients 198	post-operative care 293	transdermal delivery 704
see also diet; meals; nutrition	tube care 288–93	glycopeptide antibiotics 540
foot	problem solving 289	glycosylated haemoglobin (HbA1c) 794
care 334–5 diabetic 334–5	procedure guidelines 288–91 see also percutaneous endoscopically placed	goggles <i>see</i> eye protection Gordon's Functional Health Patterns 10, 11,
examination 27	gastrostomy (PEG) tubes; radiologically	11, 12
splints/orthoses 233, 234	inserted gastrostomy (RIG) tubes	governance, clinical <i>see</i> clinical governance
venous access 514	gauges, needle 720, 878	gowns 60
foot ulcers, diabetic 334, 335, 335	GCS see Glasgow Coma Scale	donning, procedure guideline 73–7
footwear	GelClair 357	operating theatre staff 820
preventing sharps injuries 89	Gel-X capsules 193	surgical patients 806
supportive 219	general anaesthesia see anaesthesia	graduated elastic compression stockings see
surgical team 817	generalized anxiety disorder 115	antiembolic stockings
forced expired volume in 1 second (FEV ₁) 630 forced vital capacity (FVC) 630	general practitioner (GP), end-of-life care 42, 404	graft-versus-host disease (GVHD), transfusion- associated (TA-GVHD) 319–20
fractures, moving and positioning patients	general sales list (GSL) medicines 677	Gram-negative bacteria 52, 53, 510
with 211	gene therapy, specimens 513	Gram-positive bacteria 52, 53, 510
frail patients, discharge 42	genitourinary assessment 14	Gram staining 510
Francis Report (2013) 103, 854, 855	genitourinary tract 139	granulating wounds 944
Free Church, care after death 410	gentamicin 540	granulation tissue 937
fremitus, tactile 24, 24, 26	gingivitis 353	granulocyte macrophage-colony stimulating
FreshAire 191, 193	Glasgow Coma Scale (GCS) 659–62, 660	factor (GM-CSF) 773
fresh frozen plasma (FFP) 308 administration, procedure guideline 317	post-CPR 500 prior to lumbar puncture 544	grapefruit juice 685 Graseby syringe drivers 734
solvent detergent treated (SD-FFP) 309	problem solving 665	gravity drip rate controllers 753
frontal lobe 652, 654	procedure guideline 663	gravity infusion devices 752–3
frontotemporal dementia 123	scoring 661 , 661–2	advantages and disadvantages 753
full blood count (FBC) 534, 534, 794, 810	glasses <i>see</i> spectacles	factors affecting flow rates 752-3
Functional Health Patterns, Gordon's 10, 11,	glaucoma 341, 343	flow rate calculations 752
11, 12	globe (of eye) 341	groin swabs 562
functional residual capacity (FRC) 622, 623	glomerular filtration 640	Groshong catheter 912, 912
benefits of CPAP 447 funeral arrangements 404	glomerular filtration rate (GFR) 644	growth hormones 691
funeral directors 420	glossopharyngeal nerve (IX) 656 gloves, disposable 60	Guedel airway 494, 494–5 guidelines, clinical 3
fungaemia 535–6	dispensers 60	gum elastic bougie 495
fungal infections 54–5	disposal of used 64, 65, 72, 74	gani clastic sough 455
feet 334	intravenous drug administration 749	haematocrit 794
oral 357	latex 60, 807	haematology blood tests 534, 534
skin scrapings 562	non-sterile 60	pre-operative 794, 808, 810
fungi 54-5, 510-11	aseptic technique 78, 79	haematomas
funnel chest 23	procedure guideline 64–5, 64–5	arterial puncture-related 533
Fybogel 178	operating theatre staff 820	epidural 384, 388
gag reflex 659, 664	source isolation 85 sterile 60	peripheral cannulation-related 889–90
gag reflex 658, 664 gargling medication 697	aseptic technique 79	surgical site 852 venepuncture-related 524
gas and air <i>see</i> Entonox	procedure guidelines 71–7	haematopoietic stem cell transplantation 303
gaseous exchange 432–3, <i>433</i> , 622	venepuncture 516	haemodilution, acute normovolaemic (ANH) 306

haemodynamic instability, post-operative 834–5	health perception, assessment 16	Home Oxygen Order forms 35, 41
haemoglobin (Hb)	hearing	honesty 111
concentration 304, 534, 794, 810	listening vs 100	honey 940
glycosylated (HbA1c) 794	mechanism 99, <i>99</i> , 350	hospital-acquired infections see healthcare-
malnourished patients 268	testing 351, 664	associated infections
oxygen transport 433, 433, 622	hearing aids 127	Hospital Chaplaincies Council 410, 421
haemolytic disease of the fetus and newborn	cleaning 338, 351	hospital readmission rates 39
(HDFN) 302	surgical patients 813	host, susceptible 56
haemolytic transfusion reactions	hearing impairment 104, 127–8, 350–1	hot packs <i>see</i> heat therapies
acute 322	heart 484–7	housing, suitability for discharge 42
delayed 323	anatomy 26, 27, 484–7	5-HT3 antagonists 136
haemopneumothorax 454	conduction system 487, 601, 604	5-HT4 receptor agonists 178 , 179
haemorrhage see bleeding/haemorrhage	electrical activity 604, 604–5	Human Fertilisation and Embryology Acts 548–9
haemostasis, wound 936, 937 haemothorax 454	heart murmurs auscultation 28, 29	Human Fertilisation and Embryology Authority
haemovigilance 310	palpation 27	(HFEA) 548, 549, 587
hair care 334	heart rate (HR) 598–600	human immunodeficiency virus (HIV) 88, 89
hairdryers 334	factors affecting 599, 600	post-exposure prophylaxis 89
hair removal	fluid imbalances 257	transmission in blood products 320
surgical site 806, 806	methods of measuring 602	human leucocyte antigens (HLA) 303
VAD site 880–1	normal ranges 599	human papillomavirus (HPV) testing 551
before wound suture 956	see also pulse(s)	human T cell leukaemia/lymphoma virus type
hair washing, bed-bound patient 334	heart rhythm 600–1	1 (HTLV-1) 320
procedure guideline 339–40	see also arrhythmias	humidification 230, 441–4
hand(s)	heart sounds 28, 29	complications 444
assessing arterial supply 920, 921	heat, gains and losses 634	CPAP 448
cuts and abrasions 61, 70	heat and moisture exchanger (HME) 442, 442	equipment 442, <i>442</i>
drying 70	tracheostomy patients 474	oxygen therapy 440
ischaemia, arterial cannulation 925	heat therapies	problem solving 443
venous access 514, 515, 863, 876	aiding venous access 516, 518, 520, 877	procedure guideline 443
hand-held devices, monitoring vital signs 596	for extravasation 774, 775	rationale 441
hand hygiene	pain management 373	tracheostomy/laryngectomy patients 474
aseptic technique 78, 79, 80	heaves, chest 27	humidifiers 442
assessment of compliance 60	height measurement 272	aerosol 442
equipment 59	adults 269	blockage 443
immunocompromised patients 86	equipment 269	cold water bubble 442, 442
procedure guidelines 61–3	problem solving 272	water chamber 438, 442, 448
protective isolation 88	procedure guideline 269–70, 271	humidity 441
source isolation 85	sick children 268 helminths 55	humour, using 372
see also hand washing; surgical scrub handrubs 59	hemi-aesthesia 231	hyaluronidase extravasation injuries 771, <i>771</i> , 775, 777
dispensers 59	hemiparesis 231	subcutaneous infusions 733, 734
procedure guideline 63, 63	HEPA (high-efficiency particulate air) filters 86	hydration
hand washing	heparin	artificial, at end of life 405
areas commonly missed 62	epidural/intrathecal catheter removal 387	assessment 14–15 , 333
equipment and facilities 59	flushing implanted ports 916	see also fluid intake
procedure guideline 61–2, 62	'lock' 866	hydrocolloid wound dressings 940
see also surgical scrub	low molecular weight (LMWH) 387	hydrocortisone cream 771, 775
HCAI see healthcare-associated infections	maintaining VAD patency 866, 869	hydrofibre wound dressings 940
headache, post-dural puncture 383, 388, 547	hepatitis B, transfusion-related 320	Hydroframe 193
head and neck cancer, dysphagia 278	hepatitis C, transfusion-related 320	hydrogel-coated catheters 148-9
head lice 334	herbal medicines 680, 685	hydrogel wound dressings 940
head lymph nodes, examination 23, 25	herpes zoster 82	hydromorphone 371
head tilt/chin lift manoeuvre 490, 490, 499	Hickman lines see skin-tunnelled catheters	hydrostatic pressure 254
healing, wound see wound healing	high dependency unit (HDU), CPAP 448, 452	hygiene
health and safety, occupational	high-efficiency particulate air (HEPA) filters 86	bedbathing see bedbathing
angry patients 120, 121 bloodborne viruses 88	high-flow oxygen therapy (HFOT) 444, 444–6	food 58, 86, 87
	High Quality Care for All (Darzi 2008) 110 Hindu Council UK 421	personal <i>see</i> personal hygiene
operating theatre 823 specimen handling 512–13	Hindus	see also cleaning Hygiene Code of Practice (2010) 58, 59
venepuncture 516	care after death 411	hyperalgesia 361
see also inoculation injuries; personal	washing and personal hygiene 336	hyperbaric respiratory therapy 447
protective equipment	hirudoid 890	hypercalcaemia 535, 811
Health and Safety at Work, etc. Act 1974 58	histamine 936	hypercapnia 434, 441, 622–3
Health and Safety at Work Regulations 119	histology 511	hyperglycaemia 646–7, <i>647</i>
Health and Safety Executive (HSE) 415	history taking, pre-operative 790–1	parenteral nutrition 302, 647
Health and Social Care Act 2008 58	HIV see human immunodeficiency virus	hypergranulation, gastrostomy/jejunostomy
Health and Social Care Information Centre 105	HLA (human leucocyte antigens) 303	stoma site 293
healthcare assistants (HCA) 18, 333	Hollister barrier rings 193	hyperkalaemia 488, 535, 811
healthcare-associated infections (HCAI)	home	transfusion-associated 323
defined 50	assessment 16, 42	hyperlipidaemia, blood glucose monitoring
legislation and regulation 58	end-of-life care 42–5, 43–4, 404	and 648
patient education 60–1	enteral feeding 41–2, 298	hypernatraemia 535, 811
prevalence 52	oxygen therapy 437–8, 440	hyperpyrexia 636
prevention <i>see</i> infection prevention and	parenteral nutrition 300	hypertension 611–12
control	specialist ongoing care at 41–2	autonomic dysreflexia 244, 245
urinary tract 566	suitability for discharge to 42 see also discharge	management 618
health management, assessment 16	see also discridige	post-operative 831–2

hymaytangian (gantinyad)	Ilogatomy and internal naugh gunnart group	mashaniama FC
hypertension (continued)	Ileostomy and internal pouch support group	mechanisms 56 modes of transmission 57
primary 611 secondary 611	199 ileum 140	notifiable 415
hyperthermia 636, 636, 640		
, ,	ileus, paralytic 175–6, 853–4 illness memoirs 112	pulse monitoring 602
post-operative 832 see also pyrexia	imaging see radiological investigations	pyrexia 636 source isolation <i>see</i> source isolation
hyperthyroidism 636	immobility	sources 57
hypertonia 232 hypertonic contraction 780, 780	complications 209–10, 221 post-operative patients 854–5	symptoms 57
hyperventilation 115, 626	unconscious patients 221	temperature monitoring 637 tracheostomy patients 484
central neurogenic 658		transfusion-transmitted 320–1
	see also moving and positioning	
hypervolaemia 265 see also fluid overload	immune-modulating enteral feeds 280	venepuncture site 524
	immune modulation, transfusion-related	wound see wound infections
hyphae, fungal 54	321	see also sepsis
hypocalcaemia 535, 811	immunocompromised patients	infection prevention and control 49–92
hypodermis 936	blood transfusion 319–20	aseptic technique 78–80
hypodermoclysis (subcutaneous fluid	diet 86	assessment and recording tools 60
administration) 733	discharge advice 86–7	blood components for transfusion 304–6
procedure guideline 734–6	fungal infections 55	competencies 58
hypoglossal nerve (XII) 656	intramuscular injections 741	contraindications 58
hypoglycaemia 302, 647	protective isolation 81, 86–8	CPR 491
hypokalaemia 488, 535, 811	scabies 55	deceased patients 414, 415
hyponatraemia 535, 811	temperature monitoring 636–7	definitions 50, 50–1
hypophosphataemia 302	wound infections 941	diarrhoea 173
hypotension 611	implanted devices	equipment 58–60
epidural/intrathecal analgesia-related 384,	deceased patients 414	evidence-based approaches 57–8
385, 386	magnetic resonance imaging and 586	high-impact interventions 60
management 618	implanted ports 862, <i>915</i> , 915–18	indications 58
orthostatic see orthostatic hypotension	accessing 915–18	inoculation injuries 88–9
post-operative 831 , 834–5	problem solving 918	intravenous drug administration 748
hypothalamus, thermoregulation 634	procedure guideline 916–18, 918	legislation and regulation 58, 59
hypothermia 634–6	complications 918	operating theatre 816–17, 819–20
cardiopulmonary arrest 488	flushing 866, 916, 917, 918, 918	patient education 60-1
management 640	indications 915	procedure guidelines 61–77, 78–80, 83–6,
transfusion-associated 323	insertion methods 915	87–8, 92
unplanned perioperative 635–6, 829, 832	non-coring needles 916, <i>916</i>	protective isolation 86–8
hypothyroidism 636	ongoing care 918	rationale 57–8
hypotonic contraction 780, 780	removal 918	source isolation 80–6
hypoventilation 626, 831	types and designs 916, 916	specimen handling 512–13
hypovolaemia 221, 265–6	urokinase instillation 874	tracheal suctioning 476–7
arterial cannulation-related 925	inattention, sensory/motor 235	vascular access devices 864–5
cardiopulmonary arrest 487–8	incidents	waste management 89–92
fluid therapy algorithm 258	medication 687	infection prevention and control team (IPCT)
post-operative 831	reporting 687	58
see also blood loss; dehydration	incongruence 100	infectious agents 52–6, 56
hypovolaemic shock	incontinence	defined 50
post-operative 834–5	falls risk 212	identification 510–11
pulse monitoring 602	skin care 142, 333	mechanisms of infection 56
hypoxia 432, 622	see also faecal incontinence; urinary	modes of transmission 57
anaemic 622	incontinence	see also bacteria; fungi; parasites; prions;
cardiopulmonary arrest 487	incontinence-associated dermatitis (IAD)	viruses
histotoxic 622	142	infectious diseases
hypoxaemic 622	incorrect blood component transfused (IBCT)	deceased patients with 415
ischaemic 622	error 319, 321, 322	isolation of patients with <i>see</i> source
spinal cord compression/injuries 245	prevention 312, 316, 322	isolation
tracheal suctioning 479	Independent Mental Capacity Advocacy	pleural effusions 454
hypoxic drive 441, 831	Service 34, 123	see also specific diseases
	independent prescribing 679, 680	inferior vena cava (IVC) 864
IBCT error see incorrect blood component	indirect contact, transmission via 57	infertility, male factor 548
transfused error	induction anaesthetics 814	Infertility Network UK 587
ibuprofen 369	infection(s) 52–7	infiltration (drugs/solutions into tissues) 766,
idarubicin, extravasation 771, 775	abdominal paracentesis-related 401	767
identification, patient	arterial cannulas 924–5	management 774
administration of medicines 683–4	bloodborne see bloodborne infections	prevention 768–9
after death 418	causes 52–6	inflammation, wound 938, 941
blood transfusions 312, 317–18	chain of 56, 56, <i>56</i>	inflammatory phase, wound healing 936–7,
surgery 799, 800, 813	continuous peripheral nerve blocks 392	937
ileal conduit 171, 190	CPR-related risks 491, 492, 502	influenza, pandemic 85
post-operative function 197–8	CVAD-related see central venous access	information
urine sampling from 569–70	device (CVAD)-related infections	assessing ability to comprehend 13
see also urinary diversion; urostomy	endogenous 57, 86	confidentiality 103
ileostomy 190	exogenous 57, 86	giving 110–13
dietary restrictions 198	gastrostomy/jejunostomy site 293	at end of life 406
permanent (end) 190, <i>190</i>	healthcare-associated see healthcare-	pre-operative 797–8, 798
post-operative function 197	associated infections	principles 111, 111–12
pouches 191, <i>192</i> , 197	indicators and effects 57	see also communication; patient
temporary (loop) 190	lumbar puncture-related 547	education
see also stoma(s)	lumbar puncture site 543	sharing
• •	-	<u> </u>

discharge planning 38	multidose preparations 722, 724-6	intracytoplasmic sperm injection (ICSI) 549
sources 112	reducing pain of 722, 722	intradermal injections 729–31
written, producing 112	routes 719, 728	needle size 720, 729
infraclavicular block 389	single-dose preparations 722, 723–4	procedure guideline 729–31, 731
infusion(s) 719–67	subcutaneous 731–3	intramuscular (IM) injections 739–42
defined 719	inner ear 350, <i>350</i>	needles 720-1, 741
parenteral 722	innominate (brachiocephalic) veins 863, 863	opioid analgesics 368
routes 719, 728	inoculation injuries 57, 88–9	procedure guideline 741–2
see also intravenous infusions;	complications 89	sites 739–41, 740
subcutaneous infusions	management 89	technique 741
infusion containers/bags	prevention 89, 749	volume 739–40
changing 748, 758–9	safety needles for preventing 721, 721	Z-track technique 741
height 752	during venepuncture 516, 523	intraoperative care 813–33
infusion devices 752–6	INR see International Normalized Ratio	anaesthesia 813–16
ambulatory 755–6	insects	defined 813–14
blood transfusion 311	infestations 55	infection control and asepsis 816–17,
gravity 752–3	vector transmission 57	819–20
improving safety 750	inspection, visual 20	moving and positioning 817–19, 819, 820
MHRA classification 757, 759	abdomen 31, 32–3	objectives 814
occlusion by fibrin 766	cardiovascular examination 26–7, 29	operating theatre 816–26
paediatric patients 757	pressure areas 952	post-anaesthetic care unit 826–33
problem solving 766–7	respiratory examination 22, 25	Surgical Safety Checklist 814, 815, 816
selection criteria 750, 756–7, <i>760</i>	VAD insertion sites 864	intraoperative cell salvage (ICS) 306
specialist 755–6	veins 515	intraosseous drug administration 743–7
subcutaneous infusions 734	inspiration 227, 228, 619, 619, 620	complications 747
user errors and safe use 749 , 749–50	inspiratory capacity (IC) 622, 623	needle insertion, procedure guideline 743–6
winged see winged infusion devices	inspiratory reserve volume (IRV) 622, 623	745
see also infusion pumps	Institute for Healthcare Improvement 781	needle removal, procedure guideline 746
infusion fluids	insulin	needle selection 743, 743, <i>745</i>
effects on flow rate 752	continuous subcutaneous infusion 733	intraperitoneal drug administration, ascites
visual inspection 748, 758	deficiency 646, 647	398
see also intravenous fluids	glucose regulation 646	intrapleural drains see chest drains
infusion pumps 753–5	intensive treatment 648	intrapleural pressure 453, 619, 619
accuracy of delivery 753	subcutaneous injection 731, 733	intrathecal analgesia 376–88
air-in-line detectors 753, 766	syringes 720	assessing sensory blockade 385, 388
antisiphonage 753	integrity, personal 970	procedure guideline 381–2
discharge home with 42	Intensive Care Society (ICS)	bolus injections (top-up) 379
epidural analgesia 755, 755	tracheostomy guidelines 471, 481	complications 388
improving safety 750	transferring critically ill patients 502	continuous infusion 379, 388
MHRA categories 757, 759	intercostal muscles 619, 620	contraindications 379
occlusion response and pressure 753 parenteral nutrition 300	intercostal nerves 655 interdental cleaning 355, 355, 358, 359	drug-related side-effects 381, 385–6, 386–7
problem solving 766–7	intermediate care 40	drugs used 379–80, 381 equipment 380–1
safety software 753–4	intermittent pneumatic compression devices	indications 378–9
specialist 755–6	800, 819	monitoring 384–5 , 386
syringe <i>see</i> syringe pumps	intraoperative use 820, 822, <i>822</i>	patient preparation 381
user errors and safe use 749–50	intermittent self-catheterization (ISC) 155–7	problem solving 383–5
volumetric 754, 754	continent urinary stoma 171, 171–2	procedure guidelines 381–3
inhalation see inspiration	procedure guideline 172	safety checks 387, 388
inhalational anaesthetics 814, 820	equipment 155–6	training/competency 380
inhalational analgesia see Entonox	indications 155	intrathecal catheters 380
inhalation route of drug administration	procedure guidelines 156–7	bacterial filters <i>see</i> bacterial filters, epidural/
708–12	internal jugular vein 27, 27, 863, 864	intrathecal
complications 712	catheterization 904	exit site dressings 381
equipment 708–9	procedure guideline 906–7	procedure guideline 382
methods of aerosol production 708	ultrasound localization 894	granuloma 385
patient education 709–10	International Association for the Study of Pain	removal
procedure guidelines 710–12	(IASP) 360, 362	anticoagulated patients 387
inhalers	International Liaison Committee on	procedure guideline 383
difficulties in using 709	Resuscitation (ILCOR) 489	siting 381, 381
procedure guideline 710–11	International Normalized Ratio (INR) 534,	intrathecal central nerve blocks see spinal
types 708, 708-9, 709	810	blocks
injection caps, needle-free 751, 751–2	internet blogs 112	intrathecal drug administration 543, 728-9
injection pens 720	interpreters 104	chronic pain 378, 388
injections 719–67	interscalene block 389	indications 728
administration, procedure guideline 727–8	interstitial space 254	safety 544, 728–9, 729
defined 719	interviews, assessment 11	intrathecal (subarachnoid) space 376, 377, 377
equipment 719–21	intestinal failure 300	intravascular space 254
intra-arterial 728	intestinal obstruction see bowel obstruction	intravenous access see venous access
intra-articular 728	intoxications, cardiopulmonary arrest 488	intravenous bolus injections 748
intradermal 729–31	intra-arterial drug administration 728	extravasation management 773-4
intramuscular see intramuscular injections	accidental 925	procedure guideline 763–5
intrathecal see intrathecal drug	intra-articular drug administration 728	intravenous cannulation see under peripheral
administration	intracellular fluid (ICF) 254	cannulas
intravenous see intravenous injections	intracranial pressure (ICP), raised	intravenous drug administration 747–81
medication preparation 721–2	risks of lumbar puncture 543, 546, 547	asepsis/prevention of infection 748
calculations 722	tracheal suctioning 479	complications 767–81
procedure guidelines 722–8	vital signs 659	drug compatibilities 748

- · · · · · · · · · · · · · · · · · · ·	T 1 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.6. 1.65
intravenous drug administration (continued)	Jackson silver tracheostomy tube 471–2,	defined 467
equipment 750–6	472	dysphagia 278
errors 749	Jainism 421	emergencies 484, 486
methods 747–8	jargon 104, 111, 112	equipment 469, 473
nurse's responsibilities 747	jaw thrust 493	humidification 474
pain management 368	Jehovah's Witnesses 421	stoma 468
with parenteral nutrition 300	blood transfusion 310-11	stoma button 473, 474
patient comfort 749	care after death 412	tubes 471, 473, 474
problem solving 765–7	jejunostomy 279, 288–94	see also tracheostomy
procedure guidelines 757–9, 760–5	accidental tube removal 294	laryngectomy box 469
safe practice 748–9, 749	complications 293–4	laryngoscope 495, 496
see also intravenous infusions; intravenous	post-operative care 293	light not working 501
injections	tube care 288, 293	larynx 467, 468
intravenous fluids	procedure guideline 292	Lasting Power of Attorney 122
administration sets 750, 750	jejunum 140	last offices see death, care after
colloids vs crystalloids 259	jewellery	lateral position, surgical patients 825
flow rates and factors influencing 752-3	deceased patients 418	lateral surface transfer, unstable spinal cord
infusion devices 752–4	hand hygiene and 61, 69	compression 236
osmolarity 256	removal for X-rays 586	latex 807
post-operative 836	surgical patients 812	allergy 749, 808
reducing risk of infection 748	joints 208, <i>209</i>	pre-operative actions 807–8, 808
visual inspection 748, 758	protection, neurological patients 231–2	
		risk factors 807–8
see also fluid replacement; infusion fluids	restricted range of movement 211, 232	gloves 60, 807
intravenous infusions 747–81	surgical replacement 78	urinary catheters 148
blood pressure measurement and 616	trauma, moving unconscious patients 224	laundry <i>see</i> linen/laundry
competencies 868, 868	Judaism, care after death 412	laxatives 177, 177–9, 178
complications 767–81	jugular venous pressure (JVP), measurement	abuse 177
continuous 747	27, 27, 29	bulking agents 177, 177-8, 178
changing administration sets 748	_ , ,	opioid-treated patients 369
flow rate calculations 752	Kapitex Tracheotwist fenestrated tracheostomy	osmotic agents 177 , 178, 178
to keep vein open (KVO) 866	tube 471, 471	stimulant 177, 178, 178–9
	keep vein open (KVO) 866	stool softeners 177, 178, 178
pain management 368		
procedure guideline 757–9	alerts 766	laying out 413
drug compatibilities 748	kidneys 138–9	see also death, care after
drug injections into 748	blood pressure regulation 613	L-dopa 644
equipment 750–6	fluid balance regulation 254–5	lean body mass 267
errors and safe practice 749 , 749–50	physical examination 33	learning disabilities
flow control complications 749-50, 750	urine formation 640–1, 641	communication issues 104
groups at risk 749	knee-jerk reflex 664	discharge planning 34
flow rates	knee joint 209	hearing problems 350-1
calculations 752	knowledge	information giving 112
factors affecting 752–3	propositional and non-propositional 3	pain assessment 364, 365
	Knowledge and Skills Framework,	Leeds Assessment of Neuropathic Symptoms
slowing/stopping 765–6		
intermittent 747	communication 105, 105	and Signs (LANSS) 365
changing administration sets 748	Korotkoff sounds 614, 614 , 614	left ventricular movements, palpation 27
flow rate calculations 752	auscultatory gap 614, 614, 617	leg <i>see</i> lower limb
procedure guideline 760–2	in children 613	lemon and glycerine swabs, dry mouth 356
maintaining VAD patency 865–6	inaudible or weak 618	leucoagglutination 321
monitoring 767	Kussmaul breathing 626	leucocyte esterase reagent strips 644
opioid analgesics 368	kyphoscoliosis, thoracic 23	leucocytes see white blood cells
post-anaesthesia care 830		leucopheresis 306
problem solving 765–7	labelling	levomepromazine 136 , 739
reducing risk of infection 748	blood pack 315	Lewy body dementia 123
vesicant drug administration 769	blood samples for grouping 311, 314	lice 55, 334
intravenous injections 747–67	semen specimens 549	lidocaine 150–1, 879–80
	specimens 513–14	
complications 767–81		lifts, chest 27
direct intermittent 747–8	laboratory specimen collection <i>see</i> specimen	ligaments 208, <i>209</i>
procedure guideline 763–5	collection	lighting
intravenous push 748	laboratory tests, pre-operative 794–5	eye care 344
procedure guideline 763–5	labour, epidural analgesia 379	operating theatre 823, 823
intraventricular drug administration 728, 728	lacrimal apparatus 341, 342	pulse oximetry and 626
introducers 495, 496	lactation, Entonox use 392	light microscopy see microscopy
investigations see diagnostic tests	lactulose 178, 178	limbs
iron overload 323	lancets 649	assessment, neurological 657-8, 663-4
irritant contact dermatitis, latex allergy 808	language	elevation, extravasation injuries 774
irritation, surgical drain exit site 849	anatomy and physiology 125	positioning
ischaemia, arterial catheter-related 925	disorders 124	during surgery 819, 819
Islam	technical 104, 111	unconscious patients 223, 223
care after death 411	written information 112	see also lower limb; upper limb
washing and personal hygiene 336	language barriers/difficulties 104	Limone 191, 193
Isogel 177	blood transfusion 318	linctuses 698
isolation 51	neurological assessment 662, 665	linear model of communication 99
see also protective isolation; source	laparoscopic surgery 817, 817	linen/laundry
isolation	equipment 823, 823-4, 824	foul, infected or infested 91
isothermic point 441	large intestine 139, 141	procedure guideline 92
isotonic fluid expansion 779–80, 780	laryngeal mask airway (LMA) 495, 495	infected patients 82–3
see also fluid overload	laryngeal spasm, post-operative 831	soiled, management 91–2
ispaghula husk 177–8	laryngectomy 467–84	lipidaemia, in diabetes 646, 647
ispagitutu ttubit 1// O	iaryrigectoring to / Ot	iipidaciiiia, iii diabetes 040, 047

lips 352, <i>352</i>	method 544	Entonox 393
liquid-based cytology (LBC), cervical smears	needles 544, 721, <i>721</i>	operating theatre staff 817
551, 554–5	problem solving 546	oxygen <i>see</i> oxygen masks
liquid medications	procedure guideline 544–6, <i>546</i>	pocket, with oxygen port 493, 493
for injection 721	lung(s)	ventilation, CPR 491, 491
preparation, procedure guideline 722–3	anatomy 21, 21–2	mass peristalsis 141
oral administration 697, 698, 700	auscultation 26, 29	masturbation, semen collection 548, 550
liquid paraffin 178, 178	collapse 453, 455	mattresses, pressure-relieving see pressure-
listening 100, 100, 107	compliance (elasticity) 447	relieving devices/mattresses
lithotomy position 819, 819	expansion therapy, CPAP 447, 448	maturation phase, wound healing 937, 938
liver 583–4	gaseous exchange 432–3, <i>433</i> , 622	maxillofacial injuries 392
dysfunction, parenteral nutrition 300–2	irritant receptors 621	McGill forceps 495, 495
examination 31–2, 33	ventilation 432, 618–19, 619	McGill Pain Questionnaire (MPQ) 364
liver biopsy 583–5	ventilation/perfusion matching 225	McKinley T34 syringe pump 734
complications 585	volumes and capacities 622, 622, 623	procedure guideline 736–9
equipment 584, <i>584</i>	lying down	meals 272
methods 584	to sitting up, procedure guideline 216–17,	oral drug administration and 697
liver function tests 301 , 534, 795	217	patients in isolation 80
Liverpool Care Pathway (LCP) 406	see also side-lying position; supine position	see also eating; feeding; food
Lloyd Davies position 819, 819 local anaesthesia 371	lymph nodes head and neck, examination 22, <i>23</i> , 25	mealtimes, protected 275 mean arterial pressure (MAP) 612
abdominal paracentesis 398	supraclavicular, inspection 32	measles 82
arterial cannulation 922	lymphocytes	meatus, urinary <i>see</i> urethral meatus
arterial puncture 529, 531	in CSF 543	mechanical ventilation 221, 447
chest drain insertion 459	total count 268	tracheostomy 467, 468
CVC insertion 906	total coulit 200	see also ventilated patients
extravasation injury management 777	Macmillan Cancer Support 587	median cubital vein
liver biopsy 585	macrogols 178	cannulation 894, 894
peripheral cannulation 879–80	macrophages 936–7, <i>937</i>	venepuncture 514, <i>514</i>
PICC insertion 895, 898, 900	macula lutea 341	Medical Certificate of Cause of Death (MCCD)
removal of skin-tunnelled catheters 913	macular degeneration, age-related 343	404, 414
suturing 956	magnesium salts, laxative 178	medical devices
see also topical anaesthesia	magnesium sulphate 497	deceased patients 414, 415, 417
local anaesthetic nerve blocks 388–91	magnetic resonance imaging (MRI) 586-7	defined 676
local anaesthetics 371	major incidents, blood transfusions 317	incorporating or for administering medicines
epidural/intrathecal 368, 379–80, 381	malaria 320	676
side-effects 384, 385–6, 386–7	male patients	moving and positioning aspects 211
history of introduction 814	catheterized, meatal cleaning 160	see also implanted devices
hyaluronidase interaction 771	cystoscopy 583	Medical Devices Agency (MDA) see Medicines
mechanism of action 389	facial shaving 339	and Healthcare products Regulatory
ophthalmic use 714	intermittent self-catheterization, procedure	Agency
peripheral nerve/spinal blocks 389	guideline 156	medical emergency team (MET) scoring 596
systemic toxicity 390, 391	midstream specimen of urine 566–7	Medic-Alert Foundation 199
topical use see topical anaesthesia	respiratory volumes and capacities 623	medical examiners (ME) 414–15
local authorities 40, 404	semen collection 547–50 urinary catheterization 150–1, 158	medical history 790
log rolling 236, 239		medication 684–5 discharge considerations 42
cervical spinal instability 237–8 thoracolumbar spinal instability 242–3	procedure guideline 151–3 urinary incontinence 144–6	at end of life 407
London Holistic Needs Assessment tool 106	male urethra 582–3	history, pre-operative 791
long-chain triglycerides (LCT) 274	malignant disease	see also medicines; medicines
long lines (midclavicular catheters) 893	ascites 397	administration
loop of Henle 641, 641	hypercalcaemia 535	medication errors 682, 685
loperamide 174, 197	pleural effusions 454 , 454–5	controlled drugs 694
lotions 702	malignant hyperpyrexia 832	dose calculations 687
lower limb	malnutrition	intrathecal chemotherapy 728–9
amputation 246, 247, 248	assessment 267–8	intravenous drugs 749
see also amputation	biochemical investigations 268	key actions for preventing 687
blood pressure measurement 614	clinical features 268	reporting 687
examination 27, 29	screening tools 268–72	types 683
see also foot	Malnutrition Universal Screening Tool (MUST)	medication incidents 687
lower motor neurons (LMNs) 235	272	medicinal products, defined 676
low molecular weight heparin (LMWH) 387,	malodour see odour	medicine pots 699, 699
902	Management of Health and Safety at Work	medicines 675–781
lozenges 698	Regulations (MHSWR) 119	adherence 687
LSD (lysergic acid diethylamide) 692	manual handling	adverse reactions <i>see</i> adverse drug reactions
Luer-Lok fittings 497, 865	defined 208	affecting urinalysis results 644
Luer-Lok syringes 720, 720	devices, pressure area care 954	containers 682
subcutaneous infusions 734, 737	operating theatre 820	contraindications 676
Luer-Slip syringes 720, 720	risk assessment 210, 210	controlled see controlled drugs
lumbar nerves 655	sources of guidance 210–11	defined 676
lumbar playing block 390	see also moving and positioning; transfers	dispensing 681
lumbar plexus block 389 lumbar puncture 541–7	manuka honey 940 marriages, at end of life 405	disposal of unwanted 91 dose calculations 685, 686
anatomy 542, <i>542</i>	marriages, at end of life 405 masks	indications 676
complications 547	CPAP 446, 448	infiltration (into tissues) 766, 767
contraindications 547	disposable	legal categories 677
drug administration 543, 728	infection prevention and control 60	off label 680, 681
indications 543	procedure guideline 67, 68	patient's own 681
		A

medicines (continued)	meningococcal disease 82	Milpar 178
		minerals
perioperative guidelines 792–3	menstruation, surgical patients 807	
prescribing see prescribing	mental capacity 34, 103, 104–5	dietary requirements 269
reconciliation 680–1, 688	delirium 122	parenteral nutrition 299, 301
safe and secure handling 682, 682	dementia 123–4	serum levels 268
security 681	to give consent 799	supplements 275
side-effects <i>see</i> adverse drug reactions	Mental Capacity Act 2005 34, 103, 104–5, 404,	mini-jets 497, <i>497</i>
stability 681–2	799	minimally invasive surgery 817, 817
stock control 682	mercaptopurine 685	Mini Mental State Examination 365
storage 681–2	mercury	mini-Wright peak flow meter 631
supply 680–2	sphygmomanometers 614	minute volume (MV) 623
trail, activities in 682	thermometers 638	miotics 714, 714
unlicensed 680, 681	metabolic disorders, cardiopulmonary arrest	Misuse of Drugs Act 1971 690
Medicines Act 1968 677, 690	488	Misuse of Drugs and Misuse of Drugs (Safe
medicines administration 682–781	metabolism, assessment 12	Custody) (Amendment) Regulations
accountability for 682	metacarpal veins	2007 690
confirming allergy status 684	cannulation 863, 863, 876	Misuse of Drugs (Safe Custody) Regulations
controlled drugs 692, 693, 694–5	venepuncture 514, 515	1973 690
covert 698–9	metered dose inhalers (MDIs) 708, 708–9	Misuse of Drugs Regulations 2001 690
delegation 687	procedure guideline 710–11	mitomycin C, extravasation 771, 775
errors see medication errors	methadone 370	Mitrofanoff pouch 171, 171
intraosseous 743–7	methaemoglobinaemia 626	mixtures of medicines 682, 698
intravenous <i>see</i> intravenous drug	methicillin-resistant Staphylococcus aureus	mobility
administration	see meticillin-resistant Staphylococcus	assessment 14
key actions to improve safety 687	aureus	nutritional status and 268
nasal 716–17	methylnaltrexone bromide 178, 179	restricted, chest drains 465
ophthalmic 712–16	meticillin-resistant Staphylococcus aureus	see also immobility; movement(s)
oral 697–702	(MRSA)	mobilization
otic 717–19	carrier screening 557	patients on bedrest 210
parenteral 697, 697, 719	infection prevention and control 52, 57–8	post-operative 855
patient identification 683–4	source isolation 82	spinal cord compression/injuries 243
pulmonary 708–12	vancomycin therapy 540	see also moving and positioning; transfers
record of 686	metoclopramide 136	modified-release tablets 297, 698, 699
rectal 705–6	MHRA <i>see</i> Medicines and Healthcare products	monitored dosage systems 700, 700
in relation to meals 275	Regulatory Agency	monoamine oxidase inhibitors (MAOI) 117,
rights' 682, 683	microbiological culture 510–11	117, 685–6
routes 697, 697	microbiological specimen collection 513–14	monocytes, in CSF 543
self-administration 687–90, 688, 689		
	antimicrobial drug assays 540–1	monoparesis 231
single or double checking 686–7	blood 535–9	mood
topical 702–4	competencies 511	low 116–17, 118
transdermal 704–5	CVC tips 910	in undernutrition 268
vaginal 706–8	equipment 511, <i>512</i>	moral obligations, nurses 2
verbal orders 680	faeces 571–3	More Care, Less Pathway; A Review of the
via enteral feeding tubes 286, 293, 296–8	pleural fluid 578–9	Liverpool Care Pathway (2013) 406
see also medication	respiratory secretions 573–8	Morgan lens 343
medicines administration record (MAR) 42	swabs 557–65	Mormon Church, care after death 410
Medicines and Healthcare products Regulatory	urine 565–71	morphine 369–70
Agency (MHRA) 677, 781	see also specimen collection	conversion to fentanyl patch 370
blood glucose testing 648–9	microbiological tests 510–11, 534	routes of delivery 367, 368
blood transfusion safety 310	microbore infusion sets 752	safer practice guidance 694, 694
chest drain insertion 455, 456	microepididymal sperm aspiration (MESA) 548	side-effects 369
classification of infusion devices 757, 759	Microlax enema 178	supply under Patient Group Direction 693
definition of medicines management 676	micro-organisms 52–6	Morton, William 814
heat patches or packs 373	storage and transportation 514, 514	mortuary
intrathecal chemotherapy guidance 729	see also bacteria; fungi; parasites; viruses	transfer to 418–19, 420
safe use of infusion devices 749, 749	microscopy 510, 511	viewing body after removal to 420
sphygmomanometers 614–15	urine 643–4	motor blockade, epidural/intrathecal analgesia
thermometers 637, 638	midazolam	386, 387
unlicensed and off-label medicines 680,	endoscopic investigations 580	motor co-ordination, testing 658, 664
681	safety guidance 694, 694	motor function assessment 657
Yellow Card Scheme 680, 686	midclavicular catheters 893	motor inattention 235
medicines management 675–781	middle ear 350, <i>350</i>	
		motor response, Glasgow Coma Scale 661 ,
defined 676	midline catheters 862 , 890–3	662, 663
legislation and regulation 676–80	care in situ 893	mouth
medium-chain triglycerides (MCT) 274, 280	choice of vein 890	anatomy <i>352</i> , 352–3
medulla oblongata 653, 654	complications 893	assessment <i>see</i> oral assessment
respiratory centres 620	indications 890–1	dry see dry mouth
Meigs' syndrome 454	insertion 891–2	inspection 25, 29, 32, 354
membranes, cellular	problem solving 892	irrigation 355
structure 256	procedure guideline 891–2	temperature measurement 637
transport and movement across 254, 255	materials 891	mouth care 352–60
men see male patients	removal 893	contraindicated agents 356
Menghini needle 584	midstream specimen of urine (MSU) 566, 642	CPAP patients 451, 451
meninges, spinal 376, 377, 542	female patients 567–8, 642	deceased patients 418
meningitis	male patients 566–7	equipment 355, <i>355</i>
complicating spinal analgesia 385, 388	procedure guidelines 566–8	indications 353, 354–5
intrathecal antibiotics 728	mid upper arm circumference (MUAC) 269,	pharmacological agents 356-7
source isolation <i>82</i> , 85	270, <i>271</i>	principles 353, 353–4

problem solving 360	problem solving 235	National Early Warning Score (NEWS) 596,
procedure guidelines 357-60, 358, 359	procedure guideline 233–4, 234	597
unconscious patients 355, 355	defined 231	AVPU scale 662
xerostomia 353 mouth coating agents 356–7	testing 658, 664 musculoskeletal system 208	cardiac arrest prevention 492, 498 CPAP therapy 450
mouthrinses 356	pre-operative assessment 791	oxygen therapy 437, 440
mouth-to-facemask ventilation 491, 491, 493,	music, for pain management 372	National End of Life Care Programme 402
493	Muslim Council of Great Britain 411	National Framework for NHS Continuing
mouth-to-mouth ventilation 491	Muslims	Healthcare 40
mouthwashes 356	care after death 411	National Institute for Health and Care
movement(s) abnormal patterns 231, 658	washing and personal hygiene 336 mycelium 54	Excellence (NICE) cervical smears 551, 552
active, immobile patients 210, 210	mycobacteria 54	depression management 117, 118
passive, unconscious patients 221	mycoses 54–5	diabetes care 652
physical benefits 231	see also fungal infections	diabetic foot care 334–5
pulse oximetry and 626	mydriatics 714, 714, 716	end-of-life care 403
see also mobility	myelinated nerve fibres 376	intravenous fluid therapy 258, 259, 836
Movicol 178	myelography 543	medicines adherence 687
moving and positioning 207–49 amputees 246–9	myocardial infarction (MI) 601 myofascial trigger points 374	pre-operative preparation 806–7 smoking cessation advice 791
assessment prior to 211–12	myolasciai digger points 374	surgical wound dressings 851
in bed 213–17	N-acetylcysteine 574	venous thromboembolism 800
blood pressure measurement 613, 615, 615	nails	National Patient Safety Agency (NPSA)
in chair/wheelchair 217–18	artificial 61	arterial cannulation errors 920, 920
documentation 212	care 61, 70, 334, 338	blood transfusion practice 310
eye care 344 falls prevention 212–13	cleaning beneath 70	chest drain insertion 455, 456 epidural, spinal and regional anaesthesia
indications 208	inspection 25, 29, 32 nail varnish/polish 61, 70, 626	380
infusion flow rates and 752	nalidixic acid 644	intrathecal chemotherapy guidance 729
intravenous infusions 765	naloxone 694, 696–7	midazolam guidance 694, 694
lumbar puncture 545, 546	oxycodone combination 370	nasogastric tube position 284, 284
lying down to sitting up 216–17, 217	namebands see wristbands	opiate guidance 694, 694
in neurological impairment 230–46	NANDA-I (2008) 17	patient identification advice 312, 799
operating table 817–19, <i>819</i> , 820, <i>821</i> , 824, <i>825</i>	naproxen 369 nasal cannulas, oxygen via 436, <i>436</i>	protected mealtimes 275 surgical safety 799, 806
patient explanation/instruction 212	application 439	National Prescribing Centre (NPC) 681
patient with artificial airway 222–5	high-flow oxygen therapy 444	National Service Framework for Older People
post-cardiac arrest 501	oxygen flow rates 436, 436	38, 40
pressure ulcer prevention 211, 952-4	problem solving 440	National Tracheostomy Safety Project 484,
principles 208–10	nasal drops, procedure guideline 716–17	485, 486
privacy and dignity 212	nasal drug administration 716–17	Naturcare 191
problem solving 220 rationale 208	nasal erosion, complicating nasogastric feeding 287	nausea and vomiting 134–5 antiemetic agents 135, 136
in respiratory compromise <i>see</i> respiratory	nasogastric (NG) drainage tubes 135–6, 836	assessment 15, 134
compromise, positioning	checking position 138	dietary modification 274
risk assessment 210, 210, 212-13	insertion 135–8	at end of life 409
sitting to standing 218, 218–19	contraindications 136	enterally-fed patients 295
spinal cord compression/injuries 235–46	CPR 502	epidural/intrathecal analgesia-related 385,
sputum collection 574	procedure guideline 137–8	387 management 134–5
unconscious patients 221 walking assistance 219–20	measuring fluid output 263 removal, procedure guideline 138	oral drug administration and 702
see also posture	nasogastric feeding tubes 279	pathophysiology 134, 134
MRSA see meticillin-resistant Staphylococcus	checking position 283, 284, 284–6, <i>285, 286</i>	post-operative (PONV) 134, 829, 832
aureus	displacement 287	see also vomiting
MSU see midstream specimen of urine	insertion 280–7	nebulization 708
mucociliary escalator 228–30 mucositis, oral <i>see</i> oral mucositis	contraindications 281 indications 280	sputum collection 574 nebulizers 228, 708, <i>708</i>
Mugard 357	patient preparation 281	cleaning before reuse 712
multidisciplinary approach	problem solving 284	humidifier 442, 474
discharge planning 34, 35	procedure guideline 281–3	procedure guideline 711–12
home nutritional support 298, 300	measurement 281, 282, 282	neck
moving and positioning 212	methods of securing 283	anatomy 467, 468
tracheostomy care 473	ongoing care 286–7	inspection 25
multidose vials see vials mumps 82	removal 287–8 social and psychological impact 281	lymph nodes, examination 22, 23, 25 necrotic wounds 944
muscle(s), skeletal 719	see also enteral feeding tubes	needle biopsy guns, liver biopsy 584
atrophy, unconscious patients 221	nasojejunal feeding tubes 279	needle-free injection caps 751, 751–2
co-ordination testing 658, 664	nasopharyngeal samples 573	needleless connectors, administration sets
function 208, 209	syringe method, procedure guideline 575–6,	751–2
trauma, moving unconscious patients 224	576	needle phobia 517
venous return 613	vacuum-assisted aspirate method, procedure	needles
muscle relaxants 814 muscle strength	guideline 577, 577–8 nasopharyngeal tube, patients on CPAP 451 ,	disposal of used 516 for drug injections 720–1, 721
assessment 657–8, 663–4	452	intraosseous 743, 743 , <i>745</i>
unconscious patients 221	National Confidential Enquiry into Patient	liver biopsy 584, 584
muscle tone	Outcome and Death (NCEPOD) 834,	non-coring, implanted ports 916, 916
altered 211, 231	836	safety 721, <i>721</i>
patient positioning 231–5	National Council of Hindu Temples 411	scooping method of resheathing 723, 723

needles (continued)	next of kin (NOK) 404, 419	requirements, calculation 268-9, 269
sizes (gauges) 720, 878	see also family	see also diet; eating; food; malnutrition
spinal 544, 721, <i>721</i>	NHS Cancer Screening Programme 587	nutritional care, characteristics of good 274
venepuncture 516–17, 518	NHS Commissioning Board Special Health	nutritional deficiencies, specific 268
needlestick injuries <i>see</i> inoculation injuries	Authority 687	nutritional status 266–72
needs, patient 17	NHS Connected programme 105	
		assessment 15, 267–72
negative pressure rooms, source isolation 80	NHS Constitution 103	biochemical investigations 268
negative pressure technique, unblocking	NHS Continuing Healthcare 40, 42	clinical examination 268
occluded catheter 873, 874	NHS Information Centre 587	equipment 269
negative pressure ventilators 447	NHS patient information toolkit 128	methods 267–8
negative pressure wound therapy (NPWT) 941,	NICE see National Institute for Health and Care	tools 269–72
962–5, 963	Excellence	body composition and 267
contraindications 963	Nightingale, Florence 333, 407	defined 266
indications 963	nitrites, urinary 644	nutritional supplements, oral 273–5
procedure guideline 964–5	nitrofurazone-impregnated urinary catheters	discharge from hospital on 275
Negus silver tracheostomy tube 472, 472	149	record keeping 275
Nelaton catheters 147 , <i>147</i> , 155–6	nitrogen	nutritional support 266, 272–302
neonates	dietary requirements, calculation 269	discharge home with 41-2
intravenous infusions 757, 759	partial pressure 432	indications 267
oxygen toxicity 441	sources, parenteral nutrition solutions 299	oral 272–7
platelet transfusion 305	nitrous oxide and oxygen see Entonox	post-operative 854
thermoregulation 634	nociceptive pain 361	see also enteral tube feeding; parenteral
nephrostomy tubes 166, 166–70	nociceptors 361	nutrition
dressing and bag change 166–8		HutHttoH
	Nodor S drops 191, 193	-h:t 260, 017, 10
procedure guideline 167–8	Non-conformists, care after death 410	obesity 268, 817–19
problem solving 168	non-invasive ventilation (NIV) 446–7, 448, 449	surgical wound complications 852, 853
removal 166	non-steroidal anti-inflammatory drugs	observation 19
procedure guideline 169–70	(NSAIDs) 367, 369	observations 595–665
nerve injuries	COX-2-specific 369	12-lead electrocardiogram 604–10
complicating venous access 524, 890	non-verbal communication 100–1	blood glucose 646–52
continuous peripheral nerve blocks 392	noradrenaline 612	blood pressure 610–18
nerve stimulators 828	Norgine Risk Assessment Tool (NRAT) 177	definitions 596
nervous system 231, 652-3	Normacol 177	equipment 597
neurokinin-1 antagonists 136	normal saline see sodium chloride, 0.9%	neurological 652–65
neurological assessment/observations 13,	solution	peak flow 630–4
652–65	norovirus 57, <i>82</i> , 173	post-anaesthetic care 828–9, 829 , 829–30
assessment and recording tools 659–62	Norwegian scabies 55	post-operative 834, 834
charts 665	nose	professional issues 596–7
equipment 659	artificial (Swedish) 442, 442	pulse (heart rate) 597–604
	care 335	
frequency 659, 659		recording and documenting 596
functions assessed 653–8	drug administration 716–17	respiration and pulse oximetry 618–30
indications 659	inspection 25, 32	temperature 634–40
pre-operative 791	MRSA screening 557	urinalysis 640–6
problem solving 665	swab sampling 559–60, <i>560</i>	occipital lobe 652, 654
procedure guideline 662–5	nosocomial infections see healthcare-	occupational health and safety see health and
spinal cord compression/injuries 237	associated infections	safety, occupational
vital signs 658–9, 663	notifiable infections 415	occupational history 791
see also Glasgow Coma Scale	NPSA see National Patient Safety Agency	Octaplas 309
neurological disorders	NSAIDs see non-steroidal anti-inflammatory	oculocephalic reflex 658
clinical presentation 231	drugs	oculomotor nerve (III) 656
dysphagia 278	numerical rating scales (NRS), pain	odour
moving and positioning 230–46, 232	assessment 364	stomas 191, 198
abnormal tone and movement patterns	nurse endoscopists 580	urine 641, 643
231–5, 234	nurse-patient relationship	oedema
environmental aspects 233	effective communication 100–2	in fluid overload 265
equipment 232–3	nursing assessment 11	nutritional assessment 268
joint protection 231–2	pain management 372	patient positioning and 211
principles 232	personal hygiene care 333	physiological basis 254
problem solving 235, 244–5	nurse prescribing 677–80, 680	
	independent 679, 680	oesophagogastroduodenoscopy (OGD) see
procedure guidelines 233–4, 237–8, 240,		gastroscopy
242–3	supplementary 679–80	oesophagus 579
rehabilitation role 233	see also prescribing	oestradiol, transdermal 704
soft tissue changes and contractures	Nursing and Midwifery (NMC) Code 2	Office of the Chief Rabbi 412
232	nursing assessment <i>see</i> assessment, nursing	off-label medicines 680, 681
spinal cord compression/injury 235–46	nursing care <i>see</i> care	ointments 702
spinal analgesia 379	nursing diagnosis 17, 19	older adults
neuromuscular blockade, persistent 831	nursing home	communication difficulties 104
neuropathic pain 361	assessment 41	delirium 122
assessment 365	discharge to 40, 404	dementia 123
management 369, 371	nursing interventions, formulation 17–18	discharge planning 38, 40
Neuro tips 659, 664	nursing models 10-11	eye changes 342, 342, 343
neutropenia 86	nutrients, digestion and absorption 266–7	falls prevention 212–13
neutrophils see polymorphonuclear leucocytes	nutrition 254, 266–302	mouth care 355
never events, medication related 682, 683	anatomy and physiology 266–7	oral assessment 356
NEWS see National Early Warning Score	benchmarks 273	pain assessment 363–4, 365
NEX measurement	Francis Report (2013) 103, 854, 855	peripheral venous cannulation 876, 878
nasogastric drainage tube 137	post-operative 854	skin changes 333
	provision in hospital setting 272–3, 273, 274	subcutaneous fluid administration 733
nasogastric feeding tube 281, 282, 282	provision in mospital setting 4/4-3, 4/3, 2/4	Subcutaneous nuiu auministiation /33

temperature regulation 634	oral health	oxygen saturation and 433-4
transfusion thresholds 304	defined 353	oxygen saturation (SaO ₂) 433, 626
venepuncture 518	factors maintaining 353	documentation 629
olfactory nerve (I) 656	Oral Health Assessment Tool (OHAT) 356	oxygen therapy and 452
oliguria, post-operative 833 , 853	oral hygiene <i>see</i> mouth care	PaO ₂ and 433–4
olive oil, ear wax softening 351 omega-3 fatty acids 280	oral infections 357 oral irrigation 355	pulse oximetry (SpO ₂) 449, 626, 627 reduced, after moving patients 224, 227, 230
Ommaya reservoir 728, 728	oral mucosa coating agents 356–7	oxygen therapy 434–41, 629
one-handed technique, peripheral cannulation	oral mucositis	competencies 435
878	assessment 356	complications 441
one-step technique, peripheral cannulation 878	management 357, 360	CPR 493-4
onychomycosis 334	oral syringes 700, 700	delivery systems 436–7
operating department practitioners (ODPs)	oral temperature 637	discharge planning 35, 41
816, 825	orbit (eye socket) 340–1	documentation 440, 629
handover in PACU, procedure guideline 827	Orem's model of nursing 10	domiciliary 437–8, 440
operating lights 823, 823 operating room (OR) see operating theatre	organ donation 415, 420 cultural and religious beliefs 410–12	endoscopic procedures 580, 581–2 equipment <i>436</i> , 436–7, <i>437</i>
operating table 820, 822	discussion with patient 405	governance 435
patient positioning 817–19, <i>819</i> , 820, 824,	organ of Corti 99, 350	high-flow (HFOT) 444, 444–6
825	orientation, evaluation of 661, 663	hyperbaric 447
transfers to/from 820, 821, 824	oropharyngeal airway 494, 494–5	indications 434–5
operating theatre 816–26	orthopnoea 626	monitoring 437, 438, 440
control of infection and asepsis 816-17,	orthoses 232–3	moving and positioning 226, 228
819–20	orthostatic blood pressure, measurement 614	nasal care 335
equipment 822–4	orthostatic hypotension 611, 614	nebulizer therapy with 712
pre-operative checklist 808, 809–10	management 618 spinal cord lesions 244, 245	patient education 438, 440
pre-surgery (skin incision) actions 816 procedure guideline 824–6, <i>825–6</i>	oscillometric sphygmomanometers, automated	peak flow measurements and 633 post-anaesthetic recovery 827, 830
team 816, <i>816</i> , 817	613, 614–15	post-anaestrieuc recovery 627, 630 post-operative 835
transfer to PACU from 827	osmolarity 254–6, 257	precautions 435
WHO Surgical Safety Checklist 814, 815 ,	enteral feeds 280	prescription 435 , 435–6
816	osmosis 254, 255	problem solving 439–40, 446
see also intraoperative care; post-anaesthesia	osmotic pressure 254	procedure guidelines 438-9, 444-5
care unit	ossicles, auditory 99, 350	risk management 435
ophthalmic drug administration 712–16	osteoporosis 211	safe use 452
opioid analgesics 367, 369–72	Ostobon deodorant powder 191	T-piece circuit 437, 438
acute pain in patients dependent on 363, 363	Ostoseal protective powder 193 Ostosorb gel 193	tracheostomy patients 474 weaning from 440
buccal or sublingual 368, 370	otic drug administration 717–19	oxygen uptake, maximum (VO _{2max}) 795
chronic non-cancer pain 369	Our Health, Our Care, Our Say (2006) 110	oxyhaemoglobin dissociation curve 433, 433
driving and 371	outcomes, patient 17, 17, 17–18	,
drug interactions 686	overinfusion 749–50, 779–80	pacing, in respiratory compromise 228
at end of life 407	complications 750	paclitaxel, extravasation 767
epidural/intrathecal 368, 379, 381	monitoring 780	PACU see post-anaesthesia care unit
side-effects 384 , 385, 386–7	prevention 780	paediatric patients
intramuscular injections 368 intravenous 368	see also fluid overload oxycodone 370	blood glucose ranges 646 blood pressure measurement 613
legal aspects 691, 692	naloxone combination 370	enteral feeds 280
mild to moderate pain 367, 369	routes of delivery 367–8	infusion devices 757
moderate to severe pain 367, 369–71	oxygen	intrathecal chemotherapy 729
oral 367–8	consumption 434	nutritional assessment 268
oral transmucosal 368, 370–1	control of respiration 621	nutritional requirements 269
in renal failure 370, 371–2	exchange 432–3, <i>433</i> , 622	oral drug administration 697
safer practice guidance 694, 694	toxicity 441	platelet transfusion 305
side-effects 369, 696–7 subcutaneous 368	transport 432, 433, 618, 622, <i>625</i>	semen collection 549 tracheal suctioning 574
transdermal patches 368, 370	uptake 432–3, 622 utilization 433–4	urinary catheters 148
opioid receptor antagonists, peripheral 178 ,	wound healing and 937	venepuncture 518
179	see also hypoxia	see also children; neonates
opportunistic infections 52, 54	oxygen analyser 438	pain 360–96
optic nerve (II) 341–2, 342, 656	oxygenation	acupuncture-associated 376
Optiflow circuit, high-flow 444	cellular 432	acute see acute pain
OR see operating theatre	inadequate, oxygen therapy 439	anatomy and physiology 360–1, <i>361</i>
Orabase paste 193	tissue 432–4	cancer see cancer pain
oral assessment 353–4, 354, 356 nursing assessment 14	oxygen condensers (concentrators) 438 oxygen cylinders 436, 437, 438, 452	categories 361–2 chest drains 457, 465
procedure guidelines 357, 358, 359	oxygen masks 436–7	chronic see chronic pain
Oral Assessment Guide (OAG) 356	application 439	defined 360
oral cavity see mouth	fixed performance/high-flow (Venturi-type)	at end of life 409
oral drug administration 697, 697–702	436, 437, <i>437</i>	extravasation 770
covert 698–9	non-rebreathing 437, 437	factors affecting sensitivity to 363
defined 697–8	problem solving 440	gastrostomy/jejunostomy tube-related 293
drug formulations 698	simple semi-rigid plastic <i>436</i> , 436–7, 437	injection-related, reducing 722, 722
equipment 699–700 pre-operative 805	tracheostomy 437, 474, 474 oxygen partial pressure (PO ₂) 432–3	intensity, assessment 363 liver biopsy 585
pre-operative 805 problem solving 702	in blood (PaO ₂) 433, 433–4	location 363
procedure guideline 701–2	changes during respiration 624	lumbar puncture 546
swallowing difficulties 698, 702	control of respiration 621	modulation 361

pain (continued)	choice of regimen 300	Patient Group Directions (PGDs) 677–80, 678
moving/positioning patients in 211, 220	complications 300–2, 647	controlled drugs 690, 693
neuropathic 361, 365, 369	contraindications 299 defined 299	flowchart 678–9
nociceptive 361 perception 361	home 300	patient hygiene <i>see</i> personal hygiene patient safety incidents
peripheral cannulation 889	indications 267, 299	controlled drugs 694
phantom limb 247, 249	infusion devices 759	reporting 687
post-operative see post-operative pain	methods of administration 300	see also risk management
sensation, testing 664	monitoring 300, 301	Patients on Intravenous and Nasogastric
spinal cord compression/injuries 237, 244 stump 248	post-operative 854 termination 300	Nutrition Therapy (PINNT) 323 peak flow (peak expiratory flow, PEF) 630–4
transduction 361	parenteral transmission 57	cautions 631
transmission 361	parietal lobe 652, <i>654</i>	factors affecting 630
venepuncture 522	partially sighted patients, communication with	indications 630–1
pain assessment 13, 363–6	127 partial withdrawal occlusion (PWO) 527 ,	normal values 630
acute pain 363 chronic/cancer pain 363	866–7, 867	problem solving 633 procedure guideline 632–3, <i>633</i>
cultural factors 364	Passy Muir speaking valve 472, 473	timing of readings 631
dementia 124	pastes 702	peak flow meters 631
epidural analgesia 387	pastilles 698	PEEP see positive end expiratory pressure
pre-existing pain 363	patella hammer 659	peer support groups 112
procedure guideline 365–6, <i>366</i> tools 364 , 364–5	paternalistic model 111 pathogen 50	PEG tubes <i>see</i> percutaneous endoscopically placed gastrostomy (PEG) tubes
vulnerable and older adults 363–4, 365	pathogenicity 52, 56	pelvic twist
painful stimuli	patient(s)	cervical spinal instability 240, <i>241</i>
application of 657, 663	comfort 331–421	contraindications 236
response to, Glasgow Coma Scale 661 , 662	identification see identification, patient	penicillin 685
pain management 366–96 acute pain 367, 368	information giving <i>see</i> information, giving involvement in discharge planning 38	penile sheaths 144–6, <i>145</i> problem solving 146
anaesthetic interventions 371	own medications 681	procedure guideline 145–6
chest drainage 457, 458	problems/needs 17	sizing and fitting 145
chronic and cancer pain 366-7	relationships, assessment 16	penis
drug delivery methods 367–8	relationship with <i>see</i> nurse–patient	pain on erection, catheterized patients 161
methods 367–8 need for effective 362–3	relationship self-administration of medicines 687–90,	swab sampling 560–1 Penrose drains 836, <i>837</i>
non-pharmacological methods 372–6	688, 689	pen torch 659
opioid-dependent patients 363, 363	self-assessment 13	peptide feeds 280
pharmacological methods 368–72	as source of evidence (P) 3	perception, assessing patient's self 16
post-anaesthesia care unit 829, 832	tampering with infusion devices 752–3	perceptual ability, assessment 13
post-operative 368, 854	patient-at-risk team (PART) score 596 patient-controlled analgesia (PCA) 368	percussion 20, 21 abdomen 31, 33
spinal cord compression/injury 237 see also analgesia; analgesics	patients not suitable for 368	chest 24, 26
palate <i>352</i> , 353	pumps 755, <i>755</i>	percutaneous dilational tracheostomy (PDT) 468
palliative care	patient-controlled epidural analgesia (PCEA)	percutaneous endoscopically placed
defined 402	379	gastrostomy (PEG) tubes 279
discharge home 42–5, 43–4, 404 electronic co-ordination systems 404	patient education abdominal paracentesis 398	blockage 289 care 288
evidence-based approaches 402–3	assisted feeding 277	problem solving 289
subcutaneous infusions 733	cardiac arrest prevention 502	procedure guideline 288–9
see also dying patients; end-of-life care	chest drainage 467	failure 289
palpation 20	continuous peripheral nerve blocks 390,	percutaneous epididymal sperm aspiration
abdomen 31–2, 33 cardiovascular system 27, 29	391 CPAP 449, 451	(PESA) 548 perianal care/hygiene 334
chest 22–4, 23, 25–6, 27, 29	diabetes mellitus 652	pericardial friction rub 29
head and neck lymph nodes 22, 23, 25	enteral tube feeding 293, 298	perineal care/hygiene 334
veins 515, <i>521</i>	extravasation injuries 779	perioperative care 789–855
panic attacks 115	fluid balance monitoring 265	see also intraoperative care; post-operative
principles of support 116 rebreathing technique 115, 116 , <i>116</i>	immunocompromised patients 86 infection prevention and control 60-1	care; pre-operative care peripheral cannulas 862, 875–90
paper towels 59, 62, 70	inhalational drug administration	assessment tools 879
dispensers 59	709–10	choice of vein 863, <i>863</i> , 875–6
disposal of used 59, 62, 70	methods 798	complications 889–90
pap smear see cervical uterine smear	moving and positioning 212	decision-making tool 772–3
paracentesis, abdominal see abdominal paracentesis	nasogastric tube feeding 287 opioids and driving 371	discharge home with <i>in situ</i> 874–5 displaced, intravenous infusions 766
paracetamol 368–9	oxygen therapy 438, 440	documentation 887–9, 889
paraphimosis, catheterized patients 158	pain management 372	dressings 869, 886
paraphrasing 101	peak flow measurement 631, 634	extravasation of vesicants 768, 769
parasites 55, 320	pressure ulcers 954	management 771, 771–4
parasympathetic nervous system 599 paravertebral block 389	protective isolation 87 semen collection 549	prevention 769 procedure quidelines 774–8
parenteral drug administration 697, 697 , 719	source isolation 84	flow rates 878, 878
parenteral infusions 722	stomas 194–5	flushing 882, <i>884</i> , 886
parenteral nutrition (PN) 299–302	subcutaneous injections 733	difficulties 886
administration of medicines 300	surgical patients 797–8, 798, 855	improving venous access 876–7
administration sets 750 blood glucose monitoring 648	tracheostomy care 474–5 VADs 869–70, 875, <i>875</i>	indications 876 insertion (cannulation) 877–8
changing administration sets 300, 748	see also information, giving	competencies 878
		-

annalizations 000 00	agricument 225 C	collection tubes 517
complications 889–90	equipment 335–6	collection tubes 517
infection prevention and control 78	eye care 340–9	fresh frozen (FFP) <i>see</i> fresh frozen plasma
local anaesthesia 879–80	hair care 334	osmolarity 254, 257
methods 877–8	mouth care 352-60	oxygen transport 433
problem solving 885-6	nails and feet 334–5	plasma proteins 268
procedure guideline 881–4, 883–4	nose care 335	Plasmodium falciparum 320
psychological preparation 881	nurse's role 333	plastic surgery 961–2, 962
materials 878–9	oxygen therapy and 440	extravasation injuries 774
occlusion 766	perineal/perianal care 334	platelet count 304, 534, 794, 810
over the needle 879	privacy 333	platelets
parenteral nutrition 300	personal protective equipment (PPE)	for transfusion 308
-	care after death 416	wound healing 936, 937
ported 879, 879		3 ,
removal and dwell times 886–9	cleaning isolation rooms 83	platelet transfusions
safety non-ported 879, <i>879</i>	infection prevention and control 59–60	administration sets 311, 750–1
siting 769, 876	intravenous drug administration 749	indications 304, 305
sizing 878, 878	procedure guidelines 64–77	procedure guideline 317
subcutaneous infusions 734	protective isolation 87	pleura 22, 452–3, <i>453</i>
taping/securing 882, 884, 886, 886	source isolation 80, 84, 85	pleural effusions 454
types 879	specimen collection/handling 513	chest drains 453, 465–6, 467
winged see winged infusion devices	see also aprons, disposable; eye protection;	exudative 454, 454
peripherally inserted central catheters (PICCs)	gloves	malignant 454, 454–5
862, 893–904	pessaries, procedure guideline 706–7	signs and symptoms 453
•	pets, neutropenic patients 87	specimen collection 578
care in situ 901		
choice of vein 893–4, <i>894</i>	PGD see Patient Group Directions	transudative 454, 454
complications 902	pН	pleural fluid sampling 578–9
consent 895, 896	blood, control of respiration 620–1, 621	pleural space (cavity) 453, 453
contraindications 895	nasogastric drainage tube position 138	PleurX drain 398
discharge home with <i>in situ</i> 874–5, 875	nasogastric feeding tube position 283, 284,	plugholes, hand basin 59, 61, 70
,		
documentation 901–2, 904	284, 285, 287, 287	pneumatic compression devices, intermittent
dressings 901	scale 286	see intermittent pneumatic compression
indications 895	phantom limb pain 247, 249	devices
insertion 895	pharmacists	Pneumocystis jirovecii 55
complications 902	covert drug administration and 699	pneumonia
local anaesthesia 895	responsibilities for controlled drugs 691, 691	pleural effusion associated with 453
problem solving 901	responsibility for dispensing 681	pleural fluid sampling 578
procedure guideline 897–900, 900	pharmacodynamics 676	ventilator-associated (VAP) 355
insertion site care 901	pharmacokinetics 676	see also respiratory tract infections
length measurement 895, 895, 898	pharmacology 676	pneumoperitoneum 293–4
parenteral nutrition 300	pharmacovigilance 686	laparoscopic surgery 817, 817
pros and cons 895	pharmacy-only medicines (P) 677	pneumothorax 454
removal 902–4	phenazopyridine (pyridium) 644	chest drains 453, 455, 465–6, 466–7
procedure guideline 902–3, 903	phlebitis 890	complicating acupuncture 376
securing 899, 900, 901, 901	infusion flow rate and 752	complicating CVC insertion 908, 909
tip positioning 867, 899, 901	VIP scale 879, 880	complicating liver biopsy 585
types 895, 897	phosphate enemas 178, 181	signs and symptoms 453
urokinase instillation 874	physical abilities, assessment 14	spontaneous 454
peripheral motor/sensory neuropathies 231	physical activity <i>see</i> exercise	tension 453, 454, 488
peripheral nerve blocks 388–91	physical assessment/examination 19–34	poikilothermia 245
continuous see continuous peripheral nerve	abdominal 29–33	poisoning, cardiopulmonary arrest 488
blocks	cardiovascular system 26–30	polydipsia 646
single shot 389	definition 19–20	polyethylene glycol 178
peripheral nerves 653	documentation 34	polymorphonuclear leucocytes (neutrophils)
injuries <i>see</i> nerve injuries	equipment 21	CSF 543
peripheral nervous system (PNS) 231, 653	methods 20	wound healing 936–7, <i>937</i>
peripheral perfusion, pulse oximetry and 626	patient consent 21	polypectomy syndrome 582
peripheral resistance 612	patient preparation 21	polytetrafluoroethylene (PTFE)-coated
peripheral vascular access devices 862 ,	pre-operative 794	catheters 148
875–93	procedure guidelines 25–6, 28–9, 32–3	polyurethane enteral feeding tubes 279
see also midline catheters; peripheral	respiratory system 21–6	polyuria 646
cannulas	physiotherapy	polyvinyl chloride (PVC)
peristalsis 140-1	immobile patients 210, 855	enteral feeding tubes 279
peritoneal cavity 396	soft tissue and joint restrictions 211	urinary catheters 148
peritoneal port-catheter 398	sputum collection 574	
		pons 620, 653
peritoneovenous shunts 398	unconscious patients 221	popliteal artery, pulse point 599
peritoneum 396, <i>396</i> , 397	pia mater 376, <i>377</i> , 542	popliteal nerve block 389
peritonitis 293, 401	PICC see peripherally inserted central catheters	portal of entry 56
liver biopsy 585	Picker Report (2008) 38	portal of exit 56
personal care 333	pigeon chest 23	ported cannulas 879, 879
	pili 52, <i>54</i>	
after death see death, care after		Portex tracheostomy tubes
provision after discharge 40		D1 . I' O
see also personal hygiene	pinch-off syndrome 527 , 865	Blue-Line Suctionaid 471, 472
		Blue-Line Suctionaid 471, 472 cuffed 470, 470
	pinch-off syndrome 527 , 865 pinna 350	cuffed 470, <i>470</i>
personal evidence 2	pinch-off syndrome 527, 865 pinna 350 Plain English Campaign 112, 128	cuffed 470, <i>470</i> Tracheotwist 306: 471
personal evidence 2 personal hygiene 332–40	pinch-off syndrome 527, 865 pinna 350 Plain English Campaign 112, 128 planning	cuffed 470, <i>470</i> Tracheotwist 306: 471 ports <i>see</i> implanted ports
personal evidence 2 personal hygiene 332–40 assessment 14	pinch-off syndrome 527 , 865 pinna 350 Plain English Campaign 112, 128 planning care 17–18, 18 , 19	cuffed 470, 470 Tracheotwist 306: 471 ports see implanted ports positioning see moving and positioning
personal evidence 2 personal hygiene 332–40 assessment 14 bedbathing see bedbathing	pinch-off syndrome 527 , 865 pinna 350 Plain English Campaign 112, 128 planning care 17–18, 18 , 19 discharge <i>see</i> discharge planning	cuffed 470, 470 Tracheotwist 306: 471 ports see implanted ports positioning see moving and positioning positive end expiratory pressure (PEEP) 448,
personal evidence 2 personal hygiene 332–40 assessment 14	pinch-off syndrome 527 , 865 pinna 350 Plain English Campaign 112, 128 planning care 17–18, 18 , 19 discharge <i>see</i> discharge planning plantar reflexes 658	cuffed 470, 470 Tracheotwist 306: 471 ports see implanted ports positioning see moving and positioning positive end expiratory pressure (PEEP) 448, 452
personal evidence 2 personal hygiene 332–40 assessment 14 bedbathing see bedbathing	pinch-off syndrome 527 , 865 pinna 350 Plain English Campaign 112, 128 planning care 17–18, 18 , 19 discharge <i>see</i> discharge planning	cuffed 470, 470 Tracheotwist 306: 471 ports see implanted ports positioning see moving and positioning positive end expiratory pressure (PEEP) 448,
personal evidence 2 personal hygiene 332–40 assessment 14 bedbathing see bedbathing cultural and religious factors 336, 336	pinch-off syndrome 527 , 865 pinna 350 Plain English Campaign 112, 128 planning care 17–18, 18 , 19 discharge <i>see</i> discharge planning plantar reflexes 658	cuffed 470, 470 Tracheotwist 306: 471 ports see implanted ports positioning see moving and positioning positive end expiratory pressure (PEEP) 448, 452

positive pressure ventilators 447	pre-operative autologous (blood) donation	entering room, procedure guideline 88
post-anaesthesia care unit (PACU) 826–33	(PAD) 306	preparing room, procedure guideline 87
complications 829	pre-operative care 790–813	room requirements 86
discharge from 833, 833	consent to surgery 798–9, 808	protein
equipment 827–8	fasting 804–5, 805 latex sensitivity and allergy 807–8, 808	CSF 543
handover, procedure guideline 827 problem solving 830–3	marking skin 806	dietary in enteral feeds 280
procedure guideline 829–30	namebands 799, 800	requirements, calculation 269, 269
staff 828–9	patient information and education 797–8, 798	supplements 274–5
transfer to 827	patient safety measures 799	plasma 268
post-anaesthetic care 827	physical preparation 799–808	protozoa 55
post-anaesthetic recovery room 826, 828	pregnancy testing 806–7	prucalopride 178, 179
post-dural puncture headache (PDPH) 383 ,	procedure guideline 811–13	pruritus, opioid-induced 385, 387
388, 547	skin preparation 805–6	pseudomembranous colitis 174
post-mortem examination 414, 415, 419	stoma surgery 192–5	psychological interventions, pain management
cultural and religious issues 410–12 post-operative care 833–55	tampon users 807 test results 808, 810–11	372 psychological support 97–128
bowel function 853–4	theatre checklist 808, 809–10	anxiety 114–15
discharge planning 855	thromboembolism prophylaxis 800–4	assessment of needs 106, 106
fluid balance 835–6	see also pre-operative assessment	communication issues 100–2
haemodynamic instability 834-5	presbyopia 342	depression 116–18
immobility 854–5	prescribing 677–80	environmental aspects 105, 105-6
ineffective breathing pattern 835	electronic (e-prescribing) systems 677, 677	legal and professional issues 102–5
nutrition 854	independent 679, 680	panic attacks 115, 116
observations 602, 834, 834	nurse <i>see</i> nurse prescribing	patients in denial 113–14, 114
pain management 854 prevention of complications 833–4	supplementary 679–80 unlicensed and off-label medicines 680, 681	peripheral cannulation 881 principles 106, 107–8
stoma patients 197–8	verbal orders 680	staff providing end-of-life care 421
surgical drains 836–50	prescription-only medicines (POM) 677	stoma patients 194
surgical wounds 851–3	prescriptions 677	time available 105
temperature monitoring 636	controlled drugs 691, 692, 693	worried/distressed patients 108-9,
urinary output and catheters 853	dispensing 681	109–10
see also post-anaesthesia care unit; wound	oxygen therapy 435, 435–6	psychological well-being, assessment 106,
management	verbal orders without 680	106
post-operative cell salvage 306	pressure area care 952–4	psychosocial aspects
post-operative complications 833 post-operative nausea and vomiting (PONV)	moving and positioning 211, 952–4 spinal cord lesions 245	end-of-life care 408 nasogastric feeding tubes 281
134, 829, 832	unconscious patients 225	pain assessment 365
post-operative pain	see also skin care	pulmonary drug administration 708–12
epidural analgesia 379, 387	pressure cushions 217	pulmonary embolism (PE) 800, 800
management 368, 854	pressure necrosis, gastrostomy/jejunostomy	cardiopulmonary arrest 488
post-anaesthesia care unit 829, 831, 832	stoma site 293	prophylaxis see thromboprophylaxis
see also acute pain	pressure-relieving devices/mattresses 952	signs 801
postural hypotension see orthostatic	care after death 416	pulmonary oedema 265, 467
hypotension posture 208	end-of-life care 408, 409 pressure ulcers 946–54	pulse(s) 597–604
defaecation 179, 180	antiembolic stockings and 801	amplitude 601 bounding 27
in neurological impairment 232	classification 946, 947–8	defined 597–8
pulse rate and 599	defined 946	documentation 604
potassium	management 952, 954	fluid imbalances 257
in bodily fluids 254	patient/carer education 954	gross irregularity 601–2
membrane transport 254	prevention <i>951</i> , 952–4	indications for monitoring 602
serum 257 , 535 , 811	risk assessment 211, 946–52, 949–50	methods of measuring 602
povidone-iodine, hand hygiene 59	undernourished patients 268	neurological patients 659, 663
powders, reconstitution for injection 721–2 procedure guidelines 723–6	primary health care team (PHCT), discharge planning 38, 42	palpation 27, 29 paradoxical 601–2
Power of Attorney, Lasting 122	prion diseases 55–6, 320, 320–1	points 597–8, <i>599</i>
PPE see personal protective equipment	prions 55–6	post-operative patients 834
prealbumin 268	privacy 212, 333	problem solving 603–4
precordial thump 490, 498	probenecid 685	procedure guideline 602–3, 603
precordium, inspection 27, 29	probiotics 174	rate 598–600, 599
prednisolone enema 181	problems	rhythm 600–1
Preferred Priorities for Care (PPC) 403	patient 17	see also heart rate
pregnancy computed tomography 587	prognosis, at end of life 406 prokaryotes 52	pulseless electrical activity (PEA) 487–8, 490
Entonox use 392	prokinetic agents 178 , 179	drug therapy 497
testing, pre-operative 795 , 806–7	proliferative phase, wound healing 937, 937	pulse assessment 602
X-ray precautions 585	prone position	pulse oximeter 627
premature babies, oxygen toxicity 441	amputees 249, 249	pulse oximetry 626–30
pre-medication 813	surgery 825	cautions 626
pre-operative assessment (POA) 790–7	proprioception, testing 664	complications 630
ASA physical status classification 791, 791	prostatic surgery, bladder irrigation after 160	during CPAP 449
clinics 796 further referrals 796	prostheses	indications 623
history taking 790–1	eye <i>see</i> eye(s), artificial surgical patients 813	post-operative 834, 835 post-procedure actions 629
investigations 794–5 , 794–6	protected mealtimes 275	problem solving 629
personnel undertaking 796–7, 797	protective isolation 86–8	procedure guideline 627–8, 628
physical examination 794	defined 51	pulse rate measurement 602

pulse pressure 612	red blood cell transfusion	maximizing ventilation/perfusion
pupils, examination 657, 657 , 663	administration rate 316	matching 225–7
pure tone audiometry (PTA) 351 purgatives 177	indications 304 Redivac drainage system 836, <i>837</i>	minimizing work of breathing 227–8, 228 , 229
Purkinje fibres 601, 604	reflecting back 101	problem solving 227, 230
purulent discharge, surgical drain exit site 849	reflexes 658	procedure guidelines 226–7, 230
pus, specimen collection 557, 565	testing 664	signs 624–6
P wave 604, 604–5	refrigerators, storage of medicines 681	respiratory depression
pyelonephritis 167 pyrexia 636	refusal of treatment/care 104 advance decisions 404	after gastroscopy 581
blood cultures 536	blood transfusion 310–11	epidural/intrathecal analgesia 384 , 385, 386 post-operative 831 , 835
grades 636	by person lacking capacity 105, 123	respiratory disease, chronic
management 640	respect for 110-11	domiciliary oxygen therapy 437–8
transfusion reactions 318, 319, 321–2, 637	regional analgesia nerve blocks 388–91	dysphagia 278
ODC compley 604 605	complications 390 drugs used 389	inhalational drug administration 709 non-invasive ventilation 446–7
QRS complex 604, 605 questioning 101	equipment 390	respiratory distress
questions	examples 389	signs of 625, 626
closed 101, 101, 107	methods of administration 389	see also respiratory compromise
nursing assessment 11, 13–16	monitoring 390	respiratory examination 21–6
open 11, 101, 101, 107	patient education 390	procedure guideline 25–6
Quincke lumbar puncture needles 544, 721	rationale 389 training/competencies 390	rationale 24 techniques 22–4
radial artery	Regulan 177	respiratory failure 434
Allen test <i>see</i> Allen test	relatives see family	causes 435
blood pressure monitoring 613	relaxation techniques, pain management 372,	type 1 (hypoxaemic) 434, 444
cannulation 528, 920	372	type 2 (hypercapnic) 434
complications 925 pulse 597–8, <i>599</i>	religious beliefs/practices assessment 16	respiratory function post-operative 835
pulse 337-6, 333 pulse assessment 603, <i>603</i>	blood transfusion and 310–11	spinal cord compression 245
puncture for blood sampling 527, 528–31	care after death 410–12 , 413–14, 415–16	unconscious patients 221, 224
procedure guideline 530–1	end-of-life care and 408	respiratory muscles 227, 618, 619-20, 620
radiation protection 586	marriages at end of life 405	accessory see accessory muscles of
radicular pain, spinal cord compression 236, 237	personal hygiene 336, 336 renal clearance 644	respiration respiratory observations <i>see</i> respiratory
radioactive contamination	renal failure	assessment
deceased patients 415, 419–20	biochemical tests 535, 811	respiratory rate 625–6
waste disposal 90	opioid analgesia 370, 371–2	assessment 628
radiofrequency identification tags (RFIDs) 312	renin-angiotensin system 613	fluid imbalance 257
radiological investigations 585–7 pre-operative 795	repatriation, deceased patients 414 reproductive health, assessment 16	transfusion reactions 319
see also chest X-rays; ultrasound	request forms, diagnostic test 513	respiratory secretions effects of low humidity 441
radiologically inserted gastrostomy (RIG) tubes	research evidence (R) 2, 3	at end of life 407, 409
279	reservoir of infection 56	infection control precautions 51
care 288–93	residential care home, discharge to 40	positioning to maximize drainage 228–30,
procedure guideline 290 T-fastener removal, procedure guideline	residual volume (RV) 622, 623 respiration 618–30	230 sampling 573–8
290–1, <i>291</i>	control 620–1, <i>621</i>	equipment 574, 574, <i>574</i>
radiotherapy, tracheostomy patients 471	defined 618	indications 573
randomized controlled trials (RCTs) 3	depth 625–6	invasive techniques 573-4
rapport, establishing 107	external 432, 618, 622, 624	methods 573–4
Rastafarianism 421 reablement packages, supported discharges 40	internal (cellular) 432, 618, 622, <i>624</i> rhythm 625–6	procedure guidelines 574–8 tracheostomy patients
reagent sticks, urine <i>see</i> urine dipstick	see also breathing	excessive 483
(reagent) tests	respirators 60	suctioning 476–99
rebreathing technique, panic attacks 115, 116	fit testing 60	transmission of infection 57
reconstructive surgery 961–2	procedure guideline 67, 68	see also sputum
records <i>see</i> documentation recovery position 491, <i>491</i>	respiratory assessment 434, 618–30 equipment 627	respiratory syncytial virus (RSV) 82 respiratory system
rectal bleeding, after colonoscopy 582	indications 623	anatomy 21, 21–2, 22, 432
rectal drug administration 705–6	methods 624–6	conducting zone 618
see also enemas; suppositories	neurological patients 658 , 658–9, 663	humidification function 441
rectal examination <i>see</i> digital rectal examination	nursing assessment 13–14 physical <i>see</i> respiratory examination	physiology 432–4, 618–20
rectal irrigation 179	post-operative 835	pre-operative review 790 respiratory zone 618
rectal swabs, procedure guideline 561–2	post-procedure actions 629	respiratory therapy 432–84
rectal temperature 637	pre-operative 790	chest drains 452–67
rectal tube, measuring fluid output 264	prior to moving unconscious patients	CPAP 446–52
rectum 581	221	humidification 441–4
rectus femoris injections 740, 740–1 red blood cells	problem solving 629 procedure guideline 627–8	hyperbaric 447 oxygen therapy
count (RBC) 534, 810	respiratory care 431–502	tracheostomy see tracheostomy
in CSF 543	respiratory centres 620	respiratory tract infections
frozen 307	respiratory compromise 225–30	infection prevention and control 51
in optimal additive solutions (SAGM) 307	management 629	sputum/secretion sampling 573–8
oxygen transport 433 salvage 306	positioning 225–30, 627 maximizing drainage of secretions	tracheostomy patients 484 respiratory volumes and capacities 622, <i>622</i> ,
washed 307	228–30, 230	623

rest	Salmonella infections 82, 174	serious adverse event, transfusion-related 310
assessment 15	Saltair No-roma 191	serious adverse event, transfusion-related
pain management 373	Saltair solution 193	310
see also bedrest	satiety, early 274	Serious Hazards of Transfusion (SHOT)
restlessness, terminal 122, 409	Savene see dexrazoxane	scheme 303, <i>303</i> , 321
restraint, physical 121, 122	Saving Lives toolkit 60	serological testing 511
resuscitation committee 492	SBAR (Situation-Background-Assessment-	seromas, surgical site 853
Resuscitation Council UK (RCUK) 488, 489,	Recommendation) tool 596, 598	serotonin-norepinephrine reuptake inhibitors
492	scabies 55, <i>82</i> scales, weighing 269–70	(SNRI) 117, 117 sertraline 117
resuscitation training officer (RTO) 492 reticular activating system (RAS) 653–5, 657	scares, weighing 269–70 scar formation 937	serum <i>see</i> plasma
retina 341	scarlet fever 82	severe acute respiratory syndrome (SARS) 82,
retinol binding protein 268	scavenging system, anaesthetic gases 820	491
retrolental fibroplasia 441	sciatica, positioning during surgery and 819	Sexual Dysfunction Association 199
reverse barrier nursing 51	sciatic nerve block 389	sexual function, stoma patients 198
rewarming methods, hypothermia 640	sclera 341, <i>341</i>	sexuality, assessment 16
rhesus (Rh) blood group system 302	scooping method, resheathing needles 723,	shampooing, hair 334, 339–40
rhesus (Rh) incompatibility 302 rhonchi 24	723 scotoma 342	sharps bins (containers) 59, 89, 89 sharps disposal 89, 90, 91, 516
ribcage 22	Scotts catheter 147	sharps injuries <i>see</i> inoculation injuries
rifampicin 644	scrubbing up see surgical scrub	shaving
right atrium (RA), CVAD tip position 867–8	scrub nurse 816, 825	deceased patients 417
rigor mortis 416	handover in PACU, procedure guideline 827	facial, male patients 339
rigors 319, 636	seating	peripheral cannulation site 880–1
RIG tubes see radiologically inserted	in neurological impairment 233	Shaw silver laryngectomy tube 473, 474
gastrostomy tubes	see also chair; sitting position	Shigella infections 82
risk assessment falls prevention 212–13	seating cushion, lower limb amputees 247 SecurAcath 865, 869, 901	Shiley laryngectomy tube 473, <i>474</i> Shiley tracheostomy tubes
infection prevention and control 58	removal 903, 903	cuffed 470, 470–1
manual handling 210, 210	sedation	cuffless 470, 471
post-operative nausea and vomiting 134	aggressive patients 120, 121	fenestrated cuffed 470, 471
pressure ulcers 211, 946–52, 949–50	chest drain insertion 457, 458	fenestrated cuffless 470, 471
risk management 2	complicating epidural/intrathecal analgesia	shingles 82
arterial blood sampling 529	384, 385, 386	shivering 636
blood cultures 536	conscious, for endoscopy 580, 581	post-operative 829, 832
colonoscopy 581	critically ill patients 221 in delirium 122	shock
endoscopy 580 lumbar puncture 544	segmentation, intestinal 140–1	blood pressure measurement 613 complicating paracentesis 401
medicines administration 687	Seldinger chest drain 456	venepuncture in 518
oxygen therapy 435	Seldinger technique, modified, PICC insertion	shoes see footwear
specimen collection 511	895	shopping, prior to discharge 42
tracheostomy care 468	procedure guideline 897–900, 900	SHOT (Serious Hazards of Transfusion)
venepuncture 516	selective serotonin reuptake inhibitors (SSRIs)	scheme 303, <i>303</i> , 321
X-rays 586	117, 117	showering, pre-operative 812
RNIB See It Right 128 Roberts catheters 148, <i>148</i>	self-administration of medicines 687–90, 688 patient assessment form 689	side-effects drug <i>see</i> adverse drug reactions
Robinson's drain 836 , 837	procedure guideline 688–9	treatment, assessment 16
robotic surgery 817, 818	self-assessment, patient 13	side-lying position 215–16, 216
rofecoxib 369	self concept, assessment 16	lumbar puncture 545, <i>546</i>
role, patient's, assessment 16	self-esteem, assessment 16	minimizing work of breathing 228, 229
roller clamps 750, <i>751</i> , 752	self-inflating resuscitation bag 493-4, 494	neurological patients 234, 234
Roman Catholics, care after death 410	self-monitoring of blood glucose (SMBG) 648	patient with artificial airway 224
Rome Criteria, constipation 177	semen 547 collection 547–50	procedure guideline 215–16
Roper's Activities of Daily Living 10 rotavirus 82	methods 548	sitting up from, procedure guideline 216–17,
routes of drug administration 697, 697	patient preparation 549	unconscious patients 224
Royal College of Psychiatrists 128	procedure guideline 550	unilateral lung disease 226
Royal College of Speech and Language	rationale 547–8	ventilation/perfusion matching 225, 226, 226
Therapists 128	cryopreservation 548	sight 342
rubella 82	semi-circular canals 350, <i>350</i>	Sikh Educational and Cultural Association 412
Rusch speaking valve 472, 473	semi-lunar valves 487	Sikhs
Ryle's tube 836	semi-permeable films, wound management 940	care after death 412 , 415
SABRE reporting system 310, 321	senna 178, 178–9	washing and personal hygiene 336 silastic laryngectomy tube 473, 474
sacral nerves 655	sensory function, assessment 658, 664	silicone catheters 148
sacral plexus 655	sensory inattention 235	silicone elastomer-coated catheters 148
The Safe and Secure Handling of Medicines: A	sensory loss, patient positioning 211, 231	silicone enteral feeding tubes 279
Team Approach (Duthie Report, 2005)	sepsis	silver alloy-coated catheters 149
682, 687–8	blood cultures 536	silver laryngectomy tubes 473, 474
SAGE and THYME model 109, 109–10	contraindicating spinal analgesia 379	silver trackoogtomy tubes 471 2 472
St John's wort, drug interactions 685	CVAD-related <i>see</i> central venous access device (CVAD)-related infections	silver tracheostomy tubes 471–2, <i>472</i> Simpson, James 814
salicylates 644	pulse monitoring 602	Simpson, James 814 Single Assessment Process (SAP) 38
saline, normal <i>see</i> sodium chloride, 0.9%	transfusion-associated 321	single checking, medicines 686–7
solution	see also infection(s)	single-occupancy rooms
saliva 353	septicaemia 902	dying patients 403
antimicrobial drug monitoring 540	Serious Adverse Blood Reactions and Events	protective isolation 86, 87–8
artificial 353, 356	(SABRE) reporting system 310, 321	source isolation 80, 83–5

sinoatrial (SA) node 487, 600, 601, 604	types and design 912, 912	competencies 511
sinus arrhythmia 600	urokinase instillation 874	consent 511
sinus rhythm 600 sip feeds 273	skin turgor 257	CSF 541–7
siphonage 753	sleep, assessment 15 sliding sheets 213	documentation 511 equipment 511, <i>512</i>
sitting position	slipper bedpan 141	faeces 571–3
lower limb amputees 247, 248	procedure guideline 142–3	good practice 510, 513
lumbar puncture 545	sloughy wounds 944	pleural fluid 578–9
minimizing work of breathing 228 , 229	small intestine 139, 140-1	respiratory secretions 573–8
problem solving 220	absorption of nutrients 266–7	risk management 511
in respiratory compromise 227 respiratory examination 25	smell see odour	semen 547–50
on side of bed, from lying down 216–17, <i>217</i>	smoking assessment 14, 791	swabs 557–65 timing 513
standing from 218, 218–19	cessation advice 434, 629, 791	urine 565–71
ventilation/perfusion matching 225, 226, 226	oxygen therapy and 440	specimens
sitting up in bed 214–15, <i>215</i>	Snellen chart 659	containers 511, <i>512</i> , 513
procedure guideline 214–15	soap 335–6	hazardous 513
Situation-Background-Assessment-	dispensers 59	labelling 513–14
Recommendation (SBAR) tool 596,	for hand washing 59, 61	methods of examination 510–11
598 situs invs 607	for surgical scrub 70	request forms 513
skin 332–3	social history 791 social services 38, 40, 42	safe handling 512–13 selection 513
ageing 333	SOCRATES pain assessment framework 364	storage 514
anatomy <i>332</i> , 332–3, 719, 936	sodium	transportation 511, 514, 514
assessment 15, 333	in bodily fluids 254	spectacles
damaged, hand hygiene and 61, 70	dietary restriction, ascites 398	cleaning 338, 343
frail and papery 334	membrane transport 254	eye protection for staff wearing 60
functions 332	serum 257, 535, 811	surgical patients 813
inspection 25, 29, 31, 32, 33, 952	tubular reabsorption 640–1, 641	speculum, vaginal 551, 553
marking for surgery 806	sodium bicarbonate	speech 125
redness 334 scrapings 562	CPR 497 mouthrinse 356	communication using 101
swab sampling 562	sodium chloride, 0.9% solution (normal saline)	evaluation, Glasgow Coma Scale 661 , 661–2 production 98, <i>98</i>
temperature 634, 634	bladder irrigation 162	speech and language therapists (SLT) 125,
skin barrier products	extravasation injury management 777–8	126, 278
incontinence 142	flush, intravenous injections 748	speech impairments 124-5
stoma care 193	humidification 474	communicating with people with 101, 126-7
wound management 940	maintaining VAD patency 866	speech perception test 351
skin care 333	mouthrinses 356	speed shock 780–1
assessment 211 diarrhoea 174	nasopharyngeal sampling 576 subcutaneous infusion 733	spermatozoa 547 sphygmomanometers 613, 614–15
incontinence 142, 333	tracheostomy suctioning 477, 478	aneroid 614
soap/emollients 335–6	wound cleaning 941, 956	automated oscillometric 613, 614–15
specific considerations 334	sodium/potassium pump 254, 255	cuffs 615, 615, 616
stoma site 191, 193	soft tissue changes	manual 614, 615
when using splints 235	limiting movement 211	procedure guideline 616–17
see also pressure area care	neurological patients 232	mercury 614
skin cleaning/preparation blood cultures 537	SOLER acronym 100	post-anaesthetic recovery 828
intramuscular injections 741, 742	solutes in bodily fluids 254	spillages blood 523
lumbar puncture 544	transport and movement 254, 255	source isolation rooms 82
peripheral cannulation 880, 880–1, 882	solution administration sets 750	spinal anaesthesia/analgesia 376, 543
pre-operative 805–6, 806	changing 748	see also epidural analgesia; intrathecal
stoma site 191	sore mouth, dietary modification 274	analgesia
subcutaneous injections 731, 732	source isolation 80–6	spinal blocks (intrathecal central nerve blocks)
surgical site 820	attending to patient in 80–3	377–8, 388–91, 389
VAD insertion site 864 venepuncture 516, 520, <i>521</i>	cleaning room 83 defined 51	spinal brace 237
skin clips see clips, skin	discharge from 83	spinal cord 235 anatomy 376, <i>377,</i> 653, <i>655</i>
skin closure strips, adhesive 955	entering room, procedure guideline 84–5	lumbar puncture 542, <i>542</i>
skin colour, assessment 624	facilities required 80	pain processing 361
skinfold thickness 268	leaving room, procedure guideline 85	spinal cord compression (SCC) 235-46
skin grafts 961–2	prioritization tool 81–2	clinical presentation 236
skin preparation see skin cleaning/preparation	procedure guidelines 83–6	metastatic (MSCC) 236
skin reactions	rationale 80	moving and positioning 235–46
subcutaneous drug infusions 739 topical medications 704	room preparation, procedure guideline 83–4 transporting patients, procedure guideline	complications 245–6 equipment 237
skin-tunnelled (central venous) catheters 862 ,	86	problem solving 244–5
911, 911–15	spacer devices 708–9, <i>709</i>	procedure guidelines 237–43
discharge home with in situ 874–5, 875	procedure guideline 710	pain management 237, 244
dressings 914	spasticity 231, 232	primary/benign 236
indications 911	Speakability 128	principles of care 236–7
insertion methods 911	speaking valves 472, 473	stable 236
removal	special medicines 680	unstable 236
methods 911–12 problem solving 914	specimen collection 510–79	spinal cord injuries (SCI) 235–46
procedure guideline 912–14	blood <i>see</i> blood sampling cervical uterine smear 550–7	assessment and recording tools 237 bowel management 187, 188
tip position 911, 911	communication 513	complete 236

spinal cord injuries (SCI) (continued)	stoma(s)	subcutaneous layer <i>332</i> , 333, 936
incomplete 236	body image 198	subdural space 377, 542
moving and positioning 235–46	complications 199	Subjective Global Assessment (SGA) 268, 272
	deceased patients 417	patient-generated (PG-SGA) 268, 272
complications 245–6		
equipment 237	deodorants 191, 193	sublingual analgesia 368
problem solving 244–5	diet 197, 198	sublingual tablets 697, 698
procedure guidelines 237–43	measuring fluid output 264	suction
traumatic 235–6	observational index 199, 200-1	chest drainage systems 460, 461, 466
spinal cord tumours 236	plug systems 191	endotracheal <i>see</i> endotracheal suctioning
spinal instability 236	post-operative function 197–8	equipment, CPR 495, 495, 501
braces and hard collars 237, 237	preventing odour 191, 198	post-anaesthetic recovery 828, 830
moving and positioning 214, 236–46, <i>239</i>	sexual function and 198	tracheostomy patients 469
complications 245–6	siting 192–3	suction catheters
equipment 237	procedure guideline 193–4	CPR 495, <i>495</i>
	types 189–90	
problem solving 244–5		tracheostomy 477, 477, 478
procedure guidelines 237–43	see also colostomy; gastrostomy; ileostomy;	suction drains, surgical 836, 837
spinal cord compression with 236	urostomy	changing vacuum bottle, procedure
spinal needles 544, 721, <i>721</i>	stoma appliances 191	guideline 839–40
spinal nerves 376, 377, 378, 653	bag change, procedure guideline 195	vacuum failure 850
	obtaining supplies 199	
anterior (ventral) root 376, 378		suction unit, operating theatre 820, 822
dermatomes 378	one- and two-piece systems 191	sudden cardiac death 488
external anatomy 655	post-operative period 197	suicidal ideation 118
posterior (dorsal) root 376, 378	pouches 191, <i>192</i>	suicide, assisted 405
spinal shock 235, 245	selection 191, 192, 197	summarizing 102
spine	size 191	superficial temporal artery, pulse point 599
		Superficial temporal aftery, pulse point 399
degenerative conditions 236	stoma bridges or rods 190, 190	superior vena cava (SVC) 863, 864
stable 211, 236	removal, procedure guideline 196, 196	CVAD catheter tip position 867–8
unstable <i>see</i> spinal instability	stoma button, laryngectomy 473, 474	thrombosis 902
spiritual beliefs, assessment 16	stoma care 189–201	supine position
spiritual care 408, 415–16	discharge planning 198-9, 199	abdominal examination 32
	education 194–5	
spirogram 622		cardiovascular examination 28
spirometers 631	equipment 191–3, 193	neurological patients 233, <i>234</i>
spironolactone 398	indications 191	patient with artificial airway 222–3
spleen, examination 33	post-operative 197–8	procedure guideline 213–14
splints	pre-operative 192–5	sitting up from 216–17, 217
neurological patients 232–3, 234	procedure guidelines 195–6	unconscious patients 222–3, 223
	products 193	
skin care 235	•	supplementary prescribing 679–80
unconscious patients 223, 223	solutions 191	supportive care see psychological support
spores	stomach 579	suppositories 183–5, 706
bacterial 52–4	Stomahesive products 193	indications 183
fungal 54	stools <i>see</i> faeces	methods of administration 183–4
spring coil piston infusion devices 756	stool softeners 177 , 178, 178	procedure guideline 184–5
		The state of the s
Sprotte needle 721	stopcocks 752	types available 184
sputum 573	storage	supraclavicular lymph nodes, inspection 32
aspiration via endotracheal tube 573, 574	controlled drugs 691, 691, 692	supraorbital pressure, neurological assessmen
sampling 573, 574, 629	medicines 681–2	657
procedure guideline 574–5	Streptococcus pyogenes 82	suprapubic catheterization 155
	stress, assessment 15–16	
sputum pot 512		SurePath 554
stadiometer 269, 270	stroke 232, 601	surgery
Standard Operating Procedures (SOPs) 682	see also aphasia	autologous blood donation/cell salvage 306
standard precautions 50, 50, 58	Stroke Association 128	consent for 798–9
handling specimens 512-13	stroke volume (SV) 599, 611	death within 24 hours of 419
see also universal precautions	stump	extravasation injuries 774
Chandrada for Modicines Mars as an est (NIMC)	pain 248	
Standards for Medicines Management (NMC)		hypothermia risk 635–6
676, 682, 686	wound breakdown 248 , 249	minimally invasive 817, 817
standard wire gauge (swg) 878	stump boards 247, <i>247</i> , 248	plastic 961–2, <i>962</i>
standing position	subarachnoid analgesia <i>see</i> intrathecal	poor technique 939
assistance with moving to 218, 218-19	analgesia	see also intraoperative care; post-operative
minimizing work of breathing 228 , 229	subarachnoid space 376, 377, 377, 542	care; pre-operative care
	subclavian vein 863, <i>864</i>	
Staphylococcus aureus 57–8		surgical drains see drains, surgical
meticillin-resistant see meticillin-resistant	catheterization 904	surgical history 791
Staphylococcus aureus	subcutaneous analgesia 368	surgical pre-assessment see pre-operative
vancomycin-resistant 540	subcutaneous infusions 733–9	assessment
Starling's law of the heart 613	complications 739	Surgical Safety Checklist, WHO 799, 814, 815,
Statlocks 864–5, 908, <i>908</i>	equipment 734	816, 825
stem cell transplantation, haemopoietic 303	fluids (hypodermoclysis) 733	surgical scrub 59, 819–20, <i>820</i>
sterculia 177–8	procedure guideline 734–6	procedure guideline 69–70
sterile field, operating theatre 819, 820, 826	medications 733–4	surgical site
sternal rub, neurological assessment 657	problem solving 739	hair removal 806, 806
steroids see corticosteroids	procedure guideline 736–9	post-anaesthesia care 830
	syringe pump volumes 739	-
stethoscope 20, 21, 21	, , ,	pre-operative marking 806
blood pressure measurement 615	monitoring 739	skin cleaning 820
heart rate assessment 602, 603	sites 734	wound complications 852–3
post-anaesthetic recovery 828	subcutaneous (SC) injections 731–3	surgical site infections (SSI) 852
stitches <i>see</i> sutures	complications 733	surgical team 816, <i>816</i> , 817
stockings, antiembolic <i>see</i> antiembolic	needles 720–1, 731	surgical wounds 851–3, 954–61
	procedure guideline 732–3	
stockings		closure methods 851
Stockley's Drug Interactions 781	sites 731, 731	complications 851, 852–3

dressings 825, <i>826</i> , 851	crushing or breaking 697, 699-700	surgical patients 800-4, 854-5
see also drains, surgical	storage 682	see also antiembolic stockings
Surviving Sepsis Campaign 536 sustained-release tablets 698	tablet splitters 699, 699 tachycardia 600	thrombosis cardiopulmonary arrest 488
sutures	post-operative 832, 835	PICC-related 902
continuous 955	transfusion reactions 319 , 321–2	VAD occlusion 865, <i>865</i> , 866–7
interrupted 955	tachypnoea 625	see also deep vein thrombosis; venous
removal 960	tamponade, cardiac 488	thromboembolism
procedure guideline 960	tampons 807	thyroid disorders 636
securing chest drains 455, 455, 459, 465 ,	tape measure 269	thyroid function tests 795
466 securing PICCs 901	tapentadol 370 tapeworms 572	tidal volume (TV) <i>622</i> , 623 Tieman-tipped catheters 148, <i>148</i>
subcuticular 955	taps, for hand washing 59, 61	TILE mnemonic 210
suturing 954–60, 955	Targinact 370	Tilley's forceps 469
common errors 956	tears 341	TIME principles, wound management 938,
competencies 954	artificial 714	938–41
indications 954	TED stockings see antiembolic stockings	tissue(s)
procedure guideline 956–9, <i>958–9</i> VADs 865	teeth 352, <i>352</i>	extravasation of vesicants into see
swabs <i>512</i> , 557–65	decay 353 methods of cleaning 355, <i>355</i>	extravasation factors affecting wound healing 938, 938–9
documentation 565	Teflon coated catheters 148	infiltration of solutions/medications into
ear 558, <i>558</i>	temazepam 691	766, 767
eye <i>see</i> eye swabbing	temperature (ambient)	oxygenation 432–4
indications 557	inspired gases 441	tissue adhesive 955
nose 559–60, <i>560</i>	sensation, testing 664	T lymphocytes, inactivation in blood products
penis 560–1	storage of medicines 681–2	319–20
principles 557 procedure guidelines 558–65	wound healing and 939 , 941	toileting, assessment 14
rectum 561–2	temperature (body) 634–40 circadian variations 634, 637	toilets, patients in isolation 80, 83 tone <i>see</i> muscle tone
skin 562	core 634, 634, 637	tongue 352, <i>352</i>
storage and transportation 565	defined 634	tongue depressor 659
throat 563, <i>563</i>	factors affecting 634	tooth see teeth
vaginal 564	measurement 15, 636–40	toothbrushes 354, 355
wound 564–5, 941	equipment 638	toothbrushing 357–8
swallowing 266, 266, 278	fluid imbalances 257	aids 354, <i>354</i>
assessment 278 swallowing difficulties 277–8	indications 636–7	patients unable to tolerate 360
oral medications 698, 702	methods 637 problem solving 639	toothpaste 356 topical anaesthesia
see also dysphagia	procedure guideline 638–9	eye drops 713
swallow reflex 658	neurological patients 659, 663	gastroscopy 580
Swedish nose 442, 442	regulation 634, 635	implanted port access 916, 917
swelling	skin 634, <i>634</i>	peripheral cannulation 879
extravasation site 770	venepuncture and 518	urinary catheterization 150-1
patient positioning and 211	see also fever; hyperthermia; hypothermia;	venepuncture 517
sympathetic nervous system 114, 599 syncope <i>see</i> fainting	pyrexia temporal lobe 652, <i>654</i>	see also local anaesthesia
syphilis serology 543	tension pneumothorax 453, 454, 488	topical drug administration 697, 697, 702–4 complications 704
syringe pumps/drivers 754, 754	terminal care 402	dosage forms 702
advantages and disadvantages 754	see also end-of-life care	eve 712–16
ambulatory 756	testicular sperm extraction (TESE) 548	procedure guideline 703
anaesthesia 755	tetraplegia 245, 245	topical negative pressure therapy (TNP) see
occlusion response 753	T-fasteners, removal 290–1, 291	negative pressure wound therapy
patient-controlled analgesia (PCA) 755, 755	theatre, operating see operating theatre	total body water 254, 267
siphonage 753 subcutaneous drug infusion 734, <i>739</i>	theatre gowns 806	total lung capacity (TLC) 622, 623 total parenteral nutrition (TPN) see parenteral
problem solving 739	therapeutic drug monitoring 685 therapeutic relationships, trusting 372	nutrition
procedure guideline 736–9	thermometers 638	touch perception, testing 664
volumes 739	thermoregulation 634, 635	tourniquets 516
user errors 749	spinal cord lesions 245	peripheral cannulation 876, 881–2
syringes	thigh, blood pressure measurement	venepuncture 515–16, 519–20, 523
blood sampling from CVADs 526	614	towels, paper see paper towels
CVAD rupture 865	Thinprep 554	toxicity, cardiopulmonary arrest 488
for injections 720, 721	thoracic nerves 655	toxic shock syndrome (TSS) 807
intrathecal drug therapy 720 nasopharyngeal sampling 575–6, <i>576</i>	thoracocentesis 578–9 thoracolumbar spinal instability	T-piece circuit 437, 438 trace elements, parenteral nutrition 299, 301
oral drug administration 700, 700	early mobilization in bed 243	trachea 229, 467, 468
pre-filled 497, <i>497</i> , 720	log rolling 236, 242–3	palpation 25
subcutaneous drug infusions 734, 737	thorax see chest	tracheal dilators 469, 469
VAD occlusion 866–7	threadworms 561	tracheal suctioning see endotracheal
syrups 698	thrills 27	suctioning
systematic reviews 3	throat swabs 563, <i>563</i>	tracheostomy 467–84
systemic vascular resistance (SVR) 611, 612	thrombocytopenia 304	competencies 468
systolic blood pressure 610, <i>612</i> measurement 614, 614 , <i>614</i> , 617	thromboembolic deterrent stockings see	contraindications 468
measurement 014, 014 , 014, 017	antiembolic stockings thrombolytic agents, VAD occlusion 866–7,	documentation of care 484 dressing change 475–6
tablet crushers 699, 699–700	867, 873, 874	procedure guideline 475–6, 476
tablets 698, 698	thromboprophylaxis	dysphagia 278
administration via enteral feeding tube 297	patient information leaflet 802	emergencies 222, 484, 484, 485

troop o at any (antiny od)	monitoring for 318–19	1 1 1 1 1 1 1 1 1 2 2 2 2 2 2
tracheostomy (continued)		physiological changes 221
equipment 469–73	pyrexia 318, 319, 321–2, 637	see also consciousness
humidification 474	transfusion-related acute lung injury (TRALI)	underinfusion 780
indications 467–8	321	complications 750
location 467	transfusion-related immunomodulation 321	monitoring 780
moving and positioning 222-5	transjugular liver biopsy 584	undertakers 420
problem solving 224–5	translation services 104	Union of Liberal and Progressive Synagogues
procedure guidelines 222–3, 224	transmissible spongiform encephalopathies	412
multidisciplinary support 473	(TSEs) 55-6, 320-1	universal precautions 50
oxygen masks 437, 474, <i>474</i>	transmission-based precautions 51	handling specimens 512-13
patient education 474–5	see also source isolation	tracheal suctioning 476-7
percutaneous 468	transmission of infectious agents, modes 57	see also standard precautions
permanent 468, 468	transportation	unlicensed medicines 680, 681
problem solving 483–4	controlled drugs 693	unmyelinated nerve fibres 376
risk management 468	infected patients, procedure guideline 86	upper limb
suctioning 476–9	specimens 511, 514, 514 , 565	
complications 479	trapezium squeeze, neurological assessment	amputation 246, 248
-	657	superficial veins 514, 514–15, 894
equipment 477, 477		venous access 514–15, 863, 863, 876
indications 476	trauma	see also hand(s)
infection risk 476–7	epidural analgesia 379	upper motor neurons (UMNs) 235
method 477	spinal cord injuries 235–6	urea, plasma (or serum) 257, 535, 811
procedure guideline 478–9	tremor, flapping 25, 32	ureterostomy, cutaneous 171
surgical 468	Trendelenburg position	ureters 139
temporary 468, <i>468</i>	CVC insertion 904, 905, 905, 906	urethra 139, 582–3
see also laryngectomy	CVC removal 910	difficulty in visualizing orifice 158
tracheostomy box 469	intraoperative care 819	mucosal trauma/irritation, catheterized
tracheostomy tubes 469-72	tricuspid valve 487	patients 157, 161
changing 481–3	tricyclic antidepressants (TCAs) 117, 117	urethral catheterization <i>see</i> urinary
first 481	pain management 367	catheterization
problem solving 483–4	trigeminal nerve (V) 656	urethral meatus
procedure quideline 481–3	Trocar chest drainage tubes 456	cleaning, catheterized male patients 160
changing inner cannula 479–80	trochlear nerve (IV) 656	
		crusting, catheterized patients 161
procedure guideline 480	Tru-Cut needle 584	urinals/urine bottles
cleaning reusable 483	tuberculosis (TB)	measuring urine output 262
cuffed 470, 470–1, 471	CPR 491	patients in isolation 80
cuffless 471	pleural fluid sampling 578	urinalysis 565, 640–6
cuff pressure manometer 469, 469	source isolation 80, 82, 85	dipstick tests <i>see</i> urine dipstick (reagent)
decannulation (removal) 471	sputum sampling 573	tests
decannulation plug (cap) 471, 472–3, <i>473</i>	tubular reabsorption 640–1, 641	drugs affecting results 644
dislodgement 483	tubular secretion 641, 641	indications 642–3
fenestrated 471, 471	tunica adventitia 515, 862, 863	methods 643-4
metal 471–2, 472	tunica intima 515, 862, 863	pre-operative 795
occlusion 483	tunica media 515, 862, 863	procedure guideline 644–5, 645
speaking valves 472, 473	tuning fork test 351	timed 644
Trachphone 474, 475	Tuohy needle 380	urinary catheterization 147–60
track and trigger systems 596	Turbohaler 708, 709	anaesthetic lubricating gel 150–1
cardiac arrest prevention 492, 498	T wave <i>604</i> , 605	
		aseptic technique 78
oxygen therapy 437	twiddler's syndrome 918	bedbathing 338
tramadol 369, 691	two-handed technique, peripheral cannulation	competencies 147
transactional model of communication 99,	878	complications 160, 161
99	tympanic membrane 99, <i>99</i> , 350	drainage bags <i>see</i> urine drainage bags
transcellular space 254	tympanic membrane thermometers 637, 638,	equipment 147–50
transcutaneous electrical nerve stimulation	638	indications 147
(TENS) 373, 373	problem solving 639	intermittent self- see intermittent self-
transdermal analgesia 368	procedure guideline 638–9	catheterization
transdermal drug administration 704-5	tympanometry 351	measuring urine output 261
procedure guideline 704–5	typhoid fever 82	post-operative 853
transdermal patches 704, 704–5	tyramine-containing foods 685–6	problem solving 157–8
disposal of used 705	-,	procedure guidelines 151–4, 156–7,
transdermal systems, conventional 704	ulna length, height estimation from 269, 270,	158–9
transfers	271	suprapubic 155
to operating theatre 808	ulnar artery cannulation 920	
1 3	,	urinary catheters 147–9
to PACU 827	ultrasound	antibiotic-impregnated 149
post-cardiac arrest 501, 502	arterial assessment 920	-associated infections see catheter-
spinal instability 236	chest drain insertion 455	associated urinary tract infections
to/from operating table 820, 821, 824	CVC insertion 904, 906, 907	bags <i>see</i> urine drainage bags
see also manual handling; moving and	liver biopsy guidance 584	balloon size 147
positioning; transportation	vein localization 893, 893, 894, 898	encrustations and blockages 161
transfusion-associated circulatory overload	umbilicus, position 31, 31	intermittent self-catheterization 155-6
(TACO) 304, 323	unconscious patients	leakage around 161, 164
transfusion-associated graft-versus-host	blood transfusion 317, 318	length 148
disease (TA-GVHD) 319–20	mouth care 355, 355	materials 148–9
transfusion reactions 319 , 321–3	moving and positioning 221–5, 223	removal, procedure guideline 159
delayed 323	factors to consider 221	selection 147
febrile non-haemolytic 318, 323	problem solving 224–5	
initial management 322	procedure guidelines 222–3, 224	size 148
	observations 659	three-way (for irrigation) 147, 147, 160–2
major 322–3		tip design 148, <i>148</i>
minor 321–2	oropharyngeal airway insertion 494, 495	types 147, <i>147</i>

Influentions a surgical IV-D2 continuant IV-D1, IV-D2 procedure qualchine IV-D2 procedure qualch	with urometers 261	ileal conduit 569–70	partial withdrawal (PWO) 527, 866-7, 867
procedure quidelines 566-70 storage and transportation 570-1 timed collections 644 storage and transportation 570-1 timed collections of 570-8 storage and transportation 570-1 timed collections 644 storage and transportation 570-1 timed collections 645 storage and transportation 570-1 timed collections 645 storage and transportation 570-1 timed collections 645 storage and transportation 570-1 timed collections 646 storage and transportation 570-1	valves 150	indications 566	precipitate formation 865, 865, 866
stoage and transportation 570-1 true collections 40 minus of transportation 570 minus of tra			
self-satheerization 121, 171-22 indicators 170 indi			3,1
urineary incontinent 170, 171, 171 introductions 170, 171, 171 introductions 170, 171, 172 introductions 170, 171, 172 introductions 183–9, 141–72 anatoray and physiology 133–9, 179 assibility normal 141–2 acquirment 161, 161 acquirment 161 acquirment 161 acquirment 161, 161 acquirment			patient education 869-70, 875, 875
urnary dramage hags see urine dramage hags urnary dramage hags see urine dramage hags urnary dramage hags see urine dramage hags unternary definition 138-9, 147-72 aftered 144-72 aftered 144-72 antered	· · ·		principles of care 864–8
urnary dephysiology 138-9, 139 experiment 14, 1342 procedure quidelines 142-4 moving/positioning patients and 220 urnary braulas, catheterized patients 161 urnary incertaines cut-6 set also acceptable as a content and acceptable as a content and acceptable as a content as a con			
anatomy and physiology 138–9, 139 assisting normal 141–2 movine/positioning patients and 220 urnary fixture. Scatterized patients 161 urnary incontinence 144–6 size are 142 movine/positioning patients and 220 urnary fixture. Scatterized patients 161 urnary incontinence 144–6 size are 142 movine/positioning patients and 220 urnary fixture. Scatterized patients 161 urnary production catheterized patients 161 polius/introduction analysis 285, 386 port-operative 853 urnary fixture 1912 methods for production 197 urnary fixture 1914 methods for production 1914 urnary fixture 1914 methods for production 197 urnary fixture 1914 methods			
analsting normal 141-24 equipment 141, 147 procedure quideline 142-4 ser olive incontinence 144-6 parille shealths 144-6 parille parille parille shealths 144-6 parille paril			
procedure guidelines 142-4 movitaphositicining patients and 220 minary tractining catheterized patients 161 united states are as a control of the pentle shealths 144-6 skin care 142 esc also incontinence uniterized patients 161 united 138-9, 139			
urinary incontinence 144-6 urinary incontinence urinary incontinen			devices
moving/positioning patients and 220 uninary fine scatheerized patients 161 uninary incontinence 144-6 see also sloma(s); urinary diversion Unrosomy Association 199 urincary assertion continence uninary intention catheterized patients 161 epidural/intrarhecal analysis as 385, 386 post-operative 853 uninary tract infections (UTI) 641 continuary tract infections (UTI) 642 continuary tract infections (UTI) 643 combination of the first observations 641, 642 symptoms 97 uninary tract infections (UTI) 643 combination 640-1, 641 leading around clarketer 161, 164 shading around clarketer 161, 164 sha			
urnary infortimence 144-6 penile sheaths 144-1 penile sheaths 144-6 penile sheaths 144-6 penile sheaths 144-6 pott operative 83 post operative 83 urnary tact 138-9, 139 urnary tact 138-9 urnary			
urinary incentinence patched is a complexity of the patched in the			
penile sheaths 144-6 skin care 143 see also incontinence untary technical continence introduced point of the continence			· · · · · · · · · · · · · · · · · · ·
see also incontinence univary retention catheterized patients 161 pigliural/intrahea) analgesia 385, 386 post-operative 853 urine year 148-9-, 19 urinary tract inspectation of the procedure gradients 161 post-operative 853 urine post-operative 854 urine post-operative 85	penile sheaths 144–6	,	
urinary treatment for the patients 161 epidural/intrathecal analgesia 385, 386 post-operative 833 urinary tact 138-9, 139 urinary tact 138-9, 139 urinary tact 136-9, 139 urinary tact infections (UTIs) 641 catheter-associated was complicating cycloscopy 563 urinary tact infections (UTIs) 641 catheter-associated was complicating cycloscopy 563 urinary tact biffections (UTIs) 641 catheter-associated was complicating cycloscopy 563 urinary tact of the properties			veins
via enfotracheal tube 573, 574 vocume blood collection systems blood cultures 517, 536 sampling via clubble 573, 574 vocume blood cultures 187, 517 vocume to vocate of the collection systems blood cultures 187, 517 vocume 187, 518 vocume 187, 5			
epidural/intrathecal analgesia 385, 386 post-operative 833 urinary tact 136-9, 139 urinary tact 136-9, 139 urinary tact 136-9, 139 urinary tact 136-9, 130 sampling via CVADs 252 sampling via CVADs 252 venopuncture 517, 537 VADs see vascular access devices of urinary tact infections (DTIs) 641 catheter associated were catheter associated urinary tact of seed of patients 167 predisposing factors 641, 642 symptoms 57 professorian factors 641, 642 symptoms 57 professorian factors 641, 643 debris 643 elimination 138-9 formation 640-1, 641 light microscopy 643-4 observations 643, 644 observation 846, 645 values seem of the seed of the seem of the seed			
post-operative 853 uninary tract infections (UTIs) 641 catheter-associated see catheter associated urinary tract infections (UTIs) 641 volume provided by the patients 167 predisposing factors 641, 642 symptoms 555-71 urinary tract of the patients 167 predisposing factors 641, 642 symptoms 555-71 urinary tract obstruction 166 urine colour 641, 643 clobris 643 elimination 138-9 colour 641, 643 elimination 138-9 formation 640-1, 641 leakage around catheter 161, 164 light microscopy 643-4 observations 643, 643 osmolarity 257 adjected by the patients 163 osmolarity 257 patients in isolation 80 specimen container 312 urine bottles are urinals/urine bottles urine drainage bags 149, 149-50 chanigin 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 155, 165 catheterite lipe site in 168, 666 patients at home 874-869 extension sets 751, 751 flushing (intermittent) 866, 866 patients at home 874-869 methods 866-7 procedure guidelines 261-2 normal 256, 257 post-operative 833 urine pot 512 urine pottles in 198, 150, 261 catheter (2501) 569-9 conditioned for a set of the second procedure guidelines 261-2 normal 256, 257 post-operative 833 urine pot 512 urine pot 512 urine pot 512 urine pottles set of the second procedure guidelines 261-2 normal 256, 257 post-operative 833 urine pot 512 color great procedure guidelines 261-2 procedure guidelines 261-2 normal 256, 257 post-operative 833 urine pot 512 urine pot 512 urine pot 512 urine pot 512	epidural/intrathecal analgesia 385, 386		· · · · · · · · · · · · · · · · · · ·
urinary tract infections (UTIS 641 catheter-associated see catheter-associated urinary tract infections complicating cystoscopy 583 dipstick tests 644 nephrostomy tube patients 167 precisposing factors 641, 642 symptoms 57 urine sampling 565-71 urinary tract obstruction 166 urinary tract obstruction 166 urine annual factors 641, 642 symptoms 57 urine sampling 565-71 urinary tract obstruction 166 urine annual factors 641, 643 elimination 33-9 elimination 640-1, 641 light microscopy 643-4 observations 643, 643 odour 641, 643 odour 641, 643 odour 641, 643 indication 640-1, 641 light microscopy 643-4 observations 643, 644 semplated ports annual ton 863, 863, 875-6 patients in isolation 80 specimen container 512 urine bottles see urinals/urine bottles urine dipatic (keagent) tests 643, 644, 646 factors affecting results 643, 644, 646 factors affecting results 643, 644 procedure guideline 156 gosphane 150 nephrostomy tube, 166 factors affecting results 643, 644 procedure guideline 158 leg straps 150 nephrostomy tube, 166 non-catherized patients 188, 161 nephrostomy tubes 168 nephrostomy tubes 166 non-catherized patients 184, 150, 261 nephrostomy tubes 166 non-catherized patients 184, 150, 261 nephrostomy tubes 168 non-catherized patients 149, 150 catheter (201) files procedure guideline 516 nephrostomy tubes 166 non-catherized patients 149, 150 catheter (201) files procedure guideline 517 procedure guideline 627 needure guideline 647 needure guideline 648 nemaritating patients 867 nephrostomy tubes 168 non-catheterized patients 184, 150, 261 nephrostomy tubes 168 non-catheterized patients 184, 150, 261 nephrostomy tubes 168 non-catheterized patients 184, 150, 261 nephrostomy tubes 168 non-cath			
catheter-associated see catheter-associated urinary tract infections complicating cystoscopy 583 dipstick tests 644 nephrostomy tube patients 167 procedure guideline 706-8 vaginal swabs dipstick tests 644 nephrostomy tube patients 167 predisposing factors 641, 642 symptoms 57 urine sampling 565-71 urinary tract obstruction 166 urine of 401, 643 debms 643 elimination 138-9 (CVC insertion 904, 905 valuables, surgical patients 812 values, assessing patients 816 values, venous 515, 562 valuables, surgical patients 812 values, assessing patients 816 values, venous 515, 562 vancomprent 516 values, venous 516, 562 vancomprent 516 values, venous			
urinary tract infections complicating cystoscopy 593 digstick tests 644 procedure guideline 706 procedure guideline 705 predisposing factors 641, 642 symptoms 57 procedure guideline 545 procedure gu			
complicating cystoscopy 533 digistick tests 644 nephrostomy tube patients 167 procedure guideline 565 avaginal speculum 551, 553 vaginal sevabs predisposing factors 641, 642 symptoms 57 urine sampling 565-71 urinary tract obstruction 166 urine debries 633 elimination 138-9 colour 641, 643 elemination 138-9 formation 640-1, 641 leakage around catheter 161, 164 light microscopy 643-4 observations 643, 643 osmolarity 257 patients in isolation 80 specimen container 512 urine obtained see urinals/arine bottles urine dispatick (reagent) tests 643, 644, 646 factors affecting results 643, 644 approcedure guideline 168 legistick (reagent) tests 643, 644 procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output urine output service with the catheterized patients 149, 150 urine output urine paired catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 149, 150, 261 nephrostomy tubes 168 non-catheterized patients 149, 150 urine optomic patients 149, 150 urine optomic patients 149, 150 urine optomic patients 1			
dispitick tests 644 nephrostomy tube patients 167 predisposing factors 641, 642 symptoms 57 urine sampling 565-71 urine 414-454 urine 564-454 urine 564-454-454 urine 564-454-45	,		
nephrostomy tube patients 167 predisposing factors 641, 642 symptoms 57 urine asmpling 565-71 urinary tract obstruction 166 urinary tract obstruction 168 vagus nerve (X) 656 Valsalva manoeuvre chest drain removal 463, 464, 467 CVC insertion 904, 905 valuables, surgical patients 812 values, assessing patients in isolation 80 specimen container 512 urine obstruction 804, 643 osmolarity 257 patients in isolation 80 specimen container 512 urine dispatick (reagent) tests 643, 644, 646 factors affecting results 643, 644, 646 factors affecting results 643, 644 offactors affecting results 643, 644 procedure guideline 644-5, 645 urine dispatick (reagent) type 149-50 changing 149 emptying, procedure guideline 158 leg straps 150 mephrostomy tube, changing, procedure guideline 158 leg straps 150 mephrostomy tube, changing, procedure guideline 158 catheterized patients 149, 150 urine output impaired catheterized patients 261-2 normal 256, 257 procedure guideline 826-2 non-catheterized patients 261-2 normal 256, 257 procedure guideline 826-2			
predisposing factors 641, 642 symptoms 57 urine sampling 565-71 urine sampling 565-71 put the sampling			
urinary tract obstruction 166 urine colour 641, 643 debris 643 ellmination 138-9 formation 640-1, 641 leakage around catheter 161, 164 light microscopy 643-4 observations 643, 643 osmolarity 257 patients in isolation 80 specimen container 512 urine bottles wine dipstick (reagent) tests 643, 644 procedure guideline 644-5, 645 urine drainage bags 149, 149-50 changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tubes 166 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 154, 150 urine output urine output urine output urine output urine poutput urine output urine poutput urine poutput put limpaired catheterized patients 158, 161 nephrostomy tubes 166 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 261-2 procedure guidelines 261-2 normal 256, 257 normolatoring bladder irrigation 165, 165 catheterized patients 261-2 procedure guidelines 870-2 urine specimens 565-71, 642 24-bour collection 570 catheter (CSU) 568-9 drained from the first drain removal 463, 464, 646 Valsakva manoeuvre chest drain removal 463, 464, 467 CVC insertion 904, 905 vagus removal 463, 464, 467 cVV clinsertion 904, 905 valuables, surgical patients 812 values, assessing patient's 16 values, suspical patient's 812 values, assessing patient's 16 values provided and service (VADs) 861-925 absent blood return 770, 771, 866-7, 868 cleaning insertion site 864 catheterized patients 149, 150 urine output urine outp			
urinary tract obstruction 166 value nerve (X) 656 Value and an envery chest drain removal 463, 464, 467 CVC insertion 904, 905 elimination 138-9 formation 640-1, 641 leakage around catheter 161, 164 light microscopy 643-4 observations 643, 643 odour 641, 643 osmolarity 287 patients in isolation 80 specimen container 512 urine bottles see urinals/urine bottles urine dipstick (reagent) tests 643, 644 procedure guideline 542-5 urine bottles see urinals/urine bottles urine dipstick (reagent) tests 643, 644 procedure guideline 648-5, 645 urine drainage bags 149, 149-50 changing 149 emptyling, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output urine output urine particular of the see implanted ports impaired catheterized patients 158, 161 nephrostomy tubes 166 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261-2 normal 256, 257 procedure guidelines 261-2 normal 256, 257 catheterized patients 261-2 normal 256, 257 catheterized patients 261-2 normal 256, 257 cockleans and the procedure guidelines 870-1 equipment 869 extension sets 751, 751 flushing (intermittent) 866, 866 non-catheterized patients 261-2 normal 256, 257 maintaining a closed system 865 post-operative 833 urine pot 512 urine pot 5			
urine colour 641, 643 debris 644 despectation 904 debris 644 debris 643 debris 644 debris 644 debris 644 debris 644 debris 644 debris 644 debris 643 debris 643 debris 643 debris 644 debris 643 debris 643 debris 643 debris 644 debri	urine sampling 565–71		
colour 641, 643 debris 643 elimination 138-9 tormation 640-1, 641 leakage around catheter 161, 164 light microscopy 643-4 observations 643, 643 oomolarity 257 patients in isolation 80 specimen container 512 urine bottles see urinals/urine bottles urine districts (reagent) tests 643, 644 procedure guideline 644-5, 645 urine drainage bags 149, 149-50 changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 863 nonitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 875 post-operative 853 urine pot 512 urine specimens 565-71, 642 24-hour collection 570 catheter (ESU) 568-9 clearing insertion site 864 complications 875, 876 complements 869 complications 875, 876 complements 864 complications 875, 876 complements 864 complications 875, 876 complements 868 complications 875, 876 complements 868 complications 875, 876 complements 869 complements 874 complements 874 complement			
debris 643 elimination 138-9 formation 640-1, 641 leakage around catheter 161, 164 light microscopy 643-4 observations 643, 643 osmolarity 257 patients in isolation 80 specimen container 512 urine bottles see urinals/urine bottles urine dipstick (reagent) tests 643, 644, 646 factors affecting results 643, 644 procedure guideline 644-5, 645 urine drainage bags 149, 149-50 changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder Irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261-2 procedure guidelines 261-2 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565-71, 642 24-hour collection 570 catheter (SU) 568-9 CVV cinsertion 904, 905 valuables, surgical patients 812 values, assessing patient's 16 valves, venous 515, 862 values, sensoris patient's 16 valves, venous 515, 862 values, sensoris patient's 16 valves, venous 515, 862 values, sensoris 16 valves, venous 515, 862 values (VADs) 861-925 absent blood return 770, 771, 866-7, 866 accidental disconnection 865 accidental disconnection 865 acsessment tools 869, 870 blood culture specimen collection 536 catheter tip positioning 867-8, 868 completations 515 post-procedure are 522, 523 improving venous access 515-16 indications 515 post-procedure are 522, 523 problem solving 522-3 procedure guideline 64-8 skin preparation 516, 520, 521 skin preparation 516, 520, 521 skin preparation 516, 520, 521 skin preparation 518 venous access blood transfusion 311 skin preparation 518 venous access blood transfusion 311 skin preparation 518 venous access blood transfusion 311 skin preparation 516, 520, 527 parentle almaining pateney 865-7, 869 methods 866-7 procedure guideline 872 infusion flow rates 752 procedure guideline 872 procedure guideline 872 procedure guideline 872 procedur			
formation 640–1, 641 leakage around catheter 161, 164 leakage around catheter 161, 164 light microscopy 643–4 observations 643, 643 osmolarity 257 patients in isolation 80 specimen container 512 assessment blood return 770, 771, 866–7, 867 patients in isolation 80 specimen container 512 around 1614–1614 procedure guideline 644–5, 645 urine dipstick (reagent) tests 643, 644 procedure guideline 644–5, 645 catheter tip positioning 867–8, 868 complications 875, 876 consent to 868–9 damage and repair 865 decision-making tool 772–3 discharge home with in situ 874–5 procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166–8 sizes and types 149–50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 149, 150, 261 nephrostomy tubes 167 procedure guidelines 261–2 procedure guidelines 261			•
leakage around catheter 161, 164 light microscopy 643-4 observations 643, 643 odour 641, 643 osmolarity 257 patients in isolation 80 specimen container 512 urine bottles see urinals/urine bottles urine dipistick (reagent) tests 643, 644 procedure guideline 644-5, 645 urine drainage bags 149, 149-50 changing 149 emptyring, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 149, 150, 261 nephrostomy tubes 165 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 261-2 procedure guidelines 870-1 procedure guidelines 870-2 procedure guidelines 863 post-operative 833 monitoring bladder irrigation 165, 165 catheterized patients 261-2 procedure guidelines 870-1 procedure guidelines 870-2 procedure guidelines 870-3 post-operative 833 monitoring bladder irrigation 165, 165 catheterized patients 261-2 procedure guidelines 870-1 procedure guidelines 870-2 procedure guidelines 870-2 procedure guidelines 870-2 procedure guidelines 870-3 post-operative 873 wrine pot 512 urine specimens 565-71, 642 24-hour collection 570 catheter (CSU) 568-9 valves, venous 515, 862 vancomycine 40 services (VADs) 861-925 vascular access devices (VADs) 861-925 vascular access devices (VADs) 861-925 vascular access devices (VADs) 861-925 vascelitent trop 536 cassessment tools 869, 870 blood calture specimen collection 536 clasning insertion site 864 complications 515 post-pocedure guideline 870-3 sasessment tools 869, 870 blood calture specimen collection 536 clasning insertion site 864 complications 512 vanications 515 variotations 515 variotations 515 variotations 515 variotations 515 variotation		, , ,	
light microscopy 643-4 observations 643, 643 osmolarity 257 osmola			
observations 643, 643 odour 641, 643 osmolarity 257 patients in isolation 80 specimen container 512 urine bottles see urinals/urine bottles urine dipatick (reagent) tests 643, 644 procedure guideline 644-5, 645 urine drainage bags 149, 149-50 changing 149 emptyring, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 249, 150, 261 nephrostomy tubes 166 non-catheterized patients 261-2 procedure guidelines 261-2 procedure guidelines 261-2 procedure guidelines 261-2 procedure guidelines 261-2 urine post 512 urine specimens 565-71, 642 24-hour collection 570 catheter (CSU) 568-9 vascular access devices (VADs) 861-925 absent blood return 770, 771, 866-7, 867 assessment tools 869, 870 blood culture geniclent 365 assessment tools 869, 870 blood culture specimen collection 536 castess treat blood see, 868 casessment tools 869, 870 blood culture specimen collection 536 catheter tip positioning 867-8, 868 complications 532-4 defined 514 equipment 516-17, 517, 518 haemostasis after 522, 523 improvate care 522, 523 problem solving 522-3 problem solving 522-3 problem solving 522-1 risk management 516 safety of practitioner 516		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
odour 641, 643 osmolarity 257 patients in isolation 80 specimen container 512 urine bottles see urinals/urine bottles urine dipstick (reagent) tests 643, 644, 646 factors affecting results 643, 644, 646 factors affecting results 643, 644, 646 changing 149 emptying, procedure guideline 64–5, 645 leg straps 150 urine bottles destraps 150 urine bottles urine dipstick (reagent) tests 643, 644, 646 factors affecting results 643, 644 procedure guideline 64–5, 645 changing 149 emptying, procedure guideline 158 leg straps 150 urine output guideline 166–8 sizes and types 149–50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 261–2 procedure guidelines 261–2 normal 256, 257 post-operative 863 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 vascular access devices (VADs) 860-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 866-7, 771, 865-7 accidental disconnection 865 accidental disconnection 865 accidental disconnection 865 catheter tip positioning 867-8, 868 complications 875, 876 complications 875, 876 consent to 868-9 deaming insertion site 864 compleadions 875, 876 consent to 868-9 deaming insertion site 864 compleadions 875, 876 consent to 868-9 deaming insertion site 864 compleadions 875, 876 consent to 868-9 deaming insertion site 864 compleadions 875, 876 consent to 868-9 deaming insertion site 864 compleadions 875, 876 catheter tip positioning 867-8, 868 complications 875, 876 catheter tip positioning 876-8, 868 complications 875, 876 fceasings 864-5, 869 posit-o		-	
patients in isolation 80 specimen container 512 urine bottles see urinals/urine bottles urine dipstick (reagent) tests 643, 644 procedure guideline 644–5, 645 urine drainage bags 149, 149–50 changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166–8 sizes and types 149–50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261–2 normal 256, 257 post-operative 853 urine bottles see urinals/urine bottles asceiment tools 869, 870 blood culture specimen collection 536 catheter tip positioning 867–8, 868 complications 875, 876 consent to 868–9 consent to 868–9 damage and repair 865 consent to 868–9 decision-making tool 772–3 diressings 864–5, 869 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261–2 normal 256, 257 post-operative 853 urine pot 512 urine pot 512 urine bottles accidental disconnection 865 blood culture specimen collection 536 catheter tip positioning 867–8, 868 coaplications 875, 876 competencies 868, 868 complications 875, 876 consent to 868–9 damage and repair 865 consent to 868–9 consent to 868–1 inf			
specimen container 512 urine bottles see urinals/urine bottles urine bottles see urinals/urine bottles urine bottles see urinals/urine bottles urine dipstick (reagent) tests 643, 644, 646 factors affecting results 643, 644 procedure guideline 644-5, 645 urine drainage bags 149, 149-50 changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-poractive 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261-2 normal 256, 257 post-operative 883 urine pot 512 urine output impaired catheterized patients 261-2 normal 256, 257 post-operative 883 urine pot 512 urine seecimen solose 69, 870 classing 864-8, 868 cleaning insertion site 864 complications 875, 876 consent to 868-9 complications 875, 876 complication			
urine bottles see urinals/urine bottles urine dipstick (reagent) tests 643, 644, 646 factors affecting results 643, 644 procedure guideline 644–5, 645 urine drainage bags 149, 149–50 changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166–8 sizes and types 149–50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261–2 normal 256, 257 procedure guideline 870 post-operative 853 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 assessment tools 869, 870 blood culture specimen collection 536 catheter tip positioning 867–8, 868 catheter tip positioning 867–8, 868 complications 975, 876 decision-making tool 772–3 discharge home with in situ 874–5 decision-making tool 772–3 discharge home with in situ 874–5 changing, procedure guideline 870–1 equipment 869 extension sets 751, 751 flushing (intermittent) 866, 866 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261–2 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 assessment tools 869, 868 catheter tip positioning 867–8, 868 complications 515 post-procedure guideline 519–22, 521 risk management 516 skin preparation 518, safety of practitioner 516 skin preparation 518 venous access blood transfusion 311 limited, problem solving 523 methods 67 parenter and problem solving 523 methods 67 parenter and problem solving 520 methods 67 procedure guideline 870–1 parenteral nutrition 300 see also central venous access devices; peripheral cannulas			
urine dipstick (reagent) tests 643, 644, 646 factors affecting results 643, 644 procedure guideline 644-5, 645 urine drainage bags 149, 149-50 changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-porative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261-2 normal 256, 257 procedure guidelines 261-2 arine pot 512 urine specimens 644-5, 645 cleating insertion site 864 cleaning insertion site 864 complications 875, 868 complications 875, 876 consent to 868-9 safety of practitioner 516 safety of practitioner 518 safety of practitioner 516 safety of practitioner 518 safety of practitioner 516 sa			
factors affecting results 643, 644 procedure guideline 644–5, 645 urine drainage bags 149, 149–50 changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166–8 sizes and types 149–50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 261–2 procedure guideline 872 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 cleaning insertion site 864 risk management 516 safety of practitioner 516 skin preparation 518 venous access blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772–3 epident benegation 872 parenteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture Venous Assessment Tool (VAT) 869, 870 venous return 613 venous access blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772–3 epidental/intrathecal analgesia 381 limited, problem solving 523 methods for improving 515–16, 876–7 parenteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture Venous Assessment Tool (VAT) 869, 870		,	
procedure guideline 644–5, 645 urine drainage bags 149, 149–50 changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166–8 sizes and types 149–50, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 261–2 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 cleaning insertion site 864 competencies 868, 868 sease 868 sease 868 safety of practitioner 516 skin preparation 516, 520, 521 specific patient preparation 518 venous access venous access venous access blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772–3 epidural/intrathecal analgesia 381 limited, problem solving 523 methods for improving 515–16, 876–7 parenteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture venous spasm blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772–3 epidural/intrathecal analgesia 381 limited, problem solving 523 methods for improving 515–16, 876–7 parenteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture venous spasm blood transfusion 318 venous see also central venous access devices; venous spasm blood transfusion 318 initiated, problem solving 523 methods for improving 515–16, 876–7 parenteral nutrition 300 see also central venous access devices; venous spasm blood transfusion 318 intravenous infusions 752, 765 PICC removal 902 venepuncture 518, 523 venous thromboembolism (VTE) 800, 800 prophylaxis see thromboprophylaxis			problem solving 522–3
changing 149 emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261-2 procedure guideline 261-2 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565-71, 642 24-hour collection 570 catheter (CSU) 568-9 complications 875, 876 consent to 868-9 damage and repair 865 decision-making tool 772-3 discharge home with in situ 874-5 decision-making tool 772-3 discharge home with in situ 874-5 blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772-3 epidural/intathecal analgesia 381 limited, problem solving 523 methods for improving 515-16, 876-7 parenteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; eperpheral cannulas; vascular access devices; eperpheral cannulas; vascular access devices; eperpheral cannulas; vascular access devices; peripheral			procedure guideline 519–22, <i>521</i>
emptying, procedure guideline 158 leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 nephrostomy tubes 166 nephrostomy tubes 166 nephrostomy tubes 167 nephrostomy tubes 168 post-operative 832, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 nephrostomy tubes 166 non-catheterized patients 261-2 procedure guideline 872 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565-71, 642 24-hour collection 570 catheter (CSU) 568-9 consent to 868-9 damage and repair 865 decision-making tool 772-3 show with in situ 874-5 discharge home with in situ 874-5 blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772-3 epidural/intrathecal analgesia 381 limited, problem solving 523 methods for improving 515-16, 876-7 paranteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture Venous Assessment Tool (VAT) 869, 870 venous return 613 venous spasm blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772-3 epidural/intrathecal analgesia 381 limited, problem solving 523 methods for improving 515-16, 876-7 paranteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture Venous Assessment Tool (VAT) 869, 870 venous return 613 venous spasm blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772-3 epidural/intrathecal analgesia 381 limited, problem solving 523 methods for improving 515-16, 876-7 paranteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture Venous Assessment Tool (VAT) 869, 870 venous spasm blood transfusion 311 computed tomography 5		The state of the s	
leg straps 150 nephrostomy tube, changing, procedure guideline 166-8 sizes and types 149-50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 166 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261-2 procedure guidelines 261-2 procedure guidelines 261-2 normal 256, 257 urine specimens 565-71, 642 224-hour collection 570 catheter (CSU) 568-9 damage and repair 865 decision-making tool 772-3 tecision-making tool 772-3 tecesion-making tool 772-3 technaging, procedure guideline 870-1 edisphare home with in situ 874-5 thesings 864-5, 869 changing, procedure guideline 870-1 equipment 869 changing, procedure guideline 870-1 procedure guideline 872 needleless connectors/injection caps 751, 751-2 venous spasm blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772-3 epidural/intrathecal analgesia 381 limited, problem solving 523 methods for improving 515-16, 876-7 parenteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture venous return 613 venous spasm blood transfusion 318 intravenous infusions 752, 765 PICC removal 902 venepuncture 518, 523 venous thromboembolism (VTE) 800, 800 prophylaxis see thromboeprophylaxis			
nephrostomy tube, changing, procedure guideline 166–8 discharge home with in situ 874–5 dressings 864–5, 869 with urometers 149, 150 dressings 864–5, 869 changing, procedure guideline 870–1 equipment 869 extension sets 751, 751 equipment 869 extension sets 751, 751 epidometrized patients 158, 161 flushing (intermittent) 866, 866 post-operative 833, 853 post-operative 833, 853 procedure guideline 872 procedure guideline 872 indications for use 864 procedure guidelines 149, 150, 261 nephrostomy tubes 166 infusion flow rates 752 procedure guidelines 261–2 maintaining a closed system 865 maintaining patency 865–7, 869 methods 866–7 procedure guideline 872 intravenous infusions 752, 765 post-operative 853 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 clot formation 865, 865, 866–7			
guideline 166–8 sizes and types 149–50, 150 with urometers 149, 150 urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261–2 procedure guideline 876 non-catheterized patients 261–2 procedure guideline 876 non-catheterized patients 265–71, 642 procedure guideline 872 needleless connectors/injection caps 751, urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 discharge home with in situ 874–5 blood transfusion 311 computed tomography 587 CPR 496, 500 decision-making tool 772–3 epidural/intrathecal analgesia 381 limited, problem solving 523 methods for improving 515–16, 876–7 parenteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture venous Assessment Tool (VAT) 869, 870 venous spasm blood transfusion 311 computed tomography 587 CPR 496, 500 CPR 496, 50	nephrostomy tube, changing, procedure		
with urometers 149, 150 urine output impaired impaired catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring bladder irrigation 165, 165 catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261-2 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565-71, 642 24-hour collection 570 catheter (CSU) 568-9 changing, procedure guideline 870-1 equipment 869 extension sets 751, 751 equipment 869 extension sets 751, 751 epidural/intrathecal analgesia 381 limited, problem solving 523 methods for improving 515-16, 876-7 parenteral nutrition 300 see also central venous access devices; peripheral cannulas; vascular access devices; venepuncture venous Assessment Tool (VAT) 869, 870 venous return 613 venous spasm blood transfusion 318 intravenous infusions 752, 765 PICC removal 902 venepuncture 518, 523 venous thromboembolism (VTE) 800, 800 clot formation 865, 865, 866-7	guideline 166–8		
urine output impaired catheterized patients 158, 161 nephrostomy tubes 168 nephrostomy tubes 168 monitoring monitoring bladder irrigation 165, 165 nephrostomy tubes 166 non-catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261–2 procedure guidelines 261–2 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 extension sets 751, 751 flushing (intermittent) 866, 866 patients at home 874–5 patients 869 patients 1869 patients 1869 patients 1869 patients at home 874–5 pati			
impaired extension sets 751, 751 epidural/intrathecal analgesia 381 flushing (intermittent) 866, 866 limited, problem solving 523 methods for improving 515–16, 876–7 post-operative 833, 853 procedure guideline 872 parenteral nutrition 300 monitoring implanted see implanted ports bladder irrigation 165, 165 indications for use 864 peripheral cannulas; vascular access catheterized patients 149, 150, 261 infection prevention 864–5 devices; venepuncture venous Assessment Tool (VAT) 869, 870 non-catheterized patients 261–2 maintaining a closed system 865 venous return 613 venous spasm normal 256, 257 methods 866–7 medleless connectors/injection caps 751, procedure guidelines 261–2 medleless connectors/injection caps 751, arrine pot 512 needleless connectors/injection caps 751, catheter (CSU) 568–9 clot formation 865, 865, 866–7 prophylaxis see thromboprophylaxis	,	0 0,	
catheterized patients 158, 161 nephrostomy tubes 168 post-operative 833, 853 monitoring monitoring bladder irrigation 165, 165 nephrostomy tubes 166 nephrostomy tubes 165 monitoring bladder irrigation 165, 165 indications for use 864 nephrostomy tubes 166 non-catheterized patients 149, 150, 261 non-catheterized patients 261–2 procedure guidelines 261–2 procedure guidelines 261–2 mormal 256, 257 post-operative 853 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 flushing (intermittent) 866, 866 patients at home 874–5 patients at home 872 patients at home 872 patients at home 872 patients at home store implated per by a patients glob central venous access devices; patients at home 874–5 patients at home 872 patients at home store implated per se also central venous access devices; patients at home store implated per se also central venous access devices; patients at home store implated ports at also central venous access devices; patients at sold patients 261–2 patients at home store implanted ports at also central venous access devices; patients at sold patients 261–2 patients at	* .		
nephrostomy tubes 168 patients at home 874–5 post-operative 833, 853 procedure guideline 872 parenteral nutrition 300 parenterial nutrition 300 pare			
monitoring implanted see implanted ports bladder irrigation 165, 165 indications for use 864 peripheral cannulas; vascular access catheterized patients 149, 150, 261 infection prevention 864–5 devices; venepuncture nephrostomy tubes 166 infusion flow rates 752 Venous Assessment Tool (VAT) 869, 870 non-catheterized patients 261–2 maintaining a closed system 865 venous return 613 venous spasm normal 256, 257 methods 866–7 methods 866–7 blood transfusion 318 intravenous infusions 752, 765 procedure guidelines 261–2 medleless connectors/injection caps 751, urine specimens 565–71, 642 751–2 venepuncture 518, 523 venous thromboembolism (VTE) 800, 800 catheter (CSU) 568–9 clot formation 865, 865, 866–7 prophylaxis see thromboprophylaxis			
bladder irrigation 165, 165		procedure guideline 872	parenteral nutrition 300
catheterized patients 149, 150, 261 nephrostomy tubes 166 non-catheterized patients 261–2 procedure guidelines 261–2 normal 256, 257 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 infection prevention 864–5 infusion flow rates 752 maintaining a closed system 865 maintaining a closed system 865 maintaining patency 865–7, 869 maintaining patency 865–7, 869 methods 866–7 methods 866–7 procedure guideline 872 needleless connectors/injection caps 751, post-operative 853 procedure guideline 872 needleless connectors/injection caps 751, venepuncture 518, 523 venous thromboembolism (VTE) 800, 800 prophylaxis see thromboprophylaxis			
nephrostomy tubes 166 infusion flow rates 752 Venous Assessment Tool (VAT) 869, 870 non-catheterized patients 261–2 maintaining a closed system 865 venous return 613 venous spasm blood transfusion 318 post-operative 853 procedure guideline 872 intravenous infusions 752, 765 percedure pot 512 needleless connectors/injection caps 751, urine specimens 565–71, 642 751–2 venepuncture 518, 523 venous thromboembolism (VTE) 800, 800 catheter (CSU) 568–9 clot formation 865, 865, 866–7			
non-catheterized patients 261–2 maintaining a closed system 865 venous return 613 venous spasm blood transfusion 318 venous spasm blood transfusion 318 intravenous infusions 752, 765 procedure guideline 872 intravenous infusions 752, 765 procedure guideline 872 intravenous infusions 752, 765 procedure guideline 872 venepuncture 518, 523 venous spasm blood transfusion 318 intravenous infusions 752, 765 procedure guideline 872 intravenous infusions 752, 765 procedure specimens 565–71, 642 751–2 venepuncture 518, 523 venous thromboembolism (VTE) 800, 800 catheter (CSU) 568–9 clot formation 865, 865, 866–7 prophylaxis see thromboprophylaxis			
procedure guidelines 261–2 normal 256, 257 normal 256, 257 post-operative 853 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 maintaining patency 865–7, 869 methods 866–7 methods 866–7 procedure guideline 872 needleless connectors/injection caps 751, procedure guideline 872 normal 256, 257 procedure guideline 872 normal 256, 257 procedure guideline 872 normal 256, 257 procedure guideline 872 procedure guideline 872 normal 256, 257 procedure guideline 872 procedure gu			
normal 256, 257 post-operative 853 procedure guideline 872 urine pot 512 urine specimens 565–71, 642 24-hour collection 570 catheter (CSU) 568–9 methods 866–7 methods 866–7 needleless connectors/injection caps 751, needleless connectors/injection caps 751, venepuncture 518, 523 venepuncture 518, 523 venous thromboembolism (VTE) 800, 800 prophylaxis see thromboprophylaxis	procedure guidelines 261–2		venous spasm
urine pot 512 needleless connectors/injection caps 751, PICC removal 902 venepuncture 518, 523 24-hour collection 570 occlusion 865–7 venous thromboembolism (VTE) 800, 800 catheter (CSU) 568–9 clot formation 865, 865, 866–7 prophylaxis see thromboprophylaxis		methods 866–7	
urine specimens 565–71, 642 751–2 venepuncture 518, 523 24-hour collection 570 occlusion 865–7 venous thromboembolism (VTE) 800, <i>800</i> catheter (CSU) 568–9 clot formation 865, <i>865</i> , 866–7 prophylaxis <i>see</i> thromboprophylaxis			
24-hour collection 570 occlusion 865–7 venous thromboembolism (VTE) 800, 800 catheter (CSU) 568–9 clot formation 865, 865, 866–7 prophylaxis see thromboprophylaxis			
catheter (CSU) 568–9 clot formation 865, 865, 866–7 prophylaxis see thromboprophylaxis			
		· · · ·	

the leader 11 (7 ///// /times al)	viral infections 54	::
venous thromboembolism (VTE) (continued)		eye irrigation 343, 345
unconscious patients 221	diagnostic tests 511, 513	filling catheter balloons 147
see also deep vein thrombosis; pulmonary	transfusion-transmitted 320	hand washing 61, 70
embolism	see also specific infections	intestinal absorption 141, 267
ventilated patients	Virchow's triad 902	oral care 356
moving and positioning 221, 222-5	virulence 56	quality 58
problem solving 224–5	viruses 54	total body 254, 267
	bloodborne, occupational exposure 88	
procedure guidelines 222–3, 224		transport and movement 254, 255
oral care 355, 355	identification 511	tubular reabsorption 641, 641
ventilation/perfusion matching 225–6, 226	life cycle 54, 55	wound cleaning 941
ventilation	specimen handling 514	see also fluid(s)
bag and mask 491, 491, 493-4, 494, 499	vision 342	water bath blood warmers 311-12
mechanical see mechanical ventilation	visitors	water humidification chamber 438, 442, 448
mouth-to-facemask 491, 491, 493, 493	protective isolation 86, 87, 88	Waterlow pressure ulcer risk assessment 950
mouth-to-mouth 491	see also family	WaterPik 355
non-invasive (NIV) 446–7, 448, 449	visual acuity testing 658, 664	water vapour 432
pulmonary 432, 618–19, <i>619</i>	visual fields 342	weakness, patient positioning 211, 234
ventilation/perfusion (V/Q) ratio 225	testing 658	wedding rings 61, 812
benefits of CPAP 447	visual impairment 127, 342	weighing
positioning to maximize 225-7, 226	Visual Infusion Phlebitis Scale (VIP) 879, 880	adults 269–72
problem solving 227	visual pathways 342, 342	problem solving 272
	vital capacity (VC) 622, 623	
procedure guidelines 226–7		procedure guideline 269–70, 271
ventilator-associated pneumonia (VAP) 355	vital signs	scales 269–70
ventilators	defined 596	sick children 268
negative pressure 447	hand-held monitoring devices 596	weight, body <i>see</i> bodyweight
non-invasive 447	neurological assessment 658-9, 663	weight bearing, restrictions on 219
PACU 828	see also blood pressure; pulse; respiratory	weight loss, percentage 267–8
positive pressure 447	assessment; temperature (body)	wheelchairs
	vitamin C (ascorbic acid) 644, 937	
venting needle method of powder preparation		lower limb amputees 247, 247
724–5, 725	vitamin K 275, 686	patient positioning 217–18
ventricular fibrillation (VF) 487, 601	vitamins	wheeze 24
defibrillation 488, 490	dietary requirements 269	whispered voice test 351
drug therapy 497	parenteral nutrition 299, 301	WhisperFlo device 448
ECG tracing 611	serum levels 268	whistle-tipped catheters 148, 148
ventricular tachycardia (VT)	supplements 275	Whitacre needle 721
defibrillation 488, 490	vitreous humour 341	white blood cells
drug therapy 497	vocal cords (folds) 98, 98	count (WBC) 534, 794, 810
ECG tracing 611	voice	for transfusion 307
pulseless 487	impairment 125, 126–7	WHO see World Health Organization
ventrogluteal intramuscular injection site 740,	production 98, <i>98</i>	will and testament, last 405
740	volumetric infusion pumps 754, 754	wind, stoma patients 198
Venturi-type oxygen masks 437, 437	ambulatory 756	winged infusion devices 879
verbal communication 101–2	parenteral nutrition 300	blood culture samples 536, 537–8
verbal descriptor scales (VDS), pain 364	voluntary services, community care 39	subcutaneous infusions 734
	vomiting 134–8	
verbal orders, drug administration 680	9	venepuncture 516–17, 518
verbal response, Glasgow Coma Scale 661 ,	causes 134, 134	women <i>see</i> female patients
661–2	infection prevention and control 51, 135	wooden spatulas, cervical smears 551, <i>551</i> ,
vesicant drugs 768	nasogastric drainage tube insertion 135–8	552-4
antidotes 771–3	procedure guideline 137–8	work of breathing, positioning to minimize
aspiration from tissues 773-4	pathophysiology 134, 134	227–8, 228, <i>2</i> 29
competencies 769–70	patient care, procedure guideline 135	World Health Organization (WHO) 781
defined 767	see also nausea and vomiting	adverse drug reactions 686
extravasation 767–81	vomiting centre 134, 134	analgesic ladder 366–7, <i>367</i>
see also extravasation	vulnerable adults	cervical uterine smear 551
informed consent 770	care after death 413	oral assessment scale 356
methods of administration 769	covert drug administration 698–9	Surgical Safety Checklist 799, 814, 815,
sequencing 769, 769	pain assessment 363-4, 365	816, 825
tissue damage mechanisms 767	see also learning disabilities	worms, parasitic 55
VAD decision tool 772–3	3	worried patients 108–9, 109–10
vesicular breath sounds 24	walking, assisting patients with 219-20	wound(s) 936–46
	walking aids 219, 220	· ,
Vessel Health Preservation (VHP) system		acute 936
869	warfarin 455, 534, 686	assessment <i>942–3</i> , 943–4
vestibular apparatus 350	warming blankets, operating theatre 825, 826	breakdown, amputees 248, 249
vestibule, oral 352, 352	warming methods, hypothermia 640	chronic 936, 937
vestibulocochlear nerve (VIII) 656	washbowls 336	classification 936, 944
vials (mainly multidose) 720, 720	washcloths, prepackaged 336	cleansing 941, 956
equilibrium method of powder preparation	waste	closure methods 955
	colour coding system 90	
726		colonization 941
minimizing coring 724, 725	containers (receptacles) 89, 90–1	contraction 937
venting needle method of powder	defined 89	debridement 938, 938–9
preparation 724–5, <i>725</i>	waste management 89–92	deceased patients 417
videofluoroscopy, swallowing assessment 278	equipment 59	defined 936
Vim-Silverman needle 584	regulations 58, 89	dehiscence 852
vinca alkaloids 767, 768	soiled linen 91–2	edge non-advancement 938, 941
violence 118–21	source isolation rooms 83, 84	haematoma 852
	water	
see also aggression; anger		inflammation and infection 938 , 941
viral haemorrhagic fever 82	drinking, immunocompromised patients 86	moisture balance 938, 941

moving/positioning patients with 211, 220 open 334 re-epithelialization 937 surgical see surgical wounds suturing 954-60 swabs 564-5, 941 wound bed preparation (WBP) 938-41 TIME principles 938, 938-41 wound drains see drains, surgical wound dressings see dressings wound exudate 941 chronic excessive 939, 941 specimen collection 557 wound healing 936-7 bacterial burden and 941 factors delaying 938, 939 haemostasis 936, 937 inflammatory phase 936-7, 937 maturation phase 937, 938 phases 936–7

by primary intention 936 proliferative phase 937, 937 by secondary intention 936 by tertiary intention 936 tissue factors affecting 938, 938-9 undernourished patients 268 wound infections 938, 941 amputees 249 nephrostomy tube site 166, 168 prioritizing isolation 81 suitable dressings **944** surgical site 852 wound management 935-65 choice of dressings 944 negative pressure therapy 962–5 plastic surgery 961-2, 962 pressure ulcers 952, 954 procedure guideline 945-6 TIME principles 938, 938–41 useful websites 965

Wright peak flow meter 631 wristbands (namebands) blood transfusions 312, **318** surgical patients 799, **800**, 813 see also identification, patient wrong blood in tube (WBIT) 311

xerostomia *see* dry mouth X-rays 585–6 *see also* chest X-rays

Yankauer sucker 495, 495 Yates drains **836**, 837 Yellow Card Scheme 680, 686

zopiclone **691, 692** Zoroastrianism 421 Z-track technique, intramuscular injections 741